

WILDLIFE SURVEY FOR BATS

AT

**Brookfield,
Stonygate Lane,
Ribchester
PR3 2YN**




Document Reference:

1489

Denis Lambert
Wildlife Survey
Spout Farm, Preston Road
Longridge, Preston, Lancashire. PR3 3BE
Tel: **01772 783322** Mob: **07813 140682**
E-mail: denis@wildlifesurvey.co.uk
www.wildlifesurvey.co.uk





BAT SURVEY & REPORT

Commissioned By:

Mr & Mrs Andrews

Address:

62, Green Bank Park,
Higher Road,
Longridge
Preston.
PR3 2XY

Contact Details:

Tel: 01772 784060
Mob: 07912 269536

e-mail: simonphandrews@gmail.com

Instruction Method:

Verbal

Bat Survey Address:

Brookfield,
Stonygate Lane,
Ribchester.
PR3 2YN

Visit Date:


24th July 2013 at 15.00 hours

Weather

A sunny afternoon with a few clouds, no breeze and a temperature of 22 °c

Architect

Peter Bamber,
Architectural Services Ltd
m. 07866 366565 t. 01254 820092
[e. info@pgb-arch.com](mailto:info@pgb-arch.com)



BAT SURVEY & REPORT

Survey Brief

To inspect buildings, assess the value of the site for bats, and compile a report prior to a Planning Application being submitted.

The report will identify if bats have ever used the buildings at any time, or not as the case may be.

If bats have used the buildings, assess the importance of the site for bats and bat conservation.

Objectives of the report:

The purpose of the survey is to look for evidence confirming that bats use, or have used the buildings for resting, feeding, roosting or winter hibernacula.

When evidence of bats is found, the report will include recommendations and mitigation to prevent disturbance to bats.

Survey Guidelines

This survey follows guidelines recommended by:

Bat Conservation Trust, The Conservation of Habitats and Species Regulations 2010.

Natural England (Survey objectives, methods and standards- Bat Mitigation Guidelines, 2004)

JNCC Bat Workers Manual

Daytime Survey Methods

The size of the site or the complexity of the buildings may make daytime searches for bats very difficult.

Photographs will be taken of the outsides and insides of all buildings and structures.

Ladders will be used to access all parts of buildings for detailed inspection.

An endoscope camera with an LCD monitor will be used to examine niches and cavities in structures with limited access.

BAT SURVEY & REPORT

Signs of Bat Use

Evidence of use by bats will include one of the following;

Presence of live or dead bats.

Bat droppings.

Moth and insect wings.

Faint scratch marks on roof timbers.

Grease staining marks on roof timbers.

Odour of bats.

Evening Survey Methods

Detection of the presence of bats is often undertaken at bat emergence time on evenings when bats are likely to be flying.

Bat emergence time may start half an hour before sunset, to one hour after.

To give greater coverage and scope, the survey is normally conducted by a minimum of two persons.

A bat detector is used to detect ultra-sound emitted by bats into sounds audible to the human ear from roof areas where human access is limited or impossible.

Species may be identified by the frequency on which they 'transmit' and by the sonargraph of their sounds.

Up to three evening surveys may be necessary on evening during summer months when bats are flying to confirm the presence or absence of bats.

Dawn swarming surveys may also be required to enhance or confirm evidence of bat presence.

Analysis of results

Negative results from the bat detector may only indicate that bats are not present at the time of the survey.

If the bat detector detects sonar but the source of the noise remains unidentified, further inspection of the site may be needed.

Bat habits

Bats frequently use the shelter of buildings and trees for feeding.

The presence of feeding bats does not indicate that the roost is close by.

Insects are found at most sites, and their presence attracts bats, which may travel up to five kilometres or more, to feast in insect rich habitat.

BAT SURVEY & REPORT

Adverse weather

Adverse weather conditions may affect the ability to collect data on night visits.

Cold nights, strong wind or heavy rain may prevent bats from flying, and numbers of insects may be likewise very limited.

Subsequent visits should provide sufficient data and prove positive or negative results.

Surveying Equipment

Million candle power re-chargeable torches.

Petzl headlamp torches.

A variety of folding aluminium ladders.

10 x 43 Hawke binoculars.

Bat box 'duet 'bat detector, a heterodyne type sonar receiver.

Bat Scanner, a heterodyne type instrument which actively scans ultrasound for bats.

Telescopic inspection mirrors, large and small.

Handheld Endoscope camera with LCD colour monitor

Limitations of the report

The aim of the survey is to prove use by bats, but does not guarantee their absence.

Surveys undertaken when bats are hibernating will have to be re-assessed during summer months when bats are most active.

Roof voids, attics and lofts will only be inspected when safe access is possible.

Building's whose structure is unsafe in any way, will only be inspected from a safe distance with the use of a pair of binoculars.

A bat detector will be used in all cases but daytime visits may only produce limited success.

When buildings are inspected during winter months, a bat detector will have very limited results.

Buildings with no signs of bats on the date of the survey may be used by individuals or small numbers of bats, in subsequent months or years.

Small bats, like pipistrelles, may leave evidence of occupation in small inaccessible crevices which may be extremely difficult to detect if the bats are not present when the survey is being conducted.

With changing climatic conditions, surveys and reports are valid for one year only.

BAT SURVEY & REPORT

Proposed Development

The proposal is to demolish the bungalow

External Survey Results

Building type

Bungalow:
Garage:
Other:

YES	NO
-----	----

✓	
✓	
	✓

Comments:

The house is a single storey building, with a separate single storey garage.

Construction

Stone
Brick
Corrugated sheeting:
Bat Access Places

	✓
✓	
✓	
✓	

Comments:

The house is well constructed and maintained with exposed brick for the first metre then rendered and pebble dashed above with no bat access places.

The garage is clad with corrugated sheeting and has bat access places.

Roof

Slate
Tile:
Corrugated sheeting:
Bat access Places

✓	
✓	
✓	
✓	

Comments:

The house and garage both have apex roofs

Bat Signs

Bats seen
Droppings
Bat Detector Results

	✓
	✓
	✓

Comments:

A careful visual examination was made around the outside of the house and garage.

The build quality on the bungalow is high with no access points large enough to be used by bats.

The garage has bat access points to the inside.

External Conclusions:

No evidence of bats using or having used either of the buildings could be found.

BAT SURVEY & REPORT

Internal Survey Results

Building use: The house is vacant at present.

Construction

Stone
Brick
Other/plaster
Bat Access Places

YES	NO
✓	
✓	
	✓

Comments:

Roof space, attic or loft

Beams
Trusses
Lined roof: Underfelt
Bat access places

✓	
	✓
	✓
✓	

Comments:

The house has a single access hatch into the attic and roof lights make the space light.

Daylight shines through beneath the slates but above the gable walls, indicating possible access points

Neither of the roofs are lined and are good to inspected.

Bat signs

Bats seen
Droppings
Bat Detector Results
Staining on beams
Moth + insect wings present
Suspect summer roost
Suspect winter hibernacula

	✓
	✓
	✓
	✓
	✓
	✓
	✓

Comments:

The house attic was clean with no signs or evidence of bat occupation.

No signs or evidence of use by bats were found in the garage.

Internal Conclusions:

No signs of occupation or use by bats could be found.

BAT SURVEY & REPORT

SURVEY SUMMARY

Proposed Development

The proposal is to demolish the bungalow and garage.

Site Description

The property forms part of a ribbon residential development on the outskirts of a small village.

Agricultural fields with mature trees, hedges and a nearby stream make this area excellent feeding habitat for bats.

Survey Results

The survey found no evidence of bats occupying or having occupied the house or garage.

Importance of the Site

The surveys found no evidence of occupation by bats for roosting, refuge or hibernation, and accordingly the site has no special wildlife importance.

Conclusions

A thorough search of all areas could find no evidence of previous or present occupation by bats in any part of the property.

With no evidence of bats using the property, a licence from Natural England is not required to proceed with the work and no further survey work is required.

Mitigation and Enhancement

No bat mitigation or bat habitat enhancement is required.

Author: Denis Lambert

Signed: *Denis Lambert*

Dated: *25th July 2013*

SURVEYOR'S DETAILS

Denis Lambert is a registered and licensed Bat Warden No. 20130275 for Natural England since 1981, and a voluntary Bat Warden for the Bat Conservation Trust.

Dedicated to conservation and environmental issues, he has been a keen bird watcher and mammal specialist all his life and was involved with the formation of the Lancashire Badger Group and acted as its chairman for ten years.

Working as a qualified arborist (tree surgeon) he has been actively involved in protecting many species of flora and fauna over the years.

BAT LEGISLATION AND RECOMMENDATIONS

Bats and the Law

Deliberate disturbance of bats during the breeding season, the exclusion of bats and the destruction of a bat roost is now a criminal offence under the Conservation of Habitats and Species Regulations 2010.

The onus lies on the applicant to satisfy him/her that no offence will be committed if and when the development goes ahead.

Natural England now advises, *“Operations to known breeding sites should be timed to avoid the months of June, July and August if possible, the best times for building or re-roofing operations are spring and autumn”*.

The Need for a Survey

Bats are protected by European Legislation and a survey of the building due for change or development may identify the presence of bats and prevent a criminal offence occurring.

Survey Types

The external and internal fabric of any building due for change or development must be examined for the presence of bats.

Evening emergence and dawn swarming surveys during summer months when bats are active may confirm the presence of bats and access points used.

Additional survey work may be necessary, especially in the evenings or early morning to determine the exact extent of use by bats.

.How to proceed if bats are found

When bats are present and the works have to be done at a time when bats are resident, a Licence will be required.

If the proposed work can be timed to not affect or disturb the bats in any way, and bats are not present, then the work may possibly be done without a licence.

Each site has different requirements and Natural England, the Licensing Authority have the final say.

As a licensed bat person, I can apply on your behalf for a licence to enable the works to proceed. Natural England requires a minimum six weeks to process any licence application.

The granting of a license is not guaranteed, but when the application is a matter of health and public safety and supporting mitigation enhances the habitat for continued use by bats, a license may be approved.

Mitigation will include detailed information for the retention, enhancement and preservation of the population of European Protected Species in the locality.

How to proceed if bats are not present

The report may conclude that bats are not present at the time of the survey, and work may proceed without a licence, mitigation or habitat enhancement.

BAT LEGISLATION AND RECOMMENDATIONS

General recommendations:

Being aware of how bats move from site to site, and the possibility that bats may occur in any building at any time of year, the following points should help developers.

Bats may use buildings at any time of the year for feeding or refuge.

Work to the roof should be undertaken when bats are free flying between April to early May and September to October.

Care must be taken when removing slates, tiles, ridge tiles, roof beams and associated stonework.

During completion of roof works, bat access points may be built into the new structure.

Pointing of walls should not be carried out from mid-November to mid-March (dependent on seasonal variations, eg, prolonged cold weather in March and April) to avoid entombing bats, which may be hibernating within.

When hibernating, bats become torpid and appear lifeless but do not assume they are dead.

During very cold weather, it may take up to two hours before a bat has "warmed up" sufficiently for it to be able to move or fly.

Handling and rescuing of bats must be done by a bat consultant, with thick leather gloves worn by the rescuer to avoid being bitten.

If any timber treatment is carried out, only chemicals safe for bats must be used.

New timbers used in new build or the renovation of older properties must be treated with preservatives using the CCA method (Copper, Chrome Arsenic), which is safe for bats.

Tool box talks can be given to operatives engaged in roof works, to make them aware of their legal obligations to European Protected Species, and their responsibilities to wildlife.

I am available to offer further advice if any of the above needs an additional explanation.

In the unlikely event that bats are found during building operations, work must cease immediately in that area and then please contact your bat consultant **Denis Lambert** on **07813 140682** for advice.