

FW: 5538 - Hayhurst Rd, Whalley

Perry, Graham [Graham.Perry@uuplc.co.uk]

Sent: 23 September 2014 14:45**To:** Lees Roxburgh**Attachments:** 5538-01-01 Preliminary Dra~1.pdf (2 MB)

Hello Chris

The points mentioned below are an accurate record of our discussions / agreements.

We looked at all the alternatives to avoid the need for a surface water pumping station but unfortunately this proved fruitless.

The reason that the discharge point is downstream of the hydrobrake is to ensure that we don't interfere with the drainage on the adjacent site

Thanks

Graham Perry
Development Engineer
Developer Services and Planning
Business Operations
United Utilities
T: 01925 679405 (internal 79405)
unitedutilities.com

-----Original Message-----

From: Lees Roxburgh [<mailto:office@leesroxburgh.co.uk>]

Sent: 23 September 2014 09:06

To: Perry, Graham

Subject: 5538 - Hayhurst Rd, Whalley

Morning Graham,

Following on from your meeting with John Lees and referring to the attached appraisal layout could you please confirm by reply the following points agreed at the meeting:

Maximum surface water discharge rates 29l/s for the 1:30yr event and 35l/s for the 1:100yr event.

Surface Water rising main to continue within Hayhurst Road, with a small section of gravity sewer prior to the point of connection, downstream of the existing flow control manhole reference 3608.

Foul rising main to connect to the combined system within the site entrance via a small section of gravity sewer.

Foul and Surface Water pump stations will be adopted by United Utilities.

We trust the above is all in order, and would be grateful if you confirm by return.

Regards

Chris Bennett

LEES ROXBURGH Ltd, The Genesis Centre, Science Park South, Birchwood, Warrington, WA3 7BH

Tel: 01925 812 898, Fax: 01925 838 864, Email: office@leesroxburgh.co.uk, Web Site: www.leesroxburgh.co.uk

This communication contains information which is confidential and may also be privileged. It is for the exclusive use of the addressee. If you are not the addressee please note that any unauthorised distribution, copying or use of this communication or the information in it is prohibited. If you have received this communication in error please telephone us immediately.

EMGateway3.uuplc.co.uk made the following annotations

The information contained in this e-mail is intended only for the individual to whom it is addressed. It may contain legally privileged or confidential information or otherwise be exempt from disclosure. If you have received this Message in error or there are any problems, please notify the sender immediately and delete the message from your computer. You must not use, disclose, copy or alter this message for any unauthorised purpose. Neither United Utilities Group PLC nor any of its subsidiaries will be liable for any direct, special, indirect or consequential damages as a result of any virus being passed on, or arising from the alteration of the contents of this message by a third party.

United Utilities Group PLC, Haweswater House, Lingley Mere
Business Park, Lingley Green Avenue, Great Sankey,
Warrington, WA5 3LP
Registered in England and Wales. Registered No 6559020

www.unitedutilities.com

www.unitedutilities.com/subsidiaries