

Existing chimney Existing chimney using lime mortar. using lime mortar. Existing natural slates to be carefully removed and stored. Existing purlins and rafters to be inspected for condition / decay etc., and replaced with matching sections as required. Insert insulation between and \_below rafters. Overlay with new breathable membrane and re-use original stone flags,
supplemented with matching reclaimed examples on new 50 x 38mm treated s.w. Due to structural collapse of original single storey outbuilding, new roof to be constructed using 150 x 200mm treated C16 purlins and Existing fixed light casements Existing fixed light casements repaired, as Window and Door Repairs Schedule. repaired, as Window and Door Repairs Schedule. 100 x 38mm C16 rafters @ 450mm cts, with insulation between and below rafters. Overlay with new breathable membrane and re-use original salvaged stone flags, supplemented with matching reclaimed examples on new 50 x 38mm treated s.w. battens. New 75mm Ø Cast Iron New 75mm Ø Cast Iron\_\_\_\_ Gutters on brackets. New 75mm Ø Cast Iron Gutters on brackets. Install new h.w. framed casement window, in accordance with Window and Door Repairs Schedule. EDG 2 WG.5 Ø Cast Iron Renovate existing window Install new h.w. frame and vertical T & G as Window and Door Renovate existing window, boarded door, in accordance with Window Replace existing door, in Repairs Schedule. as Window and Door and Door Repairs Schedule. (Note: In accordance with Window Repairs Schedule. position of 'door' opening, in original wall which had been blocked up at some time). and Door Repairs Schedule.

SOUTH ELEVATION



NORTH ELEVATION

This drawing is the property of IWA Architects. Copyright is reserved by them and the drawing is issued on condition that it is not copied either wholly or in part without the consent in writing of IWA

Dimensions should not be scaled. All dimensions to be checked on site by the contractor before commencement of the relevant part of the

Rev Date Description

**Higher Likhurst Farmhouse** Chipping

Proposed Elevations

**Building Regulations** Drwg. No.: 1735.LB.003 Rev.: -

Date: Dec '14

**IWA Architects** 

Waterloo Mill, Waterloo Road, Clitheroe, Lancashire, BB7 1LR. t: +44 (0) 1200 423487 f: + 44 (0) 1200 458278 e: admin@iwarchitects.co.uk w: www.iwarchitects.co.uk