





- KEY
- Private surface water sewer and chamber.
110mm dia UPVC unless stated otherwise.
 - Private foul water sewer and chamber.
110mm dia UPVC unless stated otherwise.
 - 110mm HDPE bottle gully to EN1401-1
 - 300x600 HDPE yard gully to EN1401-1
(for large shared drive areas)
 - Rodding Eye.
 - Proposed foul drag out manhole
 - Proposed storm drag out manhole
 - Infiltration trench. Dimensions shown
40mm s/s stone wrapped in geotextile.



NOTES

All works to comply with Building Regulations Approved document Part H.

Drainage points shown are approximate and should be checked against the house type working drawings.

All existing drainage to be checked for line and level prior to commencement.

Invert levels shown indicate the invert level of the main channel within the chamber. Branches connect at +50mm. At changes of direction the main channel is to be used with bends outside the chamber. Branches not to be used for changes of direction.

320150355P

Preliminary

Rev	Details	Date	Drwn	Chk
	Partner Construction			
	Parsonage Avenue Ribchester			
	Plot drainage			

Dwg No.: STE/14/12/03
Date: 17-10-14
Scale: 1:200

SHAUN TONGE
ENGINEERING

11 Broomhead Road, Wombwell, Barnsley, S73 0SA.
Tel 01226 755929, Mobile 07528 278070, Email Shaun@stonge.fsnet.co.uk