

CARRIAGEWAY CONSTRUCTION  
CATEGORY 3 - LCC SPECIFICATION

45mm THICK SURFACE COURSE - HRA 30/14 F SURF TO  
BS594987:2015 TABLE 1B COATED CHIPPINGS 14mm SIZE  
TO EN13108 PART 4

70mm THICK BINDER COURSE - 20mm SIZE HDM BINDER  
COURSE TO BSEN 13108 PART 1 WITH 100/150 PEN BITUMEN

1  
130mm THICK BASE COURSE - 20mm SIZE DENSE BASE TO  
BSEN 13108 PART 1 WITH 100/150 PEN BITUMEN

300mm TYPE 1 SUB BASE  
OR

150mm TYPE 1 SUB BASE OVER 400mm 6F2 CAPPING  
(DEPENDENT ON CBR OF SUB GRADE)

FOOTWAY CONSTRUCTION

20mm THICK - 6mm SIZE DENSE SURFACE COURSE TO  
BSEN 13108 PART 1 WITH 100/150 PEN BITUMEN

60mm THICK - 20mm SIZE DENSE BINDER COURSE TO  
BSEN 13108 PART 1 WITH 100/150 PEN BITUMEN

100mm THICK - TYPE 1 SUB BASE

OS\_LICENSE

...

|     |          |                      |     |     |     |  |
|-----|----------|----------------------|-----|-----|-----|--|
|     |          |                      |     |     |     |  |
|     |          |                      |     |     |     |  |
|     |          |                      |     |     |     |  |
|     |          |                      |     |     |     |  |
| A   | 18.07.17 | BASE COURSE MODIFIED | SB  | BF  | BF  |  |
| -   |          | ORIGINAL ISSUE       | SB  | BF  | BF  |  |
| Rev | Date     | Description          | Drm | Chk | App |  |
|     |          |                      |     |     |     |  |

LODGE INNS LTD

PENDLE VIEW FISHERIES

CONSTRUCTION  
DETAILS

SCALE: NTS @A3 REV A

C039-04 REV A



INFRASTRUCTURE  
7 Hall Road, Fulwood, Preston, PR2 9QD  
T - 07970 265 334  
www.tonks-consulting.co.uk