




LEGEND



- Existing Tree to be Retained**
Trees to be retained and protected in line with BS5837:2012. Please refer to Ascerta Arboricultural Method Statement drawing no. P.906.17.01 for more information.
- Existing Tree to be Removed**
For condition and category grading of individual trees to be removed please refer to Ascerta Arboricultural Method Statement drawing no. P.906.17.01 for more information.
- Proposed Ornamental Trees**
Heavy Standard, 12-14cm girth, 3.5- 4.25m high to be planted with a double timber stakes secured with a rubber tree tie.
- Proposed Trees**
Extra Heavy Standard, 14-16cm girth, 4.5-6.25m high to be planted with a double timber stake secured with a rubber tree tie.
- Small Ornamental Tree/Large Shrub**
Select Standard trees, 10-12cm girth, 3-3.5m high or large shrub 30-50L to be planted with a single timber stake secured with a rubber tree tie.
- Proposed Ornamental Tree (set in hard landscape)**
Semi-mature, 20-25cm girth, to be secured in the ground with underground guying system. Tree to be set in tree grille 1.2x1.2m with irrigation and aeration
- Ornamental Shrub Planting**
Proposed shrubs and flowering herbaceous plants to be planted as 5L pots at 3 per sq.m. planted with feature specimen, 10-12L pots.
- Proposed Grass - Gardens and POS**
Front gardens to be turfed with a general amenity grass from a local supplier. Grass within POS to be seeded with heard wearing grass mix.
- Proposed Bulb Planting**
Planting in POS areas for seasonal interest.

GENERAL NOTES

1. This drawing is the copyright of tpm landscape Ltd and cannot be reproduced in any form without the consent of the company.
2. This drawing is to be read in conjunction with detail landscape drawings, details and specification.
3. This drawing is to be read in conjunction with all relevant Architects', Engineer's, Specialists, Bills of Quantities and Specifications.
4. The insertion of any firm or proprietary brand on this drawing is not an indication of the class or quality required and does not include the use of alternative materials that are equal in performance, quality and appearance, provided that they have been approved in writing by the Landscape Architect.
5. The Contractor is responsible for accurately ascertaining the position of underground services and responding to all relevant service easement requirements.
6. All dimensions are in millimetres unless stated otherwise, for the purposes of construction this drawing must not be scaled and only written dimensions used. Written and scaled dimensions to be checked on site, any discrepancies reported prior to work commencing. IF IN DOUBT PLEASE ASK.
7. All work and materials are to be in accordance with the relevant British Standards and Code of Practice.
8. All Proprietary products are to be used strictly in accordance with the manufacturer's instructions and details.

NOTES ON PLANTING

- 1 Topsoil shall be spread according with BS3882:2015 to min 450mm depth over planting beds and 150mm depth over turf areas and graded to fall.
- 2 Herbicide and Cultivation: Topsoil to be treated with an application of herbicide prior to planting, where necessary, strictly in accordance with the Control of Pesticides Regulations 1986 (or otherwise updated/ superseded legislation), and following manufacturer's instructions by qualified staff. The topsoil shall then be cultivated to 150mm depth.
- 3 Container Grown Shrubs, Transplants and Whips: Shrubs and transplants shall comply with the National Plant Specification and shall be planted in pots 300 x 300 x 200mm depth, and the backfill shall include 5 litres Peat Free Tree and Shrub Compost. Specimen plants to be planted in a pit 400 x 400 x 250mm depth with 5 litres Tree and Shrub Compost.
- 4 Herbicide: Spot treat with herbicide throughout the maintenance period in accordance with the manufacturer's instructions.
- 5 Bark Mulch: On completion of all planting works all shrub areas are to be spread with 50mm depth of 10-35mm grade ornamental maritime bark mulch.
- 6 Position of Plants: Final position of trees and shrubs subject to confirmation of service location and approval of statutory undertakers.
- 7 TREES - MULTI-STEM, SELECTED STANDARD: Tree pits for multi-stems to be 600x600x900mm backfilled with good quality topsoil and 600mm diameter bark mulch ring. Stakes to be 1nr 65mm diameter treated softwood driven firmly into the ground. Stakes to be 600mm above ground level and fixed to tree with suitable rubber tree tie.
- 8 TREES - HEAVY STANDARD AND EXTRA HEAVY STANDARD: Tree pit 1000x1000x900mm depth with a 150mm depth of clean stone to the base and 750mm depth good quality topsoil and an 800mm diameter bark mulch ring upon the surface. Stakes to be 2nr 100mm diameter with cross bar, treated softwood driven firmly into the ground. Stakes to be 1000mm above ground and fixed to tree with suitable rubber tree tie. Trees to have ReRoot barriers, depth to be confirmed on site. All the trees to be planted with irrigation ring (e.g. RootRain Metre as supplied by Green Blue Urban) wrapped around the root-ball, the end of the pipe to be secured to the tree stake.
- 9 Watering: Plant only into moist soil and water thoroughly to the full depth of soil immediately after planting. Water regularly through the establishment period (minimum 3 months) to prevent dehydration. Tree should be watered in when planted, and at the point of bud burst in the spring and should be continued throughout the spring and summer until the leaves have fallen in autumn. Water should be applied to the base of the tree, evenly distributed over the entirety of the root ball to encourage even root development. Watering is advised for the first 2 summers after planting, further to this the tree should be able to access water from the surrounding soil. During the height of summer, water should be applied at a rate of 2 domestic bucket falls (or 20 litres of water) every other day. This figure is the aim to reach during the height of summer and can be gradually increased to this in the spring and decreased before ceasing.

REVISION NOTES

Rev	Description	Date
A	EG Client name change	09.05.18

Client Mr D Lambert			
Project Spot Farm, Longridge			
Description Planting Plan			
Status For Approval			
Scale @ A1 1:250	Drawn AB	Checked DC	Date 30.04.18
Job number 3048	Drawing number 201	Revision A	