## **Bat Scoping Survey Report**

Cross House, Alston Lane, Alston PR3 3BN

12.09.2018



Report prepared by:
Dave Anderson
Batworker.com
dave@batworker.com
07894 338290

#### Summary

In August 2018 Batworker consultancy was commissioned to undertake a survey of Cross House, Alston Lane, Alston, PR3 3BN to assess the potential for use by bats.

A daytime survey was carried out on 24<sup>th</sup> August 2018 in order to support plans to redevelop the building.

No birds were observed using the building for nesting.

No evidence was recorded to suggest bats were roosting within the building.

No bats were observed or recorded using the building for roosting.

The building is considered to be of negligible potential for roosting bats.

The surveyor considers survey effort to be reasonable to assess the roost potential of the building and no further survey work is deemed appropriate.

The surveyor does not consider the proposed development and change of use is likely to result in a breach of the Conservation (Natural Habitats &c.)

Regulations 1994 (as amended) therefore the proposed development does not require an EPS Licence (EPSL) to proceed lawfully.

#### Introduction

In August 2018 Batworker consultancy was commissioned to undertake a survey of Cross House, Alston Lane, Alston, PR3 3BN to assess the potential for use by bats.


A daytime survey was carried out on 24<sup>th</sup> August 2018 in order to support plans to redevelop the building.

#### **Survey and Site Assessment**

#### **Objectives of the survey**

The survey was carried out to determine current usage by bats, and other protected species, of the site and to establish status of the bat species using the site prior to development work being carried out.

#### **Survey site location**



A central grid reference for the site is SD6009835051

## Site/Habitat description

The property consists of a brick built double storey house with multi pitched slate roof. The property is pointed and well sealed with close fitting roof tiles and a well sealed ridge. The roof is unlined internally. A modern brick garage with slate double pitched roof adjoins the main dwelling. The garage roof is lined with a modern breathable membrane.














Overall the building offers negligible roosting opportunities.

## Surrounding habitat.



The property is located in a rural position in an area dominated by semi improved grassland with some hedgerows along field boundaries. Connectivity to the wider landscape is moderate.

Overall foraging potential for bats can be considered low to moderate.

#### Pre Existing data on local bat species

A search of the MAGIC website revealed one EPS licence application within a 1km radius. The East Lancashire Bat Group database held no roost records within 1km.

EPSM2013-6761B 09/01/2014 Common Pipistrelle Damage to resting place

From personal experience of surveying for and researching bats in Lancashire, Yorkshire and Cumbria, and Calderdale in particular, the following species were considered.

Common Pipistrelle – known to roost on sites where suitable foraging habitat is available.

Soprano Pipistrelle – known to roost on sites where suitable foraging habitat is available.

Whiskered/Brandt's – species often found roosting in buildings close to woodland.

Natterer's – a typical upland bat with foraging bats being recorded high on heather moorland. Often roosting in barns.

Daubenton's – a species commonly associated with aquatic habitats.

Long Eared bat – a woodland species which has been recorded foraging over in bye meadows and rough grassland sites. Often roosting in barns.

#### Field Survey Methodology

#### Visual inspection

An inspection was carried out to search for and identify potential feeding perches, roosting opportunities and signs of bat use both internally and externally.

The visual inspection focussed on searching for feeding remains and bat droppings both within the building and on external walls. Crevices and other potential roost sites were investigated for smear/grease marks, lack of cobwebs, urine staining.

#### Equipment used included:

- ! Lupine Pico LED torch
- ! SeeSnake CA 300 video endoscope
- ! Opticron close focusing binoculars

#### Personnel

All surveys were conducted by Dave Anderson MSc, Natural England Science, Education and Conservation bat licence holder (2015-15784-CLS-CLS) a bat surveyor and ecologist with 20 years experience.

## **Survey Summary**

Survey	Date	Timings
Visual	24.08.2018	1 Hour

#### **Survey constraints**

Access to all areas of the interior and exterior of the buildings at ground level and good visual inspection at ground level was possible.

#### Results

#### Visual Inspection - Bats

No suitable roost features were recorded on the buildings. No bat droppings or feeding remains were recorded within the buildings. No staining, urine splashing or droppings were recorded externally.

## Visual Inspection – Nesting birds

No nesting birds were observed during the survey.

#### **Evaluation of the results**

No recent signs of bats were recorded within the building or on exterior walls, a search for scattered droppings typical of bats returning to roost found no evidence, despite a period of good weather in the preceding two weeks.

Taking the results of both the survey and the well sealed nature of the building, it is considered to have negligible roost potential.

Suitability	Description Roosting habitats	Commuting and foraging habitats
Negligible	Negligible habitat features on site likely to be used by roosting bats.	Negligible habitat features on site likely to be used by commuting or foraging bats.
Low	A structure with one or more potential roost sites that could be used by individual bats opportunistically. However, these potential roost sites do not provide enough space, shelter, protection, appropriate conditions and/or suitable surrounding habitat to be used on a regular basis or by larger numbers of bats (i.e. unlikely to be suitable for maternity or hibernations). A tree of sufficient size and age to contain PRFs but with none seen from the ground or features seen with only very limited roosting potentials.	Habitat that could be used by small numbers of commuting bats such as a gappy hedgerow or unvegetated stream, but isolated, i.e. not very well connected to the surrounding landscape by other habitat.  Suitable, but isolated habitat that could be used by small numbers of foraging bats such as a lone tree (not in a parkland situation) or a patch of scrub.
Moderate	A structure or tree with one or more potential roost sites that could be used by bats due to their size, shelter, protection, conditions and surrounding habitat but unlikely to support a roost of high conservation status (with respect to roost type only – the assessments in this table are made irrespective of species conservation status, which is established after presence is confirmed).	Continuous habitat connected to the wider landscape that could be used by bats for commuting such as lines of trees and scrub or linked back gardens.  Habitat that is connected to the wider landscape that could be used by bats for foraging such as trees, scrub, orassland or water.
High	A structure or tree with one or more potential roost sites that are obviously suitable for use by larger numbers of bats on a more regular basis and potentially for longer periods of time due to their size, shelter, protection, conditions* and surrounding habitat.	Continuous, high-quality habitat that is well connected to the wider landscape that is likely to be used regularly by commuting bats such as river valleys, streams, hedgerows, lines of trees and woodland edge.
		High-quality habitat that is well connected to the wider landscape that is likely to be used regularly by foraging bats such as broadleaved woodland, tree- lined watercourses and grazed parkland.
		Site is close to and connected to known roosts.

From Bat Survey Guidelines 3rd Edition

#### Conclusion

No birds were observed using the building for nesting.

No evidence was recorded to suggest bats were roosting within the building.

No bats were observed or recorded using the building for roosting.

The building is considered to be of negligible potential for roosting bats.

The surveyor considers survey effort to be reasonable to assess the roost potential of the building and no further survey work is deemed appropriate.

The surveyor does not consider the proposed development and change of use is likely to result in a breach of the Conservation (Natural Habitats &c.)

Regulations 1994 (as amended) therefore the proposed development does not require an EPS Licence (EPSL) to proceed lawfully.

#### **E** Bibliography

Barn Owls and Rural Planning Applications Barn Owl Trust 2009

Barn Owl Survey Methodology and Techniques for use in Ecological

Assessments Shawyer, C. August 2011

Bat Mitigation Guidelines Natural England 2006

Bat Survey Guidelines 3rd Edition Bat Conservation Trust 2016

Bat Workers Manual 3rd Edition JNCC 2004

**Wildlife and Countryside Act 1981**, principally those relating to powers and penalties, have been amended by the Countryside and Rights of Way Act 2000 (CRoW Act). The CRoW Act only applies to England and Wales.

#### Section 9(1)

It is an offence for any person to intentionally kill, injure or take any wild bat.

#### Section 9(4)(a)

It is an offence to intentionally or recklessly\* damage, destroy or obstruct access to any place that a wild bat uses for shelter or protection.

(\*Added by the CRoW Act in England and Wales only)

This is taken to mean all bat roosts whether bats are present or not.

#### Section 9(4)(b)

It is an offence to intentionally or recklessly\* disturb any wild bat while it is occupying a structure or place that it uses for shelter or protection. (\*Added by the CRoW Act in England and Wales only)

#### The Conservation (Natural Habitats, &c.) Regulations 1994

#### Section 39(1)

It is an offence

- (a) deliberately to capture or kill any bat
- (b) deliberately to disturb any bat
- (d) to damage or destroy a breeding site or resting place of any bat.

The difference between this legislation and the Wildlife and Countryside Act 1981 is the use of the word 'deliberately' rather than 'intentionally'. Also disturbance of bats can be anywhere, not just at a roost. Damage or destruction of a bat roost does not require the offence to be intentional or deliberate.

#### Barn Owls and the Law

#### Part 1 of the Wildlife and Countryside Act (1981)

(1) Subject to the provisions of this Part, if any person intentionally (or recklessly as amended by the CRoW Act, 2000) (a) kills, injures or takes any wild bird; (b) takes, damages or destroys the nest of any wild bird while

that nest is in use or being built; or (c) takes or destroys an egg of any wild bird. he shall be guilty of an offence.

(5) Subject to the provisions of this Part, if any person intentionally- (a) disturbs any wild bird included in Schedule 1 while it is building a nest or is at, on or near a nest containing eggs or young; or (b) disturbs dependent young of such a bird, he shall be guilty of an offence and liable to a special penalty.

## Countryside and Rights of Way (CRoW) Act (2000)

#### Part III Nature conservation and wildlife protection

#### 74 Conservation of biological diversity

(1) It is the duty ofó (a) any Minister of the Crown (within the meaning of the Ministers of the [1975 c. 26.] Crown Act 1975), (b) any Government department, and (c) the National Assembly for Wales, in carrying out his or its functions, to have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biological diversity in accordance with the Convention.

## SCHEDULE 12 AMENDMENTS RELATING TO PART I OF WILDLIFE AND COUNTRYSIDE ACT 1981

1. In section 1(5) of the 1981 Act (offence of intentional disturbance of wild birds) after "intentionally" there is inserted "or recklessly".

# The Natural Environment and Rural Communities Act (2006) PART 3, (40): Duty to conserve biodiversity

- (1) Every public authority must, in exercising its functions, have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biodiversity.
- (3) Conserving biodiversity includes, in relation to a living organism or type of habitat, restoring or enhancing a population or habitat.