

## Discharge of conditions

### Proposed Manure store for stables at High Ridge Primrose Hill Primrose Lane Mellor BB2 7EQ

#### Application No: 320090548P

Store to be constructed on compacted graduated hard core with an impervious concrete floor sloping inwards to the rear of the store 1/25 to contain any manure liquid.

Store to be constructed with open front for removal of the manure with a timber roof supported on timber columns from wall plates

Roof to be marine ply supported on rafters and green mineral felt to match the stable block thus minimising rainfall ingress

First two courses from base to be of engineering brick around the back and sides to ensure liquid containment.

Concrete block to 1.2 meters high thus leaving an air gap to minimize odours

Height to be 2728 Width 3600 to match proposed stable block and to stand immediately adjacent to.

32018090548P

HIGH RIDGE

PRIMROSE LANE

PRIMROSE HILL

MELLOR

BB2 7EQ

Planning application 320090548P

**SAMPLES AND SPECIFICATIONS FOR MATERIALS FOR MANURE STORAGE AND STABLES AT THE ABOVE ADDRESS**

SAMPLE ROOFING FELT AND ATTACHED SPECIFICATION

SAMPLE SHIPLAP 5" COLORED DARK OAK

SOLID CONCRETE BLOCK FOR MANURE STORE Attached sheet

WIENERBERGER SOLID ENGINEERING BRICK (BASE FOR MANURE STORE)

320180976



# Blocks September 2018

## Concrete / Lightweight / Aerated

Prices subject to V.A.T. For further information on the items below or for details of other products from our range contact us on (01772) 431216 or fax us on (01772) 622314

### Solid Dense Concrete

100mm Solid Dense - 7N (72 per pack)

<b>Unit</b>	<b>1-215</b>	<b>to 503</b>	<b>504+</b>
Each	.957	.895	.833

140mm Solid Dense - 7N (48 per pack)

	<b>1-143</b>	<b>to 335</b>	<b>336+</b>
Each	1.348	1.260	1.172

### Cellular Dense Concrete

100mm Cellular - 7N (90 per pack)

<b>Unit</b>	<b>1-269</b>	<b>to 629</b>	<b>630+</b>
Each	.906	.847	.789

140mm Cellular - 7N (60 per pack)

*MANURE STORE  
DWARF WALL*

<b>Unit</b>	<b>1-179</b>	<b>to 359</b>	<b>360+</b>
Each	1.319	1.233	1.147

### Cellular/Hollow Dense Concrete

215mm Hollow Dense - 7N 32 per pack)

<b>Unit</b>	<b>1-127</b>	<b>to 287</b>	<b>288+</b>
Each	1.728	1.616	1.504

### Rainford – Solid Lightweight

100mm Solid Lightweight - 7N Blocks (90 per pack)

<b>Unit</b>	<b>1-269</b>	<b>to 629</b>	<b>630+</b>
Each	.974	.911	.847

\*140mm Solid Lightweight - 7N Blocks (60 per pack) - To Order

<b>Unit</b>	<b>1-179</b>	<b>to 419</b>	<b>420+</b>
Each	1.384	1.294	1.204

### Coursing Bricks

100mm Coursing Brick - 7N (504 per pack)

<b>Unit</b>	<b>All</b>
Each	0.435

### Tarmac Toplite Blocks

100mm Toplite 450 x 215mm - 3.6N (45 per pack)

<b>Unit</b>	<b>1-269</b>	<b>to 585</b>	<b>586+</b>
Each	.1320	1.190	1.090

### Tarmac Toplite Foundation Blocks

300mm Toplite Foundation 450 x 215mm - 3.6N (15 per pack)

<b>Unit</b>	<b>1-44</b>	<b>to 104</b>	<b>105+</b>
Each	4.080	3.670	3.360

### Plasmor Blocks

100mm Fibolite Solid - 3.5N (96 per pack)

<b>Unit</b>	<b>1-287</b>	<b>to 576</b>	<b>577+</b>
Each	1.190	1.120	1.040

### Quinn-Lite B3 Blocks

150mm Quinn-lite B3 450 x 215mm - 2.9N (48 per pack)

<b>Unit</b>	<b>1-287</b>	<b>to 575</b>	<b>576+</b>
Each	.1670	1.500	1.380

All Tarmac/Plasmor/Rainford Blocks = 10 Per m<sup>2</sup>

Any block enquiries over maximum banded quantities see our DIRECT SALES DEPT in the Main Office

Please Note:

While C & W Berry Ltd. make every effort to ensure prices are correct at the time of printing, we reserve the right to change prices without prior notice.

C&W BERRY LTD  
Golden Hill Lane  
Leyland  
PR25 2YH

Phone: 01772 431216  
Fax: 01772 622314

WWW.CWBERRY.COM  
enquiries@cwberry.com

SAVE 10% when you spend £150 ex VAT or more\*

Use code: OCT10

Cookies on the Travis Perkins website

This site uses cookies to personalise content and services. Some of the cookies are essential to make the site work or to help us analyse how the site is used. By using this site you agree to our use of cookies. Click here to learn more.

Accept

Log in / Register Branch Locator Quote List



Order line: 0333 577 8811 Customer services: 0330 123 3848

Basket 0.00.00 (Ex VAT)

Search

Menu

A-Z Listing

Offers

- Building Materials
- Gardens & Landscaping
- Timber
- Doors, Windows & Joinery
- Kitchens
- Bathrooms
- Plumbing & Heating
- Tools & Workwear
- Decorating & Interiors
- Fittings & Adhesives
- Electrical & Lighting
- Tool Hire
- Trade Offers
- Clearance

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Search 24 (0/25) categories

A

- Access Panels
- Air Compressors
- Angle Grinders
- Artificial Grass
- Asphalt Pothole Repair
- Adhesive Tapes
- Alarms
- Angles & Brackets
- Artificial Grass & Lawn Accessories
- Automotive
- Adhesives
- Aluminium Guttering
- Annular Ring Shank Nails
- Artificial Grass & Lawns

B

- Back & Dry Lining Boxes
- Balustrades & Handrails
- Back Boxes
- Basin & Pedestal Packs
- Basin Taps
- Bagged Sand & Aggregates

FREE Delivery on standard orders over £50 ex VAT

FREE Click & Collect in 1 hour

Free Returns available

Home Product Building Materials Bricks & Blocks Engineering Bricks Wienerberger Engineering Brick Red Solid Class B 65mm - Pack of 400

Wienerberger Engineering Brick Red Solid Class B 65mm - Pack of 400

Product code: 462851 0.0

No Reviews Write the First Review

Frequently bought together



3201809760

FREE delivery on orders over £50 (Ex VAT)

£552.00 per pack

ex VAT inc VAT

£1,380.00 per thousand (Ex VAT)

Log in for your account price

Save 10% When You Spend £150+ ex VAT. Enter code 'OCT10' during checkout. Ends Wednesday

Qty: 1

Add to delivery

Add for collection

Check stock at your local branch

Enter your postcode

Search

Add to quote list

Frequently bought together

SAVE 10% when you spend £150 ex VAT or more\*

Use code: OCT10



Wienerberger  
Engineering Brick Red  
Solid Class B 65mm -  
Pack of 400  
£552.00 per each (Ex VAT)  
£622.91 per each (Inc VAT)



Lithocolor M89 Rapid  
Masonry Resistant Mortar  
25kg  
£22.91 per each (Ex VAT)  
£27.91 per each (Inc VAT)

Qty: - 1 +

Qty: - 1 +

Buy together:  
£574.91 (Ex VAT)  
£649.82 (Inc VAT)

Add for delivery

Overview Technical Specification Data Sheets

This product is sold for its performance and not colour qualities.

- Selected for its technical properties
- Can be used below DPC
- Low Salt Content - S2
- Occasionally there can be a lead time on bricks from the manufacturer. If this is the case, we will let you know as soon as possible

Height 65 mm  
Length 215 mm  
Width 102.50 mm  
Colour Red  
Durability F2 - Severe Exposure  
Type Engineering Brick  
Made To Order N  
Manufacturer Model No 24190010  
Brand Name Wienerberger

Data Sheets

- COSH Sheet 1 - Wienerberger Engineering Brick Red Solid Class B 65mm - Pack of 400
- Technical Sheet 1 - Wienerberger Engineering Brick Red Solid Class B 65mm - Pack of 400

Write the First Review



Join our mailing list for the latest news & offers

Sign up

When joining, you agree to travisperkins.co.uk contacting you via email with information about news, goods, offers and services which we feel will be of interest to you. Please refer to our [privacy policy](#) for more information on how we use your details.

- Customer Services
  - Open a Trade Account
  - Trade Credit Card
  - Branch Locator
  - Call In Touch
  - FAQs
  - Estimating Services
  - Structures
- Company Information
  - Stay Safe
  - Sports Sponsorship
  - Charity Support
  - Our Job Vacancies
  - Travis Perkins PLC
  - Modern Slavery Act
  - Announcements
- Help & Advice
  - Timber Services
  - Supplier Price Increases
- Tool Hire
  - Health & Safety PPE
  - Accidental Loss & Damage Waiver
  - Fire Services
  - Sale Hire
  - Training
  - Direct Hire

Site Map

Legal Policies

Cookies Policy

Privacy Policy

Mobile Site

Your local Timber & Builders Merchant

Copyright © Travis Perkins 2018  
Travis Perkins Trading Company Limited  
Lodge Way House, Lodge Way, Harlestone Road, Northampton NN5 7JG  
Registered in England No: 00733503 VAT registration number: 408558737

320180970P



# Xtra-Gard

## Tradebond Range

Home Page | Products | Mineral Roofing | Xtra-Gard Flat Roofing Systems | Contact Us | Green Tradebond Range | Xtra-Gard Premium Shed Felt

### Anderson Xtra-Gard Premium Shed Felt



Anderson Xtra-Gard Premium Shed Felt is designed to provide a more durable, longer lasting solution to the waterproofing of temporary portable buildings with pitched roofs such as garden sheds, stables, kennels and non-inhabited buildings. It is not recommend for use on domestic flat roof applications.

Xtra-Gard Premium Shed Felt is manufactured on a strong polyester reinforcement and coated with bitumen. The upper surface is finished with decorative green mineral granules and the underside is finished with fine silica sand to prevent sticking in the roll.

#### Features & Benefits

- Durable and longer lasting
- Green mineral surface
- Easily applied
- Nailed/Cold application

#### Product Availability

Product Code	Description	Roll Size	Roll Weight
2004172	Xtra-Gard Premium Shed Felt Mineral Capsheet (green)	1m x 8m	22Kg



#### Find Local Support

To discuss your project in more detail please contact

Your Local Area Manager

#### Technical Support

Telephone:

0161 865 4444

Email:

[technical.support@icopal.com](mailto:technical.support@icopal.com)

#### Sales Enquiries & Orders

Telephone:

0843 224 7400

Fax:

0843 224 7401

Email:

[sales.admin@icopal.com](mailto:sales.admin@icopal.com)



#### Product Information

Download Xtra-Gard Flat Roofing System drawings, technical datasheets and certification.