



Kingfisher Lighting

Datasheet

Revelampe

Revelampe is a classic design encompassing modern LED technology. The AEC Comfort Light Optic™ is an integral part of the design, making it ideal for public areas.



Key Features


- Luminaire Lumens 2,570–6,610
- LED Lumens 3,618–9,180
- 525mA & 700mA
- Power 30W–80W
- Efficacy 139 luminaire lm/W
- 4000K, CRI >75
- Lifetime >100,000hr L80 TM21



Optics

Revelampe

Symmetrical & asymmetrical - street light optic, pedestrian & cycle path optic, urban light optic




Applications

- Urban & civic areas
- Parks & plazas
- Pathways & pedestrian areas

Specification Text

The luminaire shall be manufactured from high-pressure die-cast aluminium. It shall be capable of producing up to 6,610 luminaire lumens at 4000K with a CRI>75. The luminaire will be rated at IP66.

Dimensions



All units of measurement in mm.

Specifications

Weight	8-11.50 kg
Windage	0.09-0.23m ²
Material	Die-cast aluminium
Paint Finish	Graphite grey

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
REVE LL32 ST 4.5-18F	30W	LED	2660	Asymmetrical street light optic (ST)	4000	IP66	-	8.00	Graphite grey	Fixed
REVE LL32 ST 4.5-18D	30W	LED	2660		4000	IP66	-	8.00	Graphite grey	Dimmable
REVE LL32 ST 4.7-18F	40W	LED	3310		4000	IP66	-	8.00	Graphite grey	Fixed
REVE LL32 ST 4.7-18D	40W	LED	3310		4000	IP66	-	8.00	Graphite grey	Dimmable
REVE LL32 OC 4.5-18F	30W	LED	2570	Asymmetrical pedestrian and cycle path optic (OC)	4000	IP66	-	8.00	Graphite grey	Fixed
REVE LL32 OC 4.5-18D	30W	LED	2570		4000	IP66	-	8.00	Graphite grey	Dimmable
REVE LL32 OC 4.7-18F	40W	LED	3170		4000	IP66	-	8.00	Graphite grey	Fixed
REVE LL32 OC 4.7-18D	40W	LED	3170		4000	IP66	-	8.00	Graphite grey	Dimmable
REVE LL32 S 4.5-18F	30W	LED	2570	Symmetrical urban light optic (S)	4000	IP66	-	8.00	Graphite grey	Fixed
REVE LL32 S 4.5-18D	30W	LED	2570		4000	IP66	-	8.00	Graphite grey	Dimmable
REVE LL32 S 4.7-18F	40W	LED	3170		4000	IP66	-	8.00	Graphite grey	Fixed
REVE LL32 S 4.7-18D	40W	LED	3170		4000	IP66	-	8.00	Graphite grey	Dimmable
REVE LR55 ST 4.5-18F	30W	LED	2660	Asymmetrical street light optic (ST)	4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 ST 4.5-18D	30W	LED	2660		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 ST 4.7-18F	40W	LED	3310		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 ST 4.7-18D	40W	LED	3310		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 ST 4.5-27F	45W	LED	3990		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 ST 4.5-27D	45W	LED	3990		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 ST 4.7-27F	60W	LED	4960		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 ST 4.7-27D	60W	LED	4960		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 ST 4.5-36F	60W	LED	5130		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 ST 4.5-36D	60W	LED	5130		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 ST 4.7-36F	80W	LED	6350		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 ST 4.7-36D	80W	LED	6350		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 OC 4.5-18F	30W	LED	2570	Asymmetrical pedestrian and cycle path optic (OC)	4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 OC 4.5-18D	30W	LED	2570		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 OC 4.7-18F	40W	LED	3170		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 OC 4.7-18D	40W	LED	3170		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 OC 4.5-27F	45W	LED	3850		4000	IP66	-	10.50	Graphite grey	Fixed

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
REVE LR55 OC 4.5-27D	45W	LED	3850	Asymmetrical pedestrian and cycle path optic (OC)	4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 OC 4.7-27F	60W	LED	4760		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 OC 4.7-27D	60W	LED	4760		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 OC 4.5-36F	60W	LED	5130		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 OC 4.5-36D	60W	LED	5130		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 OC 4.7-36F	80W	LED	6350		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 OC 4.7-36D	80W	LED	6350		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 S 4.5-18F	30W	LED	2570	Symmetrical urban light optic (S)	4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 S 4.5-18D	30W	LED	2570		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 S 4.7-18F	40W	LED	3170		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 S 4.7-18D	40W	LED	3170		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 S 4.5-27F	45W	LED	3850		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 S 4.5-27D	45W	LED	3850		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 S 4.7-27F	60W	LED	4760		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 S 4.7-27D	60W	LED	4760		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 S 4.5-36F	60W	LED	5130		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 S 4.5-36D	60W	LED	5130		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LR55 S 4.7-36F	80W	LED	6350		4000	IP66	-	10.50	Graphite grey	Fixed
REVE LR55 S 4.7-36D	80W	LED	6350		4000	IP66	-	10.50	Graphite grey	Dimmable
REVE LL35 ST 4.5-18F	30W	LED	2660	Asymmetrical street light optic (ST)	4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 ST 4.5-18D	30W	LED	2660		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 ST 4.7-18F	40W	LED	3310		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 ST 4.7-18D	40W	LED	3310		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 ST 4.5-27F	45W	LED	3990		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 ST 4.5-27D	45W	LED	3990		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 ST 4.7-27F	60W	LED	4960		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 ST 4.7-27D	60W	LED	4960		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 ST 4.5-36F	60W	LED	5320		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 ST 4.5-36D	60W	LED	5320		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 ST 4.7-36F	80W	LED	6610		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 ST 4.7-36D	80W	LED	6610		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 OC 4.5-18F	30W	LED	2570	Asymmetrical pedestrian and cycle path optic (OC)	4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 OC 4.5-18D	30W	LED	2570		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 OC 4.7-18F	40W	LED	3170		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 OC 4.7-18D	40W	LED	3170		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 OC 4.5-27F	45W	LED	3850		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 OC 4.5-27D	45W	LED	3850		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 OC 4.7-27F	60W	LED	4760		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 OC 4.7-27D	60W	LED	4760		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 OC 4.5-36F	60W	LED	5130		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 OC 4.5-36D	60W	LED	5130		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 OC 4.7-36F	80W	LED	6350		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 OC 4.7-36D	80W	LED	6350		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 S 4.5-18F	30W	LED	2570	Symmetrical urban light optic (S)	4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 S 4.5-18D	30W	LED	2570		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 S 4.7-18F	40W	LED	3170		4000	IP66	-	11.50	Graphite grey	Fixed

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
REVE LL35 S 4.7-18D	40W	LED	3170	Symmetrical urban light optic (S)	4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 S 4.5-27F	45W	LED	3850		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 S 4.5-27D	45W	LED	3850		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 S 4.7-27F	60W	LED	4760		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 S 4.7-27D	60W	LED	4760		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 S 4.5-36F	60W	LED	5130		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 S 4.5-36D	60W	LED	5130		4000	IP66	-	11.50	Graphite grey	Dimmable
REVE LL35 S 4.7-36F	80W	LED	6350		4000	IP66	-	11.50	Graphite grey	Fixed
REVE LL35 S 4.7-36D	80W	LED	6350		4000	IP66	-	11.50	Graphite grey	Dimmable

Accessories / Options

Paint finish options	Contact us for details
Colour temperature options	3000K - Contact us for details
Bracket options	Contact us for details
Fixed or dimmable	See specification table
Decorative glass bowl or flat glass option	Contact us for details