



# 7b. Environment Agency/Natural Resources Wales Risk of Flooding from Rivers and the Sea (RoFRaS) Map



© Crown copyright and database rights 2018.  
Ordnance Survey license 100035207.



# 7 Flooding

## 7.1 River and Coastal Zone 2 Flooding

Environment Agency/Natural Resources Wales Zone 2 floodplain within 250m

Identified

Environment Agency/Natural Resources Wales Zone 2 floodplains estimate the annual probability of flooding as between 1 in 1000 (0.1%) and 1 in 100 (1%) from rivers and between 1 in 1000 (0.1%) and 1 in 200 (0.5%) from the sea. Any relevant data is represented on Map 7a – Flood Map for Planning:

| ID | Distance (m) | Direction | Update      | Type                             |
|----|--------------|-----------|-------------|----------------------------------|
| 1  | 86           | W         | 19-Mar-2018 | Zone 2 - (Fluvial /Tidal Models) |

## 7.2 River and Coastal Zone 3 Flooding

Environment Agency/Natural Resources Wales Zone 3 floodplain within 250m

Identified

Zone 3 shows the extent of a river flood with a 1 in 100 (1%) or greater chance of occurring in any year or a sea flood with a 1 in 200 (0.5%) or greater chance of occurring in any year. Any relevant data is represented on Map 7a – Flood Map for Planning.

| ID | Distance (m) | Direction | Update      | Type                      |
|----|--------------|-----------|-------------|---------------------------|
| 1  | 92           | W         | 19-Mar-2018 | Zone 3 - (Fluvial Models) |

## 7.3 Risk of Flooding from Rivers and the Sea (RoFRaS) Flood Rating

Highest risk of flooding onsite

Very Low

The Environment Agency/Natural Resources Wales RoFRaS database provides an indication of river and coastal flood risk at a national level on a 50m grid with the flood rating at the centre of the grid calculated and given above. The data considers the probability that the flood defences will overtop or breach by considering their location, type, condition and standard of protection.

RoFRaS data for the study site indicates the property is in an area with a Very Low (less than 1 in 1000) chance of flooding in any given year.

|                                              |                 |
|----------------------------------------------|-----------------|
| Flood Defences within 250m of the study site | None identified |
| Database searched and no data found.         |                 |

---

## 7.5 Areas benefiting from Flood Defences

|                                                                    |                 |
|--------------------------------------------------------------------|-----------------|
| Areas benefiting from Flood Defences within 250m of the study site | None identified |
|--------------------------------------------------------------------|-----------------|

---

## 7.6 Areas benefiting from Flood Storage

|                                                            |                 |
|------------------------------------------------------------|-----------------|
| Areas used for Flood Storage within 250m of the study site | None identified |
|------------------------------------------------------------|-----------------|

---

## 7.7 Groundwater Flooding Susceptibility Areas

|                                                                                                                        |            |
|------------------------------------------------------------------------------------------------------------------------|------------|
| 7.7.1 British Geological Survey groundwater flooding susceptibility areas within 50m of the boundary of the study site | Identified |
|------------------------------------------------------------------------------------------------------------------------|------------|

|                                                      |                               |
|------------------------------------------------------|-------------------------------|
| Clearwater Flooding or Superficial Deposits Flooding | Superficial Deposits Flooding |
|------------------------------------------------------|-------------------------------|

Notes: Groundwater flooding may either be associated with shallow unconsolidated sedimentary aquifers which overlie unproductive aquifers (Superficial Deposits Flooding), or with unconfined aquifers (Clearwater Flooding).

---

|                                                                                                                       |  |
|-----------------------------------------------------------------------------------------------------------------------|--|
| 7.7.2 Highest susceptibility to groundwater flooding in the search area based on the underlying geological conditions |  |
|-----------------------------------------------------------------------------------------------------------------------|--|

Potential at Surface

Where potential for groundwater flooding to occur at surface is indicated, this means that given the geological conditions in the area groundwater flooding hazard should be considered in all land-use planning decisions. It is recommended that other relevant information e.g. records of previous incidence of groundwater flooding, rainfall, property type, and land drainage information be investigated in order to establish relative, but not absolute, risk of groundwater flooding.

---


## 7.8 Groundwater Flooding Confidence Areas

|                                                            |      |
|------------------------------------------------------------|------|
| British Geological Survey confidence rating in this result | High |
|------------------------------------------------------------|------|


Notes: Groundwater flooding is defined as the emergence of groundwater at the ground surface or the rising of groundwater into man-made ground under conditions where the normal range of groundwater levels is exceeded.

The confidence rating is on a threefold scale - Low, Moderate and High. This provides a relative indication of the BGS confidence in the accuracy of the susceptibility result for groundwater flooding. This is based on the amount and precision of the information used in the assessment. In areas with a relatively lower level of confidence the susceptibility result should be treated with more caution. In other areas with higher levels of confidence the susceptibility result can be used with more confidence.

# 8. Designated Environmentally Sensitive Sites Map



© Crown copyright and database rights 2018.  
Ordnance Survey license 100035207.



## 8. Designated Environmentally Sensitive Sites

Designated Environmentally Sensitive Sites within 2000m of the study site

Identified

---

### 8.1 Records of Sites of Special Scientific Interest (SSSI) within 2000m of the study site:

0

Database searched and no data found.

---

### 8.2 Records of National Nature Reserves (NNR) within 2000m of the study site:

0

Database searched and no data found.

---

### 8.3 Records of Special Areas of Conservation (SAC) within 2000m of the study site:

0

Database searched and no data found.

---

### 8.4 Records of Special Protection Areas (SPA) within 2000m of the study site:

0

Database searched and no data found.

---

### 8.5 Records of Ramsar sites within 2000m of the study site:

0

Database searched and no data found.

---

## 8.6 Records of Ancient Woodland within 2000m of the study site:

1

The following records of Designated Ancient Woodland provided by Natural England/Natural Resources Wales are represented as polygons on the Designated Environmentally Sensitive Sites Map:

| ID | Distance (m) | Direction | Ancient Woodland Name | Data Source                       |
|----|--------------|-----------|-----------------------|-----------------------------------|
| 3  | 748          | SE        | UNKNOWN               | Ancient and Semi-Natural Woodland |

## 8.7 Records of Local Nature Reserves (LNR) within 2000m of the study site:

0

Database searched and no data found.

## 8.8 Records of World Heritage Sites within 2000m of the study site:

0

Database searched and no data found.

## 8.9 Records of Environmentally Sensitive Areas within 2000m of the study site:

0

Database searched and no data found.

## 8.10 Records of Areas of Outstanding Natural Beauty (AONB) within 2000m of the study site:

2

The following Area of Outstanding Natural Beauty (AONB) records provided by Natural England/Natural Resources Wales are represented as polygons on the Designated Environmentally Sensitive Sites Map:

| ID        | Distance (m) | Direction | AONB/NSA Name     | Data Source     |
|-----------|--------------|-----------|-------------------|-----------------|
| Not shown | 1850         | SW        | Forest Of Bowland | Natural England |
| Not shown | 1850         | SW        | Forest Of Bowland | Natural England |

#### 8.11 Records of National Parks (NP) within 2000m of the study site:

0

Database searched and no data found.

---

#### 8.12 Records of Nitrate Sensitive Areas within 2000m of the study site:

0

Database searched and no data found.

---

#### 8.13 Records of Nitrate Vulnerable Zones within 2000m of the study site:

0

Database searched and no data found.

---

#### 8.14 Records of Green Belt land within 2000m of the study site:

0

Database searched and no data found.

---

# 9. Natural Hazards Findings

## 9.1 Detailed BGS GeoSure Data

BGS GeoSure Data has been searched to 50m. The data is included in tabular format. If you require further information on geology and ground stability, please obtain a **Groundsure Geo Insight**, available from our **website**. The following information has been found:

### 9.1.1 Shrink Swell

Maximum Shrink-Swell\*\* hazard rating identified on the study site Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

| Hazard                                                                                                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ground conditions predominantly low plasticity. No special actions required to avoid problems due to shrink-swell clays. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with shrink-swell clays. |

### 9.1.2 Landslides

Maximum Landslide\* hazard rating identified on the study site Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

| Hazard                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Slope instability problems are unlikely to be present. No special actions required to avoid problems due to landslides. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with landslides. |

### 9.1.3 Soluble Rocks

Maximum Soluble Rocks\* hazard rating identified on the study site Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

| Hazard                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Significant soluble rocks are present. Problems unlikely except with considerable surface or subsurface water flow. No special actions required to avoid problems due to soluble rocks. No special ground investigation required or increased construction costs are likely. An increase in financial risk due to potential problems with soluble rocks is unlikely. |

\* This indicates an automatically generated 50m buffer and site.

#### 9.1.4 Compressible Ground

Maximum Compressible Ground\* hazard rating identified on the study site

Negligible

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

| Hazard                                                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| No indicators for compressible deposits identified. No special actions required to avoid problems due to compressible deposits. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with compressible deposits. |

#### 9.1.5 Collapsible Rocks

Maximum Collapsible Rocks\* hazard rating identified on the study site

Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

| Hazard                                                                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Deposits with potential to collapse when loaded and saturated are unlikely to be present. No special ground investigation required or increased construction costs or increased financial risk due to potential problems with collapsible deposits. |

#### 9.1.6 Running Sand

Maximum Running Sand\*\* hazard rating identified on the study site

Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

| Hazard                                                                                                                                                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Very low potential for running sand problems if water table rises or if sandy strata are exposed to water. No special actions required, to avoid problems due to running sand. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with running sand. |

\* This indicates an automatically generated 50m buffer and site.

### 9.2.1 Radon Affected Areas

Is the property in a Radon Affected Area as defined by the Health Protection Agency (HPA) and if so what percentage of homes are above the Action Level? The site is in a Radon Affected Area, as between 1 and 3% of properties are above the Action Level.

The radon data in this report is supplied by the BGS/Public Health England and is the definitive map of Radon Affected Areas in Great Britain and Northern Ireland. The dataset was created using long-term radon measurements in over 479,000 homes across Great Britain and 23,000 homes across Northern Ireland, combined with geological data. The dataset is considered accurate to 50m to allow for the margin of error in geological lines, and the findings of this report supercede any answer given in the less accurate Indicative Atlas of Radon in Great Britain, which simplifies the data to give the highest risk within any given 1km grid square. As such, the radon atlas is considered indicative, whereas the data given in this report is considered definitive.

---

### 9.2.2 Radon Protection

Is the property in an area where Radon Protection are required for new properties or extensions to existing ones as described in publication BR211 by the Building Research Establishment? No radon protective measures are necessary.

# 10. Mining

## 10.1 Coal Mining

Coal mining areas within 75m of the study site

None identified

Database searched and no data found.

## 10.2 Non-Coal Mining

Non-Coal Mining areas within 50m of the study site boundary

Identified

The following non-coal mining information is provided by the BGS:

| Distance (m) | Direction | Name          | Commodity    | Assessment of likelihood                                                                                                                                                             |
|--------------|-----------|---------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0.0          | On Site   | Not available | Vein Mineral | Localised small scale underground mining may have occurred. Potential for difficult ground conditions are unlikely or localised and are at a level where they need not be considered |

Past underground mine workings may occur. The rock types present in these areas are such that small mineral veins may be present on which it is possible that small scale mining has been undertaken and/or it is possible that limited underground extraction of other materials may have occurred. All such occurrences are likely to be of minor localised extent and infrequent. It should be noted, however, that there is always the possibility of the existence of other sub-surface excavations, such as wells, cess pits, follies, air raid shelters/bunkers and other military structures etc. that could affect surface ground stability but which are outside the scope of this dataset. However, if in a coalfield area you should still consider a Coal Authority mining search for the area of interest.

## 10.3 Brine Affected Areas

Brine affected areas within 75m of the study site

None identified

Guidance: No Guidance Required.

# Contact Details

**emapsite**  
Telephone: 0118 9736883  
sales@emapsite.com

**emapsite™**

## British Geological Survey Enquiries

Kingsley Dunham Centre  
Keyworth, Nottingham NG12 5GG  
Tel: 0115 936 3143.  
Fax: 0115 936 3276.  
Email:

Web: [www.bgs.ac.uk](http://www.bgs.ac.uk)

BGS Geological Hazards Reports and general geological enquiries:  
[enquiries@bgs.ac.uk](mailto:enquiries@bgs.ac.uk)



**British  
Geological Survey**

NATURAL ENVIRONMENT RESEARCH COUNCIL

## Environment Agency

National Customer Contact Centre, PO Box 544  
Rotherham, S60 1BY  
Tel: 03708 506 506

Web: [www.environment-agency.gov.uk](http://www.environment-agency.gov.uk)

Email: [enquiries@environment-agency.gov.uk](mailto:enquiries@environment-agency.gov.uk)



**Environment  
Agency**

## Public Health England

Public information access office  
Public Health England, Wellington House  
133-155 Waterloo Road, London, SE1 8UG  
[www.gov.uk/phe](http://www.gov.uk/phe)

Email: [enquiries@phe.gov.uk](mailto:enquiries@phe.gov.uk)  
Main switchboard: 020 7654 8000



**Public Health  
England**

## The Coal Authority

200 Lichfield Lane  
Mansfield  
Notts NG18 4RG  
Tel: 0345 7626 848  
DX 716176 Mansfield 5  
[www.coal.gov.uk](http://www.coal.gov.uk)



**The Coal  
Authority**

## Ordnance Survey

Adanac Drive, Southampton  
SO16 0AS  
Tel: 08456 050505



## Local Authority

Authority: Ribble Valley Borough Council  
Phone: 01200 425111

Web: <https://www.ribblevalley.gov.uk/>

Address: Council Offices, Church Walk, Clitheroe, Lancashire, BB7 2RA

## Gemapping PLC

Virginia Villas, High Street, Hartley Witney,  
Hampshire RG27 8NW  
Tel: 01252 845444



Acknowledgements: Site of Special Scientific Interest, National Nature Reserve, Ramsar Site, Special Protection Area, Special Area of Conservation data is provided by, and used with the permission of, Natural England/Natural Resources Wales who retain the Copyright and Intellectual Property Rights for the data.

PointX © Database Right/Copyright, Thomson Directories Limited © Copyright Link Interchange Network Limited © Database Right/Copyright and Ordnance Survey © Crown Copyright and/or Database Right. All Rights Reserved. Licence Number [03421028].

This report has been prepared in accordance with the Groundsure Ltd standard Terms and Conditions of business for work of this nature.


# Standard Terms and Conditions

Groundsure's Terms and Conditions can be viewed online at this link:


<https://www.groundsure.com/terms-and-conditions-may25-2018>

# County Series 1:10,560 scale

## VEGETATION




## ROADS



## RAILWAYS



## GENERAL FEATURES



## BOUNDARIES



# National Grid 1:10,000 scale


## HEIGHTS (METRES)

Values are given in metres above mean sea level at Newlyn.  
Surface heights determined by ground survey ± 163m  
air survey ± 10m  
Bench marks and their values are shown on large scale maps, and bench mark lists containing fuller and possibly later levelling information are obtainable from the Director General, Ordnance Survey.  
Contours are at 5 metres vertical interval.


## ABBREVIATIONS

|         |                        |     |                     |
|---------|------------------------|-----|---------------------|
| BP,BS   | Boundary Post or Stone | PO  | Post Office         |
| Ch      | Church                 | PC  | Public Convenience  |
| CH      | Club House             | PH  | Public House        |
| F Sta   | Fire Station           | S   | Stone               |
| FB      | Foot Bridge            | Spr | Spring              |
| Fn      | Fountain               | TCB | Telephone Call Box  |
| GP      | Guide Post             | TCP | Telephone Call Post |
| MP,MS   | Mile Post or Stone     | TH  | Town Hall           |
| P       | Pole or Post           | W   | Well                |
| Pol Sta | Police Station         | Y   | Youth hostel        |


## ROCK FEATURES




## CONVERSION SCALE




## ROADS




## RAILWAYS



## GENERAL FEATURES



## VEGETATION



In some areas bracken ( ) and rough grassland ( ) are shown separately.



# Historical Map Pack Legend

# County Series & National Grid 1:10,560 scale

Information present on these legends is sourced from the same Ordnance Survey mapping as the maps used in this product.




If you have a query regarding any of the maps provided please contact GroundSure's technical helpline. We will endeavour to answer any queries you may have.

Technical Helpline



Tel 08444159000

[groundsureinsight@groundsure.com](mailto:groundsureinsight@groundsure.com)  
[www.groundsure.com](http://www.groundsure.com)

## County Series 1:2,500 scale



## National Grid 1:2,500 / 1:1,250 scale



### ABBREVIATIONS

|        |                               |         |                         |        |                             |       |                     |
|--------|-------------------------------|---------|-------------------------|--------|-----------------------------|-------|---------------------|
| B.H.   | Beer House                    | F Sta   | Fire Station            | M P U  | Mail Pick-up                | S L   | Signal Light        |
| B.M.   | Bench Mark                    | G P     | Guide Post              | M S    | Mile Stone                  | SL    | Sluice              |
| B.P.   | Boundary Post                 | G V C   | Gas Valve Compound      | N T    | National Trust              | S P   | Signal Post         |
| B.S.   | Boundary Stone                | H       | Hydrant or Hydraulic    | N T L  | Normal Tidal Limit          | Sp    | Spring              |
| C      | Crane                         | ha      | Hectares                | N T S  | National Trust for Scotland | S Sta | Signal Station      |
| C.H.   | Club House                    | L B     | Lecter Box              | P      | Pillar, Pole or Post        | T C B | Telephone Call Box  |
| Chy    | Chimney                       | L B Sta | Lifboat Station         | P.C.   | Public Convenience          | T C P | Telephone Call Post |
| Cn     | Capstan                       | L C     | Level Crossing          | P C B  | Police Call Box             | Tk    | Tank or Track       |
| D.Fn   | Drinking Fountain             | L G     | Loading Gauge           | P.H.   | Public House                | Tr    | Trough              |
| Dk     | Dock                          | L Ho    | Lighthouse              | P.O.   | Post Office                 | ts    | Traverse Station    |
| El P   | Electricity Pillar or Post    | L Twr   | Lighting Tower          | Pp     | Pump                        | W     | Wall                |
| E T L  | Electricity Transmission Line | m       | Metres                  | P.T.P. | Police Telephone Pillar     | W B   | Weighbridge         |
| F.A.   | Fire Alarm                    | M H W   | Mean High Water         | Resr   | Reservoir                   | Wd Pp | Wind Pump           |
| F.A.P. | Fire Alarm Pillar             | M H W S | Mean High Water Springs | R.H.   | Road House                  | Wks   | Works               |
| F.B.   | Filter Bed, Foot Bridge       | M L W   | Mean Low Water          | rp     | Revision Point              | Wt Pt | Water Point         |
| F.B.M. | Fundamental Bench Mark        | M L W S | Mean Low Water Springs  | S      | Stone                       | Wt T  | Water Tap           |
| F.S.   | Flagstaff                     | M P     | Mile or Mooring Post    | S B    | Signal Box                  |       |                     |



## Historical Map Pack Legend

### County Series

### 1:1,250 scale



### County Series & National Grid

### 1:2,500 scale

Information present on these legends is sourced from the same Ordnance Survey mapping as the maps used in this product.

If you have a query regarding any of the maps provided within this map pack, please contact GroundSure's technical helpline. We will endeavour to answer any queries you may have.

Technical Helpline:

Tel 08444159000

[groundsureinsight@groundsure.com](mailto:groundsureinsight@groundsure.com)  
[www.groundsure.com](http://www.groundsure.com)

Site Details:

Henthorn Road, Clitheroe, BB7 3BY

Client Ref: EMS\_481313\_645768  
Report Ref: EMS-481313\_645768  
Grid Ref: 372949, 440836

Map Name: County Series

Map date: 1847-1848

Scale: 1:10,560

Printed at: 1:10,560



Surveyed N/A  
Revised N/A  
Edition N/A  
Copyright N/A  
Levelled N/A

Surveyed 1847  
Revised N/A  
Edition 1848  
Copyright N/A  
Levelled N/A



Produced by  
Groundsure Insights  
[www.groundsure.com](http://www.groundsure.com)




Supplied by:  
[www.emapsite.com](http://www.emapsite.com)  
[sales@emapsite.com](mailto:sales@emapsite.com)

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 31 May 2018

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



## Site Details:

Henthorn Road, Clitheroe, BB7  
3BY

Client Ref: EMS\_481313\_645768  
Report Ref: EMS-481313\_645768  
Grid Ref: 372949, 440836

Map Name: County Series

Map date: 1847-1848

Scale: 1:10,560

Printed at: 1:10,560



Surveyed 1844  
Revised 1847  
Edition 1847  
Copyright N/A  
Levelled N/A

Surveyed 1844  
Revised N/A  
Edition 1848  
Copyright N/A  
Levelled N/A



Produced by  
Groundsure Insights  
[www.groundsure.com](http://www.groundsure.com)




Supplied by:  
[www.emapsite.com](http://www.emapsite.com)  
[sales@emapsite.com](mailto:sales@emapsite.com)

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 31 May 2018

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



## Site Details:

Henthorn Road, Clitheroe, BB7 3BY

**Client Ref:** EMS\_481313\_645768  
**Report Ref:** EMS-481313\_645768  
**Grid Ref:** 372949, 440836

**Map Name:** County Series

**Map date:** 1890

**Scale:** 1:10,560

**Printed at:** 1:10,560



Surveyed N/A  
 Revised N/A  
 Edition 1890  
 Copyright N/A  
 Levelled N/A



Produced by  
 Groundsure Insights  
[www.groundsure.com](http://www.groundsure.com)




Supplied by:  
[www.emapsite.com](http://www.emapsite.com)  
[sales@emapsite.com](mailto:sales@emapsite.com)

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 31 May 2018

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



Site Details:

Henthorn Road, Clitheroe, BB7 3BY

Client Ref: EMS\_481313\_645768  
Report Ref: EMS-481313\_645768  
Grid Ref: 372949, 440836

Map Name: County Series

Map date: 1892

Scale: 1:10,560

Printed at: 1:10,560



Surveyed 1892  
Revised 1892  
Edition N/A  
Copyright N/A  
Levelled N/A



Produced by  
Groundsure Insights  
[www.groundsure.com](http://www.groundsure.com)




Supplied by:  
[www.emapsite.com](http://www.emapsite.com)  
[sales@emapsite.com](mailto:sales@emapsite.com)

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 31 May 2018

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



## Site Details:

Henthorn Road, Clitheroe, BB7 3BY

**Client Ref:** EMS\_481313\_645768  
**Report Ref:** EMS-481313\_645768  
**Grid Ref:** 372949, 440836

**Map Name:** County Series

**Map date:** 1896

**Scale:** 1:10,560

**Printed at:** 1:10,560



Surveyed 1847  
 Revised 1892  
 Edition 1896  
 Copyright N/A  
 Levelled N/A



Produced by  
 Groundsure Insights  
[www.groundsure.com](http://www.groundsure.com)




Supplied by:  
[www.emapsite.com](http://www.emapsite.com)  
[sales@emapsite.com](mailto:sales@emapsite.com)

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 31 May 2018

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)





## Site Details:

Henthorn Road, Clitheroe, BB7 3BY

**Client Ref:** EMS\_481313\_645768  
**Report Ref:** EMS-481313\_645768  
**Grid Ref:** 372949, 440836

**Map Name:** County Series

**Map date:** 1930-1932

**Scale:** 1:10,560

**Printed at:** 1:10,560



Surveyed 1844  
 Revised 1930  
 Edition N/A  
 Copyright N/A  
 Levelled N/A

Surveyed 1844  
 Revised 1932  
 Edition N/A  
 Copyright N/A  
 Levelled N/A



Produced by  
 Groundsure Insights  
[www.groundsure.com](http://www.groundsure.com)




Supplied by:  
[www.emapsite.com](http://www.emapsite.com)  
[sales@emapsite.com](mailto:sales@emapsite.com)

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 31 May 2018

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



## Site Details:

Henthorn Road, Clitheroe, BB7 3BY

Client Ref: EMS\_481313\_645768  
Report Ref: EMS-481313\_645768  
Grid Ref: 372949, 440836

Map Name: County Series

Map date: 1938

Scale: 1:10,560

Printed at: 1:10,560



Surveyed 1844  
Revised 1938  
Edition N/A  
Copyright N/A  
Levelled N/A



Produced by  
Groundsure Insights  
[www.groundsure.com](http://www.groundsure.com)




Supplied by:  
[www.emapsite.com](http://www.emapsite.com)  
[sales@emapsite.com](mailto:sales@emapsite.com)

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 31 May 2018

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



## Site Details:

Henthorn Road, Clitheroe, BB7 3BY

Client Ref: EMS\_481313\_645768  
Report Ref: EMS-481313\_645768  
Grid Ref: 372949, 440836

Map Name: Provisional

Map date: 1950-1955

Scale: 1:10,560

Printed at: 1:10,560



Surveyed 1950  
Revised 1950  
Edition N/A  
Copyright 1955  
Levelled N/A

Surveyed 1950  
Revised 1950  
Edition N/A  
Copyright N/A  
Levelled N/A



Produced by  
Groundsure Insights  
[www.groundsure.com](http://www.groundsure.com)



Supplied by:  
[www.emapsite.com](http://www.emapsite.com)  
[sales@emapsite.com](mailto:sales@emapsite.com)

© Crown copyright and database rights 2018 Ordnance Survey 100035207

Production date: 31 May 2018

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)

