This drawing is to be read in conjunction with all relevant Architect, consultants' and specialists' drawings and specifications. The Architect is to be notified of any discrepancies before proceeding. Do not scale from this drawing. All dimensions and levels are to be checked on site. This drawing is subject to copyright. All work carried out before Planning and Building Permission has been granted is at the contractor/clients risk.

North

0 2 4 6 8 10

Metres

ABBREVIATIONS

CH	Cable Height
CL	Cover Level
GV	Gas Valve
GU	Gully
IC	Inspection Cover
LP	Lamp Post
MH	Man Hole
TF	Top of Fence
TW	Top of Wall
WL	Water Level
WV	Water Valve

NOTE

All levels and coordinates relate to OSGB36(15) using GNSS data.

Levels defining edge of carriageway are observed at channel (bottom of kerb).

REVISIONS:

Rev A - Topo survey updated. - 30.05.2019 - NE

Client

Mr and Mrs Walsh

Job Title

Proposed extension and alterations to:
Hydro Lodge,
Sawley Road,
Grindleton
Clitheroe
BB7 4QS

Drawing Title

Existing Site Plan

Scale	Date	Drawn
1:200 @ A2	May 2019	TriCAD

SUNDERLAND PEACOCK ARCHITECTS
SUNDERLAND PEACOCK & ASSOCIATES LTD.
HAZELMERE, PIMLICO ROAD, CLITHEROE
LANCASHIRE, BB7 2AG
T 01200 423178 F 01200 427328
E info@sunderlandpeacock.com
www.sunderlandpeacock.com

5834 - 01 Rev A