



- NOTES :**
- DO NOT SCALE FROM THIS DRAWING. Check dimensions on site or refer to Architect/Engineer. IF IN DOUBT - ASK. If this Drawing is printed or reproduced in any format, scales may differ significantly from those shown.
 - This Drawing to be read in conjunction with :
Architect Drawings No.
RSCE Drawings No.
manufacturers instructions and specifications and current European and British Standards and Codes of Practice
 - Structural Steelwork grade S275
Fabricated Steelwork to BS EN1090 Execution Class EXC2
Structural Steelwork exposed to external atmosphere, aggressive environment, or embedded/bearing within external masonry, etc. to be hot dip galvanised.
Structural Steelwork entirely within internal dry and non-aggressive environment is to be delivered to site primed and additional site coat of suitable and compatible zinc rich corrosion protective paint.
1/2 hour fire protection to all Structural Steelwork using fireline board.
 - Structural Timberwork grade C24 and vac vac preservative treated, unless noted otherwise.

Rev	Date	
B	26/ 07/ 20	trees added
A	24/ 07/ 20	PF access allocated

RSCE Consulting Engineers
Consulting Civil, Structural and Geotechnical Engineers

55 Garstang Road, Preston, Lancs. PR1 1LB
tel. 01772 250163

Principal : R. Sparks B.Eng., M.Eng., C.Eng., MICE

Project	THORNLEY - KNOTT FARM, CHIPPING ROAD PR3 2TB		
Drawing Title	KNOTT FARM HOUSE PROPOSED SINGLE STOREY EXTENSION SITE LOCATION AND BLOCK PLAN		
Scale	Date	Drawing No.	Rev.
As Shown	13/ 07/ 20	3526-001	B 26/ 08/ 20

© Crown copyright and database rights 2020 OS 100035409
Reproduction in whole or in part is prohibited
without the permission of Ordnance Survey.