

PROPOSED BOUNDARY WALL

Ground excavated to formation level and all surplus carted away from site.

750 x 200mm concrete strip foundation cast at 750mm below ground level.

New 400mm thick wall built up to 1200mm (top of coping)above finished ground level. Dense concrete block up to 200mm below finished ground level with central core of 100mm dense concrete block faced either side with natural stone.


500mm wide throated flat top sawn stone copings bedded over to slight fall - 5mm max intermediate joints.

PROPOSED PLAN SCALE 1:200



HEDGELINE BOUNDARY AS EXISTING

PROPOSED SOUTH WEST ELEVATION SCALE 1:200



PROPOSED SOUTH EAST ELEVATION SCALE 1:200

Job Title

PADDOCK GATE
14 WISWELL LANE
WHALLEY
LANCASHIRE
BB7 9AF

Drawing Title
PLANNING CONDITION NO.6
PROPOSED BOUNDARY TREATMENTS

Scale
Various @ A2 JULY 2020

SUNDERLAND PEACOCK

SUNDERLAND PEACOCK

SUNDERLAND PEACOCK & ASSOCIATES LTD.
HAZELMERE, PIMLICO ROAD, CLITHEROE
LANCASHIRE, BB7 2AG
T 01200 423178 F 01200 427328
E Info@sunderlandpeacock.com
www.sunderlandpeacock.com

5876 - 08

MR AND MRS BAMFORD