STANDARD DETAILS BOUNDARY TREATMENTS DRAWING CODE: BT

				DATE OF DRAWING ISSUE															
DRAWING NUMBER	TITLE	SIZE	20/02/20																
WD2020-BT-001	Brick Wall and Fence	A3	-																
WD2020-BT-002	Close board fence	A4	-																
WD2020-BT-003	Knee rail fence	<mark>A</mark> 4	-																

Notes:

- 1. This working drawing package and design is a Copyright of Prospect (GB) Limited
- 2. This house type production drawing package is to be read in conjunction with the following documentation:
 - a) The site specific material schedule and street scenes.
 - b) The structural and civil engineers drawings and specification.
 - c) The relevant construction details.
 - d) The CDM risk assessment contained within this package.
- 3. Do not scale from these drawings work to figured dimensions only. All dimensions to be checked on site prior to the execution of any work.
- 4. All dimensions are measured to wall structure and not to the finishes unless otherwise stated.
- 5. Where any discrepancy is found to exist within or between drawings and / or documents it should be reported to technical@prospectgb.com

prospect.	* Drawing Title BOUNDARY TREATMENT	* Project STANDARD	Job No WD2020	Drg No	Drawn	Rev
	BOOKLET	DETAILS	Scale	Date	Stage	
The Copyright of this drawing belongs to Prosect (co) Lio. and shall not be used on reproduced in any form without its express permission.						



ARTSTONE PIER CAP OR ENGINEERING BRICK CAPPING DEPENDING ON LOCATION	
POSTS TO BE RAWLBOLTED TO —— PIERS WITH 3 No. M12x150 BOLTS @450mm CENTRES	1237
ENGINEERING BRICK ON EDGE	
4 COURSE ENGINEERING BRICK 25mm 4 COURSE ENGINEERING BRICK IN 1:3 MORTAR. BRICKS	
LAID IN STRETCHER BOND WITH CAVITY TIES STAGGERED AT 450mm VERTICAL & 900mm HORIZONTAL.	300
CONCRETE STRIP	
	450

 $\frac{\text{*NB:-}}{\text{THIS DIMENSION IS SIUTABLE FOR FIRM, STABLE BEARING, STRATA WITH NON ORGANIC SOIL.}$

ALSO NOTE GROUND WORKS: THE STANDARD SPECIFICATION RELATES TO SITES WITHOUT THE FOLLOWING CONDITIONS:

1. PRESENCE OF TREES EITHER ON OR AROUND SITE (REFER TO NHBC PRACTICE NOTE 3).

2. PRESENCE OF PONDS &/OR STREAMS.

3. KNOWLEDGE OF, OR DISCOVERY OF TIPPED OR WASTE MATERIALS.

4. KNOWLEDGE OF, OR DISCOVERY OF OLD MINE OR QUARRY WORKINGS.

SHOULD ANY OF THESE CONDITIONS OCCUR, REFERENCE MUST BE MADE TO OBTAIN THE STRUCTURAL ENGINEER'S ADVICE.

1800mm Brick Wall and Close Board Fence

SECTION A-A

		HOMES	
The Copyright of to used or reproduce	his drawing belongs to Pr d in any form without its e	ospect (GB) Ltd. and sha express permission.	all not be
Rev Date R	evision		Init
Rev Date R + Drawing Title			Init
Rev Date R + Drawing Title BR	evision ICK WALL A	ND FENCE	Init
Rev Date R + Drawing Title BR + Project	evision ICK WALL A	ND FENCE	Init
Rev Date R + Drawing Title + Project F BOU	evision ICK WALL A PROSPECT (JNDARY TR	ND FENCE (GB) LTD EATMENTS	Init
Rev Date R + Drawing Title BR + Project Job No WD2020	evision ICK WALL A PROSPECT (JNDARY TR	ND FENCE (GB) LTD EATMENTS	Init





