





200 Lichfield Lane Berry Hill Mansfield Nottinghamshire NG18 4RG

Tel: 01623 637 119 (Planning Enquiries)

Email: planningconsultation@coal.gov.uk

Web: www.gov.uk/coalauthority

<u>For the Attention of: Ms L Eastwood – Case Officer</u> Ribble Valley Borough Council

[By Email: planning@ribblevalley.gov.uk]

17 February 2021

Dear Ms Eastwood

PLANNING APPLICATION: 3/2021/0112

Proposed two bedroom dwelling at 2 St Johns Close, Read, Lancashire, BB12 7RL

Thank you for your notification of 10 February 2021 seeking the views of The Coal Authority on the above planning application.

The Coal Authority is a non-departmental public body sponsored by the Department of Business, Energy & Industrial Strategy. As a statutory consultee, The Coal Authority has a duty to respond to planning applications and development plans in order to protect the public and the environment in mining areas.

The Coal Authority Response: Fundamental Concern

I have reviewed the site location plans, the proposals and the supporting information submitted and available to view on the LPA website. I can confirm that the site falls within the defined Development High Risk Area and that a Coal Mining Risk Assessment, or equivalent report, is required to be submitted to support this application.

The Coal Authority records indicate that the application site lies in an area of likely historic unrecorded coal workings at shallow depth.

In accordance with the agreed risk-based approach to development management in the defined Development High Risk Areas, the applicant should be informed that they need to submit a Coal Mining Risk Assessment Report, or equivalent report, to support this planning application. As no relevant information has been submitted at this time the Coal Authority **objects** to this planning application.

The Coal Authority would be very pleased to receive for further consultation and comment any additional information submitted by the applicant.

Please do not hesitate to contact me if you would like to discuss this matter further.

Yours sincerely

Helen Branson

Helen Branson Technical Officer

General Information for the Applicant

The Coal Mining Risk Assessment needs to interpret the coal mining risks and should be based on up-to-date information of past coal mining activities in relation to the application site. A variety of Coal Mining Report products which provide baseline information on coal mining legacy risks are available from www.groundstability.com. A Coal Mining Risk Assessment should then take the information contained in the Coal Mining Report and interpret the risks identified specifically in relation to the proposed development. If you merely submit a Non Residential Coal Mining Report, an Enviro All-in-One Report or other factual report obtained from www.groundstability.com (or a similar product from private land search suppliers) this will not overcome our objection to your planning application.

The need for a Coal Mining Risk Assessment is set out in the National Planning Practice Guide at:

http://planningguidance.planningportal.gov.uk/blog/guidance/land-stability/land-stability-guidance/

This coal mining information you obtain from a Non-Residential Coal Mining Report, an Enviro-All-in-One Report or other factual report should then be used to assess whether or not past mining activity poses any risk to the development proposal and, where necessary, propose mitigation measures to address any issues of land instability. This could include further intrusive investigation on site to ensure that the Local Planning Authority has sufficient information to determine the planning application.

The Coal Mining Risk Assessment should be prepared by a "competent body". Links to the relevant professional institutions of competent bodies can be found at: https://www.gov.uk/planning-applications-coal-mining-risk-assessments

Guidance on how to produce a Coal Mining Risk Assessment and a template which the "competent body" can utilise is also contained at: https://www.gov.uk/planning-applications-coal-mining-risk-assessments

Under the Coal Industry Act 1994 any intrusive activities, including initial site investigation boreholes, and/or any subsequent treatment of coal mine workings/coal mine entries for ground stability purposes require the prior written permission of the Coal Authority, since such activities can have serious public health and safety implications. Failure to obtain permission will result in trespass, with the potential for court action. In the event that you are proposing to undertake such work in the Forest of Dean local authority area our permission may not be required; it is recommended that you check with us prior to commencing any works. Application forms for Coal Authority permission and further guidance can be obtained from the Coal Authority's website at: https://www.gov.uk/get-a-permit-to-deal-with-a-coal-mine-on-your-property

<u>Disclaimer</u>

The above consultation response is provided by the Coal Authority as a Statutory Consultee and is based upon the latest available coal mining data on the date of the response, and electronic consultation records held by the Coal Authority since 1 April 2013. The comments made are also based upon only the information provided to the Coal Authority by the Local Planning Authority and/or has been published on the Council's website for consultation purposes in relation to this specific planning application. The views and conclusions contained in this response may be subject to review and amendment by the Coal Authority if additional or new data/information (such as a revised Coal Mining Risk Assessment) is provided by the Local Planning Authority or the applicant for consultation purposes.