

Tree No.	Species	Age	Stems at 1.5m	Stem Dia (mm)	Height (Crown Hgt) (m)	FSB (D) (m)	Branch Spread (m)				Observations	Cond	Life Exp	Tree Works Required to Enable Development	Root Protection Area (RPA)		Retention Category
							N	E	S	W					Radius (m)	Area (m <sup>2</sup> )	
T 1	Aesculus hippocastanum (Horse Chestnut)	Mature	1	760	16(4)	2.5(W)	6	4.5	6.5	6.5	Asymmetrical crown. Occasional pruning wounds.	Good to Fair	40+	No action required.	9.1	261.3	B
T 2	Fraxinus excelsior (Ash)	Mature	1	900	18(7)	5(W)	6	5.5	5.5	10	Asymmetrical crown. Occasional pruning wounds. Crown - deadwood (Equal or less than 100mm). Limited inspection - dense ivy on stem/base.	Good to Fair	40+	Sever and remove ivy. Remove individual dead, defective or diseased branch(es).	10.8	366.5	B
T 3	Ulmus sp. (Elm)	Semi-mature	1	200	8(4)	4(W)	3.5	2.5	2	2.5	Limited inspection - dense ivy on stem/base. Crown suppressed by adjacent trees.	Fair	20+	No action required.	2.4	18.1	C
T 4	Acer pseudoplatanus (Sycamore)	Semi-mature	1	300	10(3.5)	3.5(W)	3.5	2.5	2.5	4.5	Asymmetrical crown. Limited inspection - dense ivy on stem/base.	Good to Fair	40+	No action required.	3.6	40.7	C
G 5	Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn)	Young to semi-mature	1	100	5(3.5)	3.5(W)	1.5	1.5	1.5	1.5	Individuals crowns restricted by group. Linear boundary group.	Good to Fair	40+	No action required.	1.2	4.5	C
T 6	Pinus sylvestris (Scots Pine)	Semi-mature	1	320	14(8)	8(W)	2.5	2.5	3	3	Asymmetrical crown. Limited inspection - dense ivy on stem/base.	Good to Fair	40+	No action required.	3.8	46.3	C
T 7	Aesculus hippocastanum (Horse Chestnut)	Mature	1	950	16(3)	3(W)	6	5	6	10	Asymmetrical crown. Limited inspection - dense ivy on stem/base.	Good to Fair	40+	No action required.	11.4	408.3	B
T 8	Fraxinus excelsior (Ash)	Mature	1	1,000	18(7)	6(W)	6	7	7	10	Asymmetrical crown. Multiple pruning wounds. Crown - deadwood (Equal or less than 100mm). Limited inspection - dense ivy on stem/base. Tear-out wound on stem. Dieback in crown.	Fair to Poor	<10	Remove for arboricultural reasons.	12.0	452.5	U
G 9	Corylus avellana (Hazel)	Semi-mature	10	20	5(0.5)	0.5(S)	1.5	1.5	1.5	1.5	Multi-stemmed from ground level. Individuals crowns restricted by group. Linear boundary group.	Good to Fair	40+	No action required.	0.8	1.8	C
G 10	Pinus sylvestris (Scots Pine)	Semi-mature	1	250	9(6)	6(S)	2.5	2.5	2.5	2.5	Individuals crowns restricted by group.	Good to Fair	40+	No action required.	3.0	28.3	C

Tree No.	Species	Age	Stems at 1.5m	Stem Dia (mm)	Height (Crown Hgt) (m)	FSB (D) (m)	Branch Spread (m)				Observations	Cond	Life Exp	Tree Works Required to Enable Development	Root Protection Area (RPA)		Retention Category
							N	E	S	W					Radius (m)	Area (m <sup>2</sup> )	
G 11	Pinus sylvestris (Scots Pine)	Semi-mature	1	450	11(2)	2(S)	3	2	5	5	Limited inspection - epicormic growth. Limited inspection - dense ivy on stem/base. Individuals crowns restricted by group.	Good to Fair	40+	No action required.	5.4	91.6	B
G 12	Prunus spinosa (Blackthorn), Corylus avellana (Hazel)	Semi-mature	3	50	4(0)	0(W)	1.5	1.5	1.5	1.5	Multi-stemmed from ground level. Individuals crowns restricted by group. Linear boundary group. Maintained.	Good to Fair	40+	No action required.	1.0	3.4	C
T 13	Acer pseudoplatanus (Sycamore)	Semi-mature	3	250	11(4)	3(W)	5	4	5	4	Asymmetrical crown. Multi-stemmed from ground level.	Good to Fair	40+	Remove individual dead, defective or diseased branch(es).	5.2	85.0	B
G 14	Prunus spinosa (Blackthorn), Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn)	Semi-mature	3	50	5(0)	0(W)	1.5	1.5	1.5	1.5	Multi-stemmed from ground level. Individuals crowns restricted by group. Linear boundary group. Maintained.	Good to Fair	40+	No action required.	1.0	3.4	C
T 15	Pinus sylvestris (Scots Pine)	Semi-mature	1	350	15(6)	6(W)	2	4	4	4	Asymmetrical crown. Limited inspection - restricted access. Limited inspection - dense undergrowth.	Good to Fair	40+	Remove individual dead, defective or diseased branch(es).	4.2	55.4	B
T 16	Fagus sylvatica 'Purpurea' (Copper Beech)	Early-mature	1	450	12(2)	2(W)	5	6.5	5.5	5.5	Asymmetrical crown. Limited inspection - restricted access. Limited inspection - dense undergrowth.	Good to Fair	40+	Remove individual dead, defective or diseased branch(es).	5.4	91.6	B
T 17	Pinus sylvestris (Scots Pine)	Early-mature	1	400	8(2)	2(W)	4	5.5	4	4	Asymmetrical crown. Limited inspection - restricted access. Limited inspection - dense undergrowth.	Good to Fair	40+	Remove individual dead, defective or diseased branch(es).	4.8	72.4	C
T 18	Fraxinus excelsior (Ash)	Mature	1	1000	17(3)	1.5(W)	7.5	7.5	7.5	7.5	Balanced crown. Crown - deadwood (Equal or less than 100mm).	Good to Fair	40+	Remove individual dead, defective or diseased branch(es).	12.0	452.5	B
G 19	Quercus robur (Common Oak)	Young	1	140	5.5(2)	2(W)	2.5	2.5	2.5	2.5	Linear group. Balanced crowns.	Good to Fair	40+	Remove individual dead, defective or diseased branch(es).	1.7	8.9	C
T 20	Quercus robur (Common Oak)	Mature	1	1,000	12.5(2.5)	2.5(W)	7	7	7	7	Balanced crown. Occasional pruning wounds.	Good to Fair	40+	Remove individual dead, defective or diseased branch(es).	12.0	452.5	A

Tree No.	Species	Age	Stems at 1.5m	Stem Dia (mm)	Height (Crown Hgt) (m)	FSB (D) (m)	Branch Spread (m)				Observations	Cond	Life Exp	Tree Works Required to Enable Development	Root Protection Area (RPA)		Retention Category
							N	E	S	W					Radius (m)	Area (m <sup>2</sup> )	
T 21	Quercus robur (Common Oak)	Mature	1	700	11(2.5)	2.5(E)	5.5	5	2.5	4	Asymmetrical crown. Occasional pruning wounds. Crown - deadwood (Equal or less than 100mm).	Fair	40+	No action required.	8.4	221.7	B
T 22	Quercus robur (Common Oak)	Mature	1	700	8(2)	2(E)	4.5	6	4.5	4.5	Asymmetrical crown. Occasional pruning wounds. Crown - deadwood (Equal or less than 100mm).	Fair	40+	No action required.	8.4	221.7	B
T 23	Fraxinus excelsior (Ash)	Veteran	1	1300	17(3)	1.5(N)	7	8	12	8	Asymmetrical crown. Crown - minor deadwood (less than 50mm). Dieback in crown.	Fair	20+	Remove individual dead, defective or diseased branch(es).	15.0	707.0	B
G 24	Fraxinus excelsior (Ash), Crataegus monogyna (Hawthorn)	Semi-mature	1	180	6(0.5)	0.5(N)	2	2	2	2	Multi-stemmed from ground level. Individuals crowns restricted by group. Linear boundary group.	Good to Fair	40+	No action required.	2.2	14.7	C
T 25	Fraxinus excelsior (Ash)	Early-mature	1	450	15(3)	3(N)	5.5	5.5	5.5	5.5	Balanced crown. Crown - minor deadwood (less than 50mm). Limited inspection - situated on adjacent land. Dieback in crown.	Fair to Poor	<10	No action required.	5.4	91.6	U
G 26	Crataegus monogyna (Hawthorn), Acer campestre (Field Maple), Alnus glutinosa (Common Alder)	Young	1	70	3.5(0.5)	0.5(N)	1	1	1	1	Situated on adjacent land. Multi-stemmed from ground level. Individuals crowns restricted by group. Linear boundary group.	Good to Fair	40+	No action required.	0.8	2.2	C
T 27	Corylus avellana (Hazel)	Semi-mature	10	25	4.5(1)	1(N)	2.5	2.5	2.5	2.5	Situated on adjacent land. Multi-stemmed from ground level.	Good to Fair	40+	No action required.	1.0	2.8	C
T 28	Prunus spinosa (Blackthorn)	Early-mature	3	150	5.5(1)	1(E)	2.5	2.5	2	2	Multi-stemmed from ground level. Limited inspection - dense undergrowth.	Good to Fair	40+	No action required.	3.1	30.6	C
G 29	Ilex aquifolium (Holly), Crataegus monogyna (Hawthorn)	Semi-mature	1	150	6(0.5)	0.5(E)	2	2	2	2	Individuals crowns restricted by group. Linear boundary group.	Good to Fair	40+	No action required.	1.8	10.2	C
T 30	Fraxinus excelsior (Ash)	Early-mature	1	770	16.5(3)	4(E)	6	6.5	5	6.5	Asymmetrical crown. Occasional pruning wounds. Crown - minor deadwood (less than 50mm).	Good to Fair	40+	No action required.	9.2	268.3	B

Tree No.	Species	Age	Stems at 1.5m	Stem Dia (mm)	Height (Crown Hgt) (m)	FSB (D) (m)	Branch Spread (m)				Observations	Cond	Life Exp	Tree Works Required to Enable Development	Root Protection Area (RPA)		Retention Category
							N	E	S	W					Radius (m)	Area (m <sup>2</sup> )	
T 31	Crataegus monogyna (Hawthorn)	Semi-mature	1	150	5.5(2)	2(E)	2	2.5	2	2	Crown suppressed by adjacent trees.	Good to Fair	40+	No action required.	1.8	10.2	C
T 32	Acer campestre (Field Maple)	Early-mature	1	360	7.5(5)	5(E)	2	4.5	2	2	Crown suppressed by adjacent trees. Large cavity in stem >30%.	Poor	<10	Remove for arboricultural reasons.	4.3	58.6	U
T 33	Fraxinus excelsior (Ash)	Early-mature	1	650	15(5)	5(E)	4	8	7	5	Asymmetrical crown. Crown - minor deadwood (less than 50mm). Dieback in crown.	Fair	20+	No action required.	7.8	191.2	C
G 34	Crataegus monogyna (Hawthorn)	Early-mature	3	100	5(1)	1(E)	2.5	2.5	2.5	2.5	Multi-stemmed from ground level. Individuals crowns restricted by group. Linear boundary group.	Fair	20+	No action required.	2.1	13.6	C
T 35	Fraxinus excelsior (Ash)	Semi-mature	1	400	12.5(4)	4(E)	5	5	4.5	3.5	Asymmetrical crown. Occasional pruning wounds. Situated on adjacent land. Limited inspection - dense ivy on stem/base.	Good to Fair	40+	No action required.	4.8	72.4	B
H 36	Crataegus monogyna (Hawthorn)	Semi-mature	3	50	2(0)	0(N)	1	1	1	1	Linear boundary hedge. Maintained.	Good to Fair	40+	No action required.	1.0	3.4	C