

Approximate extent of 50mm single frame that 75mm recalibrated images have been derived from (Sheets 5 & 7)




50mm Vertical FoV (27°)

EXISTING VIEW

390mm

Approximate bearing to centre of panoramic: 135°

Approximate distance to proposals at focus of viewpoint: 500m



LOCATION PLAN

VIEWPOINT TR04_01 - A view looking south from Easington Road and Ribble Valley PRoW FP35 towards Bonstone Compound

VIEWPOINT DATA

- OS grid reference: 369354.537,449348.533
- Viewpoint ground elevation: 141.55m AOD
- Camera height above ground level: 1.6m
- Camera type: Canon EOS 5D MARK II
- Camera lens size: 50mm
- Aperture: f/7.1
- Shutter speed: 1/640
- ISO rating: 200
- Field of View: Horizontal (28mm): 65.5°, Vertical (50mm): 27°
- Date of photograph: 23/03/2020
- Time of photograph: 13:10
- Lighting conditions: Bright, hazy

Important Notes:

- 1) The images contained on this sheet are not representative of scale and distance from the actual viewpoint and show the development in its wider landscape context only.
- 2) Photomontages on sheet 3 & 4 are for landscape assessment purposes only.
- 3) Photomontages on sheets 5 to 8 (50mm and 75mm recalibrated single frame images) can be used for visual impact assessment produced in accordance with the methodology in Appendix RVBC-MH-TA-006-001.
- 4) Scheme proposals based on approved 2D design information supplied by United Utilities, as detailed in the above appendix.
- 5) If viewing these figures online, images will be low-resolution and therefore should only be used for information purposes. High resolution versions of the figures can be obtained from United Utilities on request if required. Printing guidelines: High quality colour printer with margins set to 3mm to top and bottom of A3 paper.

0	RL	JP	NF		FINAL ISSUE	JUNE 2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE		DATE



UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 VIEWPOINT TR04_01 - SHEET 1 of 8
 EXISTING VIEW - WINTER 2020

SCALE 1: 25,000	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-006-008	REVISION 0

Approximate extent of 50mm single frame that 75mm recalibrated images have been derived from (Sheets 6 & 8)




50mm Vertical FoV (27°)

EXISTING VIEW

390mm

Approximate bearing to centre of panoramic: 135°

Approximate distance to proposals at focus of viewpoint: 500m



LOCATION PLAN

VIEWPOINT TR04_01 - A view looking south from Easington Road and Ribble Valley PRoW FP35 towards Bonstone Compound

VIEWPOINT DATA

- OS grid reference: 369354.537, 449348.533
- Viewpoint ground elevation: 141.5495m AOD
- Camera height above ground level: 1.6m
- Camera type: Canon EOS 5D MARK II
- Camera lens size: 50mm
- Aperture: f/10
- Shutter speed: 1/80
- ISO rating: 100
- Field of View: Horizontal (28mm): 65.5°, Vertical (50mm): 27°
- Date of photograph: 25/09/2019
- Time of photograph: 12:20
- Lighting conditions: Cloudy

Important Notes:

- 1) The images contained on this sheet are not representative of scale and distance from the actual viewpoint and show the development in its wider landscape context only.
- 2) Photomontages on sheet 3 & 4 are for landscape assessment purposes only.
- 3) Photomontages on sheets 5 to 8 (50mm and 75mm recalibrated single frame images) can be used for visual impact assessment produced in accordance with the methodology in Appendix RVBC-MH-TA-006-001.
- 4) Scheme proposals based on approved 2D design information supplied by United Utilities, as detailed in the above appendix.
- 5) If viewing these figures online, images will be low-resolution and therefore should only be used for information purposes. High resolution versions of the figures can be obtained from United Utilities on request if required. Printing guidelines: High quality colour printer with margins set to 3mm to top and bottom of A3 paper.

0	RL	JP	NF	FINAL ISSUE		JUNE 2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE		DATE



UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 VIEWPOINT TR04_01 - SHEET 2 of 8
 EXISTING VIEW - SUMMER 2019

SCALE 1: 25,000	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-006-008	REVISION 0

Approximate extent of 50mm single frame that 75mm recalibrated images have been derived from (Sheets 5 & 7)




CONSTRUCTION PHASE PHOTOMONTAGE

390mm

Approximate bearing to centre of panoramic: 135°

Approximate distance to proposals at focus of viewpoint: 500m



LOCATION PLAN

VIEWPOINT TR04_01 - A view looking south from Easington Road and Ribble Valley PRoW FP35 towards Bonstone Compound

VIEWPOINT DATA

- OS grid reference: 369354.537,449348.533
- Viewpoint ground elevation: 141.55m AOD
- Camera height above ground level: 1.6m
- Camera type: Canon EOS 5D MARK II
- Camera lens size: 50mm
- Aperture: f/7.1
- Shutter speed: 1/640
- ISO rating: 200
- Field of View: Horizontal (28mm): 65.5°, Vertical (50mm): 27°
- Date of photograph: 23/03/2020
- Time of photograph: 13:10
- Lighting conditions: Bright, hazy

Important Notes:

- 1) The images contained on this sheet are not representative of scale and distance from the actual viewpoint and show the development in its wider landscape context only.
- 2) Photomontages on sheet 3 & 4 are for landscape assessment purposes only.
- 3) Photomontages on sheets 5 to 8 (50mm and 75mm recalibrated single frame images) can be used for visual impact assessment produced in accordance with the methodology in Appendix RVBC-MH-TA-006-001.
- 4) Scheme proposals based on approved 2D design information supplied by United Utilities, as detailed in the above appendix.
- 5) If viewing these figures online, images will be low-resolution and therefore should only be used for information purposes. High resolution versions of the figures can be obtained from United Utilities on request if required. Printing guidelines: High quality colour printer with margins set to 3mm to top and bottom of A3 paper.

0	RL	JP	NF	FINAL ISSUE	JUNE 2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE



UNITED UTILITIES WATER LIMITED
HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
VIEWPOINT TR04_01 - SHEET 3 of 8
CONSTRUCTION PHASE PHOTOMONTAGE WINTER

SCALE 1: 25,000	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-006-008	REVISION 0

Approximate extent of 50mm single frame that 75mm recalibrated images have been derived from (Sheets 6 & 8)




OPERATIONAL PHASE PHOTOMONTAGE

390mm

Approximate bearing to centre of panoramic: 135°

Approximate distance to proposals at focus of viewpoint: 500m



LOCATION PLAN

VIEWPOINT TR04_01 - A view looking south from Easington Road and Ribble Valley PRoW FP35 towards Bonstone Compound

VIEWPOINT DATA

- OS grid reference: 369354.537, 449348.533
- Viewpoint ground elevation: 141.5495m AOD
- Camera height above ground level: 1.6m
- Camera type: Canon EOS 5D MARK II
- Camera lens size: 50mm
- Aperture: f/10
- Shutter speed: 1/80
- ISO rating: 100
- Field of View: Horizontal (28mm): 65.5°, Vertical (50mm): 27°
- Date of photograph: 25/09/2019
- Time of photograph: 12:20
- Lighting conditions: Cloudy

Important Notes:

- 1) The images contained on this sheet are not representative of scale and distance from the actual viewpoint and show the development in its wider landscape context only.
- 2) Photomontages on sheet 3 & 4 are for landscape assessment purposes only.
- 3) Photomontages on sheets 5 to 8 (50mm and 75mm recalibrated single frame images) can be used for visual impact assessment produced in accordance with the methodology in Appendix RVBC-MH-TA-006-001.
- 4) Scheme proposals based on approved 2D design information supplied by United Utilities, as detailed in the above appendix.
- 5) If viewing these figures online, images will be low-resolution and therefore should only be used for information purposes. High resolution versions of the figures can be obtained from United Utilities on request if required. Printing guidelines: High quality colour printer with margins set to 3mm to top and bottom of A3 paper.

0	RL	JP	NF/JE	FINAL ISSUE	JUNE 2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE




UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 VIEWPOINT TR04_01 - SHEET 4 of 8
 OPERATIONAL PHASE PHOTOMONTAGE SUMMER

SCALE 1: 25,000	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-006-008	REVISION 0

260mm (50mm Vertical FoV (27°))




VIEWPOINT TR04_01 - 50mm Photomontage					OS grid Reference: 369354,449348	Camera: Canon EOS 5D MARK II	Notes: This image should be viewed at a comfortable arms length (approx. 500mm), is representative of the central section of the view, but is not representative of scale and distance.	UNITED UTILITIES WATER LIMITED			VIEWPOINT TR04_01 - SHEET 5 of 8	
0	RL	JP	NF	FINAL ISSUE	Approx. distance to proposals: 500m	Camera lens focal length: 50mm		HAWESWATER AQUEDUCT RESILIENCE PROGRAMME			CONSTRUCTION PHASE 50mm PHOTOMONTAGE WINTER	
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	Ground elevation: 141m AOD	Field of view: Hor: 39.6°, Ver: 27°	SCALE	SHEET SIZE	DRAWING NUMBER		REVISION	
				DATE	Camera height above ground: 1.6m	Date: 23/03/2020 Time: 13:10	N/A	A3	RVBC-MH-FIG-006-008		0	

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright.

260mm (50mm Vertical FoV (27°))



VIEWPOINT TR04_01 - 50mm Photomontage					OS grid Reference: 369354,449348	Camera: Canon EOS 5D MARK II	Notes: This image should be viewed at a comfortable arms length (approx. 500mm), is representative of the central section of the view, but is not representative of scale and distance.	UNITED UTILITIES WATER LIMITED			VIEWPOINT TR04_01 - SHEET 6 of 8	
					Approx. distance to proposals: 500m	Camera lens focal length: 50mm		HAWESWATER AQUEDUCT RESILIENCE PROGRAMME			OPERATIONAL PHASE 50mm PHOTOMONTAGE SUMMER	
0	RL	JP	NF/JE	FINAL ISSUE	JUNE 2021	Ground elevation: 141m AOD	Field of view: Hor: 39.6°, Ver: 27°	SCALE	SHEET SIZE	DRAWING NUMBER	REVISION	
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE	Camera height above ground: 1.6m	Date: 25/09/2019 Time: 12:20	N/A	A3	RVBC-MH-FIG-006-008	0	

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright.

260mm (75mm Vertical FoV (18°))



VIEWPOINT TR04_01 - 75mm Recalibrated from 50mm Photomontage

0	RL	JP	NF	FINAL ISSUE	JUNE 2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE

OS grid Reference: 369354,449348
 Approx. distance to proposals: 500m
 Ground elevation: 141m AOD
 Camera height above ground: 1.6m

Camera: Canon EOS 5D MARK II
 Camera lens focal length: 50mm
 Field of view: Hor:39.6°, Ver: 27°
 Date: 23/03/2020 Time: 13:10

Notes: This image should be viewed at a comfortable arms length (approx. 500mm), is representative of the central section of the view, but is not representative of scale and distance.
 Refer to Sheets 1 to 4 for further important notes.

UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 SCALE: N/A
 SHEET SIZE: A3



VIEWPOINT TR04_01 - SHEET 7 of 8
 CONSTRUCTION PHASE 75mm PHOTOMONTAGE WINTER
 DRAWING NUMBER: RVBC-MH-FIG-006-008
 REVISION: 0

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright.

260mm (75mm Vertical FoV (18°))



VIEWPOINT TR04_01 - 75mm Recalibrated from 50mm Photomontage					OS grid Reference: 369354,449348	Camera: Canon EOS 5D MARK II	Notes: This image should be viewed at a comfortable arms length (approx. 500mm), is representative of the central section of the view, but is not representative of scale and distance. Refer to Sheets 1 to 4 for further important notes.	UNITED UTILITIES WATER LIMITED			VIEWPOINT TR04_01 - SHEET 8 of 8	
					Approx. distance to proposals: 500m	Camera lens focal length: 50mm		HAWESWATER AQUEDUCT RESILIENCE PROGRAMME			OPERATIONAL PHASE 75mm PHOTOMONTAGE SUMMER	
0	RL	JP	NF/JE	FINAL ISSUE	JUNE 2021	Ground elevation: 141m AOD	Field of view: Hor:39.6°, Ver: 27°	SCALE	SHEET SIZE		DRAWING NUMBER	REVISION
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE	Camera height above ground: 1.6m	Date: 25/09/2019 Time: 12:20	N/A	A3		RVBC-MH-FIG-006-008	0

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright.