






FIGURE 9A.10



Legend

-  Compound location
-  Page and page number



0	CW	LC	LS	Initial Issue	18/03/2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE



UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 BAT TRANSECT SURVEY RESULTS AND STATIC DETECTORS
 MARL HILL SECTION
 PAGE 1 of 11

SCALE 1:22,000	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-009-01-10	REVISION 0

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright. Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community. Contains OS data © Crown copyright and database right 2021.



FIGURE 9A.10

Legend

- Compound location
 - ★ Static detector location
 - Transect route
- Species Recorded**
- Common pipistrelle
 - Myotis
 - Soprano pipistrelle
- Number of Passes**
- 1 pass
 - 2 - 5 passes
 - 6 - 10 passes



0	CW	LC	LS	Initial Issue	18/03/2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE



UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 BAT TRANSECT SURVEY RESULTS AND STATIC DETECTORS
 MARL HILL SECTION - VISIT 1 - 29TH AUGUST 2019
 PAGE 2 of 11

SCALE 1:3,500	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-009-01-10	REVISION 0

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright. Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community. Contains OS data © Crown copyright and database right 2021.



FIGURE 9A.10

Legend

□ Compound location

★ Static detector location

--- Transect route

Species Recorded

● Common pipistrelle

● Soprano pipistrelle

Number of Passes

○ 1 pass

○ 2 - 5 passes



0	CW	LC	LS	Initial Issue	18/03/2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE



UNITED UTILITIES WATER LIMITED
HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
BAT TRANSECT SURVEY RESULTS AND STATIC DETECTORS
MARL HILL SECTION - VISIT 2 - 07TH OCTOBER 2019
PAGE 3 of 11

SCALE 1:3,500	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-009-01-10	REVISION 0

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright. Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community. Contains OS data © Crown copyright and database right 2021.



FIGURE 9A.10

Legend

- Compound location
 - ★ Static detector location
 - Transect route
- Species Recorded**
- Common pipistrelle
- Number of Passes**
- 1 pass



0	CW	LC	LS	Initial Issue	18/03/2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE



UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 BAT TRANSECT SURVEY RESULTS AND STATIC DETECTORS
 MARL HILL SECTION - VISIT 3 - 23RD OCTOBER 2019
 PAGE 4 of 11

SCALE 1:3,500	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-009-01-10	REVISION 0

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright. Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community. Contains OS data © Crown copyright and database right 2021.

FIGURE 9A.10



Legend

- Compound location
 - ★ Static detector location
 - ◆ Bat listening point
 - Transect route
- Species Recorded**
- Common pipistrelle
 - Soprano pipistrelle
- Number of Passes**
- 1 pass
 - 2 - 5 passes
 - 6 - 10 passes



VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE
0	CW	LC	LS	Initial Issue	18/03/2021




UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 BAT TRANSECT SURVEY RESULTS AND STATIC DETECTORS
 MARL HILL SECTION - VISIT 1 - 06TH APRIL 2020
 PAGE 5 of 11

SCALE 1:3,500	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-009-01-10	REVISION 0

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright. Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community. Contains OS data © Crown copyright and database right 2021.

FIGURE 9A.10



Legend

- Compound location
 - ★ Static detector location
 - ◆ Bat listening point
 - Transect route
- Species Recorded**
- Common pipistrelle
 - Myotis
 - Soprano pipistrelle
- Number of Passes**
- 1 pass
 - 2 - 5 passes
 - 6 - 10 passes



0	CW	LC	LS	Initial Issue	18/03/2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE



UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 BAT TRANSECT SURVEY RESULTS AND STATIC DETECTORS
 MARL HILL SECTION - VISIT 2 - 30TH JUNE 2020
 PAGE 6 of 11

SCALE 1:3,500	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-009-01-10	REVISION 0

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright. Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community. Contains OS data © Crown copyright and database right 2021.

FIGURE 9A.10



Legend

- Compound location
 - ★ Static detector location
 - Bat listening point
 - Transect route
- Species Recorded**
- Common pipistrelle
 - Myotis
 - Soprano pipistrelle
- Number of Passes**
- 1 pass
 - 2 - 5 passes
 - 6 - 10 passes
 - 11 - 20 passes
 - 41 - 120 passes



0	CW	LC	LS	Initial Issue	18/03/2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE



UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 BAT TRANSECT SURVEY RESULTS AND STATIC DETECTORS
 MARL HILL SECTION - VISIT 3 - 23RD JULY 2020
 PAGE 7 of 11

SCALE 1:3,500	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-009-01-10	REVISION 0

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright. Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community. Contains OS data © Crown copyright and database right 2021.



FIGURE 9A.10

Legend

- Compound location
- ★ Static detector location
- Transect route

Species Recorded

- Brown long-eared
- Common pipistrelle
- Soprano pipistrelle

Number of Passes

- 1 pass
- 2 - 5 passes
- 6 - 10 passes
- 21 - 40 passes
- 41 - 120 passes



0	CW	LC	LS	Initial Issue	18/03/2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE



UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 BAT TRANSECT SURVEY RESULTS AND STATIC DETECTORS
 MARL HILL SECTION - VISIT 1 - 08TH APRIL 2020
 PAGE 8 of 11

SCALE 1:7,500	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-009-01-10	REVISION 0

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright. Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community. Contains OS data © Crown copyright and database right 2021.



FIGURE 9A.10

Legend

Compound location

Static detector location

Transect route

Species Recorded

Common pipistrelle

Myotis

Soprano pipistrelle

Number of Passes

1 pass

2 - 5 passes

41 - 120 passes



0	CW	LC	LS	Initial Issue	18/03/2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE



UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 BAT TRANSECT SURVEY RESULTS AND STATIC DETECTORS
 MARL HILL SECTION - VISIT 2 - 26TH MAY 2020
 PAGE 9 of 11









SCALE 1:7,500	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-009-01-10	REVISION 0

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright. Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community. Contains OS data © Crown copyright and database right 2021.



FIGURE 9A.10

Legend

-  Compound location
 -  Static detector location
 -  Transect route
- Species Recorded**
-  Common pipistrelle
 -  Noctule
 -  Soprano pipistrelle
- Number of Passes**
-  1 pass
 -  2 - 5 passes



0	CW	LC	LS	Initial Issue	18/03/2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE



UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 BAT TRANSECT SURVEY RESULTS AND STATIC DETECTORS
 MARL HILL SECTION - VISIT 3 - 16TH JUNE 2020
 PAGE 10 of 11

SCALE 1:7,500	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-009-01-10	REVISION 0

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright. Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community. Contains OS data © Crown copyright and database right 2021.

FIGURE 9A.10



Legend

- Compound location
- ★ Static detector location
- Transect route

Species Recorded

- Common pipistrelle
- Myotis
- Soprano pipistrelle

Number of Passes

- 1 pass
- 2 - 5 passes
- 6 - 10 passes
- 11 - 20 passes
- 41 - 120 passes



0	CW	LC	LS	Initial Issue	18/03/2021
VERSION	AUTH	CHKD	REVD	REASON FOR ISSUE	DATE



UNITED UTILITIES WATER LIMITED
 HAWESWATER AQUEDUCT RESILIENCE PROGRAMME
 BAT TRANSECT SURVEY RESULTS AND STATIC DETECTORS
 MARL HILL SECTION - VISIT 4 - 14TH JULY 2020
 PAGE 11 of 11

SCALE 1:7,500	SHEET SIZE A3
DRAWING NUMBER RVBC-MH-FIG-009-01-10	REVISION 0

The copyright of this document, which contains information of a proprietary nature, is vested in United Utilities Water Limited. The content of this document may not be used for purposes other than that for which it has been supplied and may not be reproduced, either wholly or in part, in any way whatsoever. It may not be used by, or its contents divulged to any other person whatsoever without the prior written permission of United Utilities Water Limited. Copyright Acknowledgement: Use of Ordnance Survey map data sanctioned by the controller of H.M. Stationery Office. OS Licence Number 100019326. Crown copyright reserved. Unauthorised production infringes copyright. Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community. Contains OS data © Crown copyright and database right 2021.