

Lesley Lund

From: S
Sent: 2
To: L
Subject: F
Attachments: F out.pdf
Categories: C

 **External Email**

This email originated from outside F or open attachments unless you recognize the sender and are sure f

Dear Lesley

Thank you for your email.

Please find attached an amended application form with Question 10 answered yes.

Please find attached a drawing showing the visibility splays for the access. This drawings also shows the hedging to be removed, replaced and maintained.

The existing hedgerow is made up of blackthorne, hawthorne and one holly plant. The age of the hedge is not known but it is assumed it is old due to its deteriorating condition. Whilst a portion of the hedge adjoining the road will be removed the applicant intends to plant the edges of the access with home grown mixed native hedging. Photos are attached showing the existing hedging together with the hedging the applicant is growing.

We look forward to hearing from you further.

Kind regards

Sarah

On Tue, 25 Jan 2022 at 11:07, Lesley Lund

Thank you for the above application. The officer dealing with the application has invalidated it for the following:

Application form – question 10 needs amending to yes

31 2022/0047
REC10 26/1/2022



Top = nursery bed of mixed native hedging
Bottom = old rotten mixed hedge to be removed

Above the mixed native hedging I have grown to replace the hedge to be removed. I propose to plant hedging both sides of the new access and to plant more native hedging than what is removed.



Above four photos showing both sides of the hedge proposed to be removed. It is rotten in the bottom. It comprises blackthorn, hawthorn and one holly plant. Age of hedge unknown but expect it will be old due to its poor condition.