



- NOTES :**
- DO NOT SCALE FROM THIS DRAWING. Check dimensions on site or refer to Architect/Engineer. IF IN DOUBT - ASK. If this Drawing is printed or reproduced in any format, scales may differ significantly from those shown.
  - This Drawing to be read in conjunction with : Architect Drawings No. RSCE Drawings No. manufacturers instructions and specifications and current European and British Standards and Codes of Practice
  - Structural Steelwork grade S275  
Fabricated Steelwork to BS EN1090 Execution Class EXC2  
Structural Steelwork exposed to external atmosphere, aggressive environment, or embedded/bearing within external masonry, etc. to be hot dip galvanised.  
Structural Steelwork entirely within internal dry and non-aggressive environment is to be delivered to site primed and additional site coat of suitable and compatible zinc rich corrosion protective paint.  
1/2 hour fire protection to all Structural Steelwork using fireline board.
  - Structural Timberwork grade C24 and vac vac preservative treated, unless noted otherwise.

|     |            |                     |
|-----|------------|---------------------|
| Rev | Date       | Description         |
| C   | 1/ 09/ 21  | curtliage altered   |
| B   | 26/ 07/ 20 | trees added         |
| A   | 24/ 07/ 20 | PF access allocated |

**RSCE Consulting Engineers**  
Consulting Civil, Structural and Geotechnical Engineers

55 Garstang Road, Preston, Lancs. PR1 1LB  
tel. 01772 250163

Principal : R. Sparks B.Eng., M.Eng., C.Eng., MICE

|                      |  |                    |                |
|----------------------|--|--------------------|----------------|
| <b>Project</b>       | THORNLEY - KNOTT FARM, CHIPPING ROAD PR3 2TB   |                    |                |
| <b>Drawing Title</b> | KNOTT FARM HOUSE<br>PROPOSED SINGLE STOREY EXTENSION<br>SITE LOCATION AND BLOCK PLAN |                    |                |
| <b>Scale</b>         | <b>Date</b>  | <b>Drawing No.</b> | <b>Rev.</b>    |
| As Shown             | 13/ 07/ 20   | 3526-001           | C<br>1/ 09/ 21 |

© Crown copyright and database rights 2020 OS 100035409  
Reproduction in whole or in part is prohibited  
without the permission of Ordnance Survey.