

**BAT SURVEY AT -
7 TIMBRILLS CLOSE
SABDEN**

DATE AND TIME OF VISIT
18th Jan 2022 9.20 am

WEATHER CONDITIONS
Sunny , Light south westerly breeze. 4 C

REFERENCE NO. 6417



SUNDERLAND PEACOCK & ASSOCIATES LTD
HAZELMERE, PIMLICO ROAD, CLITHEROE
LANCASHIRE, BB7 2AG
T 01200 423178 F 01200 427328
E info@sunderlandpeacock.com
www.sunderlandpeacock.com

UK BAT ECOLOGY

- It is thought that there are 18 native species of bats in the UK, most of which have seen declines in numbers over the last century.
-
- As insect feeding species the preferred habitats include woodland, grassland, agricultural land, wetland and rivers which provide good foraging potential.
-
- Bats typically roost close to foraging sites and use linear features such as hedgerows, tree lines and rivers to navigate. It is important to maintain these features, as removal is thought to contribute to the decline in numbers.
- Bats will roost in a wide variety of sites and built structures, including underground structures (caves , bridges) and trees . Types of roost and times of year used.

Hibernacula - November to March

Temporary roosts - March to April and August to October

Maternity roosts – May to August

Summer roosts – Used by Males and immature females

Mating roosts – September and October

- Disturbance to a Hibernacula or Maternity roost is the most damaging for any local bat population. The same Maternity roosts are typically used year after year commencing between May to early June and are colonised with mature females and their young, any disturbance can lead to abandonment of the young and loss of the roost will have a significant impact on the bat population. Hibernacula roosts typically consist of underground sites caves, cellars etc or buildings which maintain cool and fairly constant temperatures. Bats hibernate (deep sleep , torpor) to survive the winter months when insects are in short supply so they hibernate to conserve energy and survive on their fat stores. Any disturbance which wakes the bats can result in unnecessary use of the energy reserves and thus reduces the chance of survival over the winter months.

THIS SURVEY HAS BEEN CARRIED OUT BY: LYNNE RUSHWORTH WHO HAS COMPLETED THE BAT CONSERVATION TRUST'S 'BATS AND BAT SURVEYS' FOUNDATION COURSE FOR CONSULTANTS, AND 'PLANNING AND PREPARATION OF BAT SURVEYS' COURSE

EMERGENCE SURVEYS ARE CARRIED OUT WITH A SECOND SURVEYOR WITH ELEVEN YEARS EXPERIENCE OF ASSISTING ON EMERGENCE SURVEYS

THE BRIEF

In conjunction with the submission of an application for planning approval, this survey was commissioned to identify if bats are currently present in the building, to assess if it has been used in the past or if there is any potential for future use of the building.

All British bats and their roosts are legally protected under the Wildlife and Countryside Act 1981 (as amended) and the Conservation of Habitats and Species Regulations 2010, the Countryside and Rights of Way Act 2000 and the Natural Environment and Rural Communities Act 2006

BAT LEGISLATION - Summary of offences under the law:

Bats and the Law Wildlife and Countryside Act 1981.

Principally those relating to powers and penalties, have been amended by the Countryside and Rights of Way Act 2000 (CRoW Act). The CRoW Act only applies to England and Wales.

Section 9(1) It is an offence for any person to intentionally kill, injure or take any wild bat.

Section 9(4)(a) It is an offence to intentionally or recklessly* damage, destroy or obstruct access to any place that a wild bat uses for shelter or protection. (*Added by the CRoW Act in England and Wales only) This is taken to mean all bat roosts whether bats are present or not.

Section 9(4)(b) It is an offence to intentionally or recklessly* disturb any wild bat while it is occupying a structure or place that it uses for shelter or protection. (*Added by the CRoW Act in England and Wales only)

The Conservation (Natural Habitats, &c.) Regulations 1994

Section 39(1)

It is an offence to

- (a) Deliberately to capture or kill any bat
- (b) Deliberately to disturb any bat
- (c) Damage or destroy a breeding site or resting place of any bat. The difference between this legislation and the Wildlife and Countryside Act 1981 is the use of the word 'deliberately' rather than 'intentionally'. Also disturbance of bats can be anywhere, not just at a roost. Damage or destruction of a bat roost does not require the offence to be intentional or deliberate.

Countryside and Rights of Way (CRoW) Act (2000) Part III Nature conservation and wildlife protection 74 Conservation of biological diversity

- (1) It is the duty of (a) any Minister of the Crown (within the meaning of the Ministers of the [1975 c. 26.] Crown Act 1975), (b) any Government department, and (c) the National Assembly for Wales, in carrying out his or its functions, to have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biological diversity in accordance with the Convention.

The Natural Environment and Rural Communities Act (2006) PART 3, (40): Duty to conserve biodiversity

- (1) Every public authority must, in exercising its functions, have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biodiversity.
- (2) Conserving biodiversity includes, in relation to a living organism or type of habitat, restoring or enhancing a population or habitat.

If it is discovered that development may impact upon bat roosts (thus leading to an offence being committed) a mitigation plan should be devised and a Bat Mitigation Licence applied for from the relevant government department (i.e. Natural England). Gaining a licence will depend on many variables, such as the bat species present, roost type, roost size and its local/regional/national importance

LIMITATIONS OF REPORT

***NOTE:** The absence of bats is near impossible to prove. The bats' high mobility means it is virtually impossible to rule out bats using any type of structure for roosting or habitat for foraging or on a flight path.*

- External walls and internal rooms inspected from ground level.
- Roof spaces, attics and lofts will only be inspected if safe access is possible.
- Winter surveys will provide limited results. However internal inspection should determine if bats have used the building in the previous year.
- Any building whose structure is considered dangerous can only be inspected from a safe distance. Crevice- roosting bats ie. Pipistrelles, some Myotis species and Brown long eared bats can remain unseen even after close inspection in small spaces ie. cavity walls, roof structures soffits or cladding.
- Bat roosting evidence ie. Droppings or insect remains can be removed by weather conditions or sweeping/ cleaning internally so this lack of evidence cannot always prove undoubtedly that bats are absent.

EQUIPMENT USED ON SURVEY

- 'MAGENTA 5' BAT DETECTOR
- BINOCULARS
- HIGH POWERED TORCH
- LADDERS FOR HIGH LEVEL INSPECTION
- CAMERA
- ENDOSCOPE

PROPOSED DEVELOPMENT

Removal of conservatory and flat roof of garage prior to construction of side extension with pitched roof.

Impact of development in relation to potential bat habitat:-

Disturbance to the main roof, removal of conservatory and flat roof on garage .

TYPE OF BUILDING

The property is a detached Bungalow with attached garage which adjoins the neighbouring garage. There is a conservatory to the rear. The house probably dates from the 1960's / 1970's.



South west front elevation



North east rear elevation

METHODOLOGY

The survey methodology follows the guidelines published in the Bat Conservation Trust (BCT- Bat surveys, good practice guidelines 2nd Edition)

Scoping survey ; (Non invasive) carried out by one surveyor to assess if the site has any potential value for protected species and determine if bats are currently or have historically used the building.

Emergence survey ; are conducted 20 minutes before sunset and up to two hours after. Emergence surveys are conducted between the months of April through to end of September (weather dependant).

October to April (winter months) bats are inactive during the hibernation period.

All surveyors used have many years experience in conducting bat emergence surveys

CONSTRAINTS

There are no constraints all areas of the house could be closely inspected.

AIMS OF THE SURVEY

To ensure the proposed development will not affect any protected species

The survey will ; Identify past ,current or potential use of the site by protected species.

Assess any impact of the proposed development on these species

Outline a mitigation scheme for any species affected by the development (if required)

LOCATION SD778377 178m elevation

The property is located on the western edge of Sabden settlement area in an elevated position 46.5 m to the east of Clitheroe Road. On a large estate surrounded by houses of a similar age and type.



FORAGING POTENTIAL IN THE LOCATION

The houses are all located in small gardens with domestic planting. The immediate locality is not considered to provide high value forage potential, however open country side is at 38m to the north and 72m to the west. The nearest water course is Badgerwell Water at 209m to the east, the trees lining the stream are the nearest significant area of trees however the connectivity from the house via tree lines (forage / commute routes for bats) is broken and generally not considered high value.



WALL CONSTRUCTION

The bungalow has, brick , artificial stone and pebble dash render walls.



BAT ACCESS POINTS IN WALLS

All the walls are in good condition and do not provide any access points, cracks or crevices suitable for bat ingress.

ROOF CONSTRUCTION

The house has a pitched roof with tile finish, upvc fascia's, barge boards and soffits. The garage roof is flat with a bitumen felt finish and upvc fascia's flush to the wall. The conservatory roof is clear polycarbonate sheet with upvc frame.



Tile pitched and felt flat roofs.




Conservatory roof

BAT ACCESS POINTS IN ROOF

The roof tiles are in very good condition tight fitting with no cracked or loose tiles. The ridge tiles are well pointed. The soffits, barge boards and fascia's are tight fitting and in good condition with no access points. The conservatory roof and flashing was in good condition and tight fitting it did not provide any potential bat habitat..



Soffits



The garage roof is in good condition with no rips or tears in the felt, the verges are tight fitting to the fascia's no access points were noted.



ROOF SPACE



The structure is timber rafters and purlins with felt underlay. Insulation quilt is present, all the surfaces were clean and free from any dropping or feeding evidence. The timbers were in good condition as was the felt underlay, the space did not provide any roost potential for bats.



Garage roof is timber t and g boarding over timber joists, all in reasonable condition with no rot, cracks or crevices with the potential to provide bat roost habitat.

BAT SIGNS, EXTERNAL

SEEN
DROPPINGS
MAGENTA BAT5 DETECTOR RESULT

Yes	No
	X
	X
	X

The external features of the property were examined. The lead flashings, facia soffits, ridge slates, felt roof covering, walls and any sills were visually examined for droppings, staining, grease marks or feeding remains. No evidence was found.

		Yes	No
<u>BAT SIGNS, INTERNAL</u>	SIGHTED		X
	DROPPINGS		X
	DETECTOR RESULTS		X
	STAINING/GREASE MARKS		X
	SUSPECT SUMMER ROOST		X
	SUSPECT WINTER HIBERNACULA		X
	INSECT OR MOTH FEEDING EVIDENCE		X

The roof space voids and garage were thoroughly examined for all the above listed signs. The quilt and the floor were inspected for dropping or feeding evidence, nothing was recorded.

CONCLUSION

The lack of evidence at this property indicates that the removal of the conservatory and construction of extension will not remove any roost potential or impact on any local bat population nor is it likely that any bats will be uncovered or disturbed during the tile/ roof removal. It is not considered necessary to carry out an emergence survey nor is there a requirement for a mitigation scheme.

All contractors should be made aware of their responsibilities to protected species and work should proceed with due diligence and in the unlikely event that any bats are discovered work must be stopped immediately and a licensed bat worker must be contacted for advice on how to proceed

RISK ASSESSMENT

(The level of probability that bats are using the property is calculated on the evidence found.)

LOW

NOTES:

The precautions below should be incorporated in the unlikely event that any bats are found to be present in the intervening time between surveys and work commencing on site.

When bats are found to be present in a building:

- A NATURAL ENGLAND licence will be required before any building work is undertaken.
- Pointing work should not be undertaken during winter months as hibernating bats might be entombed.
- Work to roof structure should not be undertaken between late May, June, July and August.
- Small areas of wall could be left un-pointed to encourage potential roosting sites.
- Care must be taken when removing existing roof timbers, and any new timbers or treatment of existing timbers must be carried out using chemicals listed as safe for bat roosts.
- NOTE: The onus lies with the applicant to satisfy themselves that no offence will be committed if the development goes ahead.

If bats are ever found during building work, stop work immediately and contact the Bat Conservation Trust or Natural England.

The Bat Conservation Trust
15 Cloisters House
8 Battersea Park Road
London SW8 4BG
0845 1300 228

Natural England Cheshire-Lancashire Team
Cheshire-Lancashire Team
Pier House
Wallgate
Wigan WN3 4AL