


22/0995

Preliminary Bat Roost Assessment Report

**1 Ribblesdale Avenue,
Wilpshire,
Blackburn,
BB1 9LY**

04.11.2022



Report prepared by:
Dave Anderson
Batworker.com
Dave@Batworker.com
07894 338290

Introduction

In June 2021 Batworker consultancy was commissioned to undertake a survey of 1 Ribblesdale Avenue, Wilpshire, Blackburn, BB1 9LY to assess the potential for use by bats and breeding birds.

A daytime survey was carried out on 30th June 2021 to support residential development plans.


A repeat survey was carried out on 2nd November 2022.

Survey and Site Assessment

Objectives of the survey

The survey was carried out to determine roost potential of the building, current usage by bats, and other protected species, of the site and to establish status of the bat species using the site prior to development work being carried out.

Survey site location



A central grid reference for the site is SD6938533143

Pre Existing data on local bat species

A search of the MAGIC (www.magic.gov.uk) website revealed no EPS licence applications within a 1km radius.

From personal experience of surveying for and researching bats in Lancashire, Yorkshire and Cumbria, the following species were considered.

Common Pipistrelle – known to roost on sites where suitable foraging habitat is available.

Soprano Pipistrelle – known to roost on sites where suitable foraging habitat is available.

Whiskered/Brandt's – species often found roosting in buildings close to woodland.

Natterer's – a typical upland bat with foraging bats being recorded high on heather moorland. Often roosting in barns.

Daubenton's – a species commonly associated with aquatic habitats.

Long Eared bat – a woodland species which has been recorded foraging over in bye meadows and rough grassland sites. Often roosting in barns.

Habitat



The property is located on the urban fringe with surrounding habitat a mosaic of mature domestic gardens, mature deciduous tree cover, and improved and semi improved grassland with some hedgerow present on field boundaries.

Connectivity to the wider landscape is good. Bat foraging potential is low to moderate.

Survey Results

Visual Inspection - Bats

The property was assessed as offering negligible roosting potential with no obvious gaps or crevices suitable for roosting bats. The building is well sealed and well maintained.

No physical evidence of bats grease marks or urine splashing was recorded on or around the buildings despite suitable horizontal surfaces being present and undisturbed.

No evidence of roosting bats was observed on the exterior of the buildings.

Visual Inspection – Nesting birds

No evidence of nesting birds was recorded.

Evaluation of the results

No evidence of use by bats was recorded during the survey and the building was assessed as offering negligible roosting potential due to a lack of potential roosting features and the general well maintained and well sealed nature of the property.

Given the lack of roosting potential it is considered that the development proposals do not risk negative impacts on roosting bats.

Suitability	Description roosting habitats	Commuting and foraging habitats
Negligible	Negligible habitat features on site likely to be used by roosting bats.	Negligible habitat features on site likely to be used by commuting or foraging bats.
Low	A structure with one or more potential roost sites that could be used by individual bats opportunistically. However, these potential roost sites do not provide enough space, shelter, protection, appropriate conditions* and/or suitable surrounding habitat to be used on a regular basis or by larger numbers of bats (i.e. unlikely to be suitable for maternity or hibernation*). A tree of sufficient size and age to contain PRFs but with none seen from the ground or features seen with only very limited roosting potential*.	Habitat that could be used by small numbers of commuting bats such as a gappy hedgerow or unvegetated stream, but isolated, i.e. not very well connected to the surrounding landscape by other habitat. Suitable, but isolated habitat that could be used by small numbers of foraging bats such as a lone tree (not in a parkland situation) or a patch of scrub.
Moderate	A structure or tree with one or more potential roost sites that could be used by bats due to their size, shelter, protection, conditions* and surrounding habitat but unlikely to support a roost of high conservation status (with respect to roost type only - the assessments in this table are made irrespective of species conservation status, which is established after presence is confirmed).	Continuous habitat connected to the wider landscape that could be used by bats for commuting such as lines of trees and scrub or linked back gardens. Habitat that is connected to the wider landscape that could be used by bats for foraging such as trees, scrub, grassland or water.
High	A structure or tree with one or more potential roost sites that are obviously suitable for use by larger numbers of bats on a more regular basis and potentially for longer periods of time due to their size, shelter, protection, conditions* and surrounding habitat.	Continuous, high quality habitat that is well connected to the wider landscape that is likely to be used regularly by commuting bats such as rivers, valleys, streams, hedgerows, lines of trees and woodland edge. High quality habitat that is well connected to the wider landscape that is likely to be used regularly by foraging bats such as broadleaved woodland, tree-lined watercourses and graced parkland. Site is close to and connected to known roosts.

From Bat Survey Guidelines 3rd Edition

E Bibliography

Barn Owls and Rural Planning Applications	Barn Owl Trust 2009
Barn Owl Survey Methodology and Techniques for use in Ecological Assessments	Shawyer, C. August 2011
Bat Mitigation Guidelines	Natural England 2006
Bat Survey Guidelines 3rd Edition	Bat Conservation Trust 2016
Bat Workers Manual 3 rd Edition	JNCC 2004

Bats and the Law

Wildlife and Countryside Act 1981, principally those relating to powers and penalties, have been amended by the Countryside and Rights of Way Act 2000 (CRoW Act). The CRoW Act only applies to England and Wales.

Section 9(1)

It is an offence for any person to intentionally kill, injure or take any wild bat.

Section 9(4)(a)

It is an offence to intentionally or recklessly* damage, destroy or obstruct access to any place that a wild bat uses for shelter or protection.

(*Added by the CRoW Act in England and Wales only)

This is taken to mean all bat roosts whether bats are present or not.

Section 9(4)(b)

It is an offence to intentionally or recklessly* disturb any wild bat while it is occupying a structure or place that it uses for shelter or protection.

(*Added by the CRoW Act in England and Wales only)

The Conservation (Natural Habitats, &c.) Regulations 1994

Section 39(1)

It is an offence

(a) deliberately to capture or kill any bat

(b) deliberately to disturb any bat

(d) to damage or destroy a breeding site or resting place of any bat.

The difference between this legislation and the Wildlife and Countryside Act 1981 is the use of the word 'deliberately' rather than 'intentionally'. Also disturbance of bats can be anywhere, not just at a roost. Damage or destruction of a bat roost does not require the offence to be intentional or deliberate.