



Key:

 Exceedance route

Notes:

No flooding occurs in the 100yr +50%CC +10% urban creep simulations

Where exceedance route flows over plot boundaries, boundary fence to be minimum 100mm above ground

P03	06-12-2022	ADDITION OF FLOOD COMPENSATION DRAIN DOWN PIPES						RG	RG	MG
P02	28-10-2022	AMENDED HYDROBRAKE INFORMATION						RG	RG	MG
P01	26-10-2022	PLANNING ISSUE						RG	RG	MG
REV	DATE	DESCRIPTION						BY	CHK	APP

DRAWING STATUS:

PLANNING

CLIENT:

OAKMERE HOMES LTD

ARCHITECT:

-

PROJECT:

NEW HOUSING DEVELOPMENT
ACCRINGTON ROAD
WHALLEY

TITLE:

EXCEEDANCE ROUTE

STATUS:	PROJECT No.	ORIGINATOR	PHASE	LEVEL	TYPE	ROLE	DRAWING No.	REV.
S2	21315	- GAD -	01	- ZZ -	DR -	C -	1005	P03

SCALE @ A1:	DESIGNED:	DRAWN:	CHECKED:	APPROVED:	DATE
1:500	RG	RB	RG	MG	OCT 2022

M & P Gadsden
Consulting Engineers Ltd

Unit 20
Meetings Industrial Estate
Park Road, LA14 4TL
Tel: 01229 813333
www.mpg-consulting.co.uk