

GENERAL NOTES

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ENGINEERS, ARCHITECTS AND SPECIALISTS DRAWINGS AND SPECIFICATIONS.

2. ALL RELEVANT DIMENSIONS TO BE OBTAINED/CHECKED AGAINST ARCHITECT'S DRAWINGS AND BY SITE MEASUREMENT PRIOR TO THE COMMENCEMENT OF WORKS OR ORDERING OF MATERIALS. DISCREPANCIES BETWEEN THE DRAWINGS AND SITE CONDITIONS TO BE NOTIFIED TO THE ENGINEER.

3. DO NOT SCALE FROM THIS DRAWING












4. ALL DPM's & DPC's AND WATERPROOFING/ WEATHERING DETAILS TO BE IN ACCORDANCE WITH ARCHITECTS DETAILS.

5. THE CONTRACTOR IS RESPONSIBLE FOR THE LOCATION OF ALL UNDERGROUND SERVICES THAT MAY EXIST AND TO DIVERT THEM IF NECESSARY PRIOR TO THE COMMENCEMENT OF THE WORKS.

6. ALL STRUCTURAL WORKS TO BE CARRIED OUT STRICTLY IN ACCORDANCE WITH THE DETAILS GIVEN BY THE ENGINEER. THE ENGINEER IS TO BE ADVISED OF ANY SIGNIFICANT VARIATION PRIOR TO IT'S IMPLEMENTATION.

7. SETTING-OUT OF WALLS TO BE IN ACCORDANCE WITH LATEST RELEVANT ARCHITECT'S DRAWING.

8. MATERIALS OR WORKMANSHIP NOT COMPLYING WITH THE ENGINEERS DRAWINGS AND SPECIFICATION SHALL BE DEEMED UNACCEPTABLE AND REMOVED FROM SITE AND REPLACED WITH WORK CORRECTLY MANUFACTURED, DELIVERED AND ERECTED.

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types	
Coordinates	Depth To Soffit		Code	Inverts	Diams		Manhole	Cover
F1	47.478							
E. 373545.173	1.200							
N. 436060.299			0	2.000	46.128	150	1200	3
F2	47.338		1	2.000	45.936	150		
E. 373537.044	1.252							
N. 436052.165			0	2.001	45.936	150	1200	3
F3	47.170		1	2.001	45.731	150		
E. 373534.368	1.289							
N. 436037.577			0	2.002	45.731	150	1200	3
F4	46.385		1	1.008	44.039	150		
E. 373560.556	2.196							
N. 435995.395			0	1.009	44.039	150	1200	3
F5	46.710		1	1.009	43.797	150		
E. 373525.108	2.763		2	2.002	45.360	150		
N. 436002.871			0	1.010	43.797	150	1200	2
F6	46.624		1	1.010	43.749	150		
E. 373522.714	2.725							
N. 435996.128			0	1.011	43.749	150	1200	3
F7	46.850		1	1.011	43.695	150		
E. 373530.060	3.005							
N. 435992.994							1200	1
F13	48.020							
E. 373605.275	1.885							
N. 436046.079			0	1.005	45.985	150	1200	3
F14	46.050		1	1.005	44.700	150		
E. 373595.294	1.200							
N. 436004.503			0	1.006	44.700	150	1200	2
F15	46.091		1	1.006	44.621	150		
E. 373595.294	1.320							
N. 435992.775			0	1.007	44.621	150	1200	3
F16	46.571		1	1.007	44.200	150		
E. 373575.809	2.221							
N. 435991.186			0	1.008	44.200	150	1200	3

P01	26-10-2022	PLANNING ISSUE						RG	RG	MG
REV	DATE	DESCRIPTION						BY	CHK	APP
<div>DRAWING STATUS:</div> <div>PLANNING</div>										
CLIENT: OAKMERE HOMES LTD										
ARCHITECT: -										
<div>PROJECT:</div> <div>NEW HOUSING DEVELOPMENT ACCRINGTON ROAD WHALLEY</div>										
TITLE: FOUL WATER MANHOLE SCHEDULES										
STATUS:	PROJECT No.	ORIGINATOR	PHASE	LEVEL	TYPE	ROLE	DRAWING No.	REV:		
S2	21315	- GAD	- 01	- ZZ	- DR	- C	1012	P01		
SCALE @ A1:	DESIGNED:	DRAWN:	CHECKED:	APPROVED:				DATE:		
NTS	RG	RB	RG	MG				OCT 2022		
<div><div>M & P Gadsden</div><div>Consulting Engineers Ltd</div></div> <div><div>Unit 20</div><div>Meetings Industrial Estate</div><div>Park Road, LA14 4TL</div><div>Tel: 01229 813333</div><div>www.mpg-consulting.co.uk</div></div>										