

CIVIL / STRUCTURAL DESIGN RISK MANAGEMENT





Abnormal or unusual residual risks associated with the design outcomes shown on this drawing are:-

RSK LDE LTD has followed its Design Risk Management process for Hazard Elimination and Risk reduction in developing the designs shown on this drawing.
Abnormal or unusual residual risks may be shown above where it is considered that such risk may not normally be expected by competent persons engaged on work of this nature or type.

Notes

1. This drawing is to be read in conjunction with all relevant Architect's and Engineer's drawings.
2. All levels quoted are in metres A.O.D.
3. Concrete surround to manhole is always required unless a sidewall manhole system is proposed. If sidewall rings are proposed, then the drawing must contain a detail specific to this type of construction, and a prominent note should be added that the entire system must be used.

ROCKER PIPES TO BE INSTALLED AT EACH ENTRY POINT INTO MANHOLE CHAMBER.



P1	NYI	First Issue		MH	MS
Rev.	Date	Amendment	Drawn	Chkd.	App.

RSK

LAND & DEVELOPMENT ENGINEERING LTD

Spring Lodge
172 Chester Road
Helsby
Cheshire, WA6 0AR
United Kingdom

Tel: +44 (0) 1928 726006
Fax: +44 (0) 1928 725633
Email: ide@rsk.co.uk
Web: www.rsk.co.uk

Client

LNT Construction

Project Title

Whalley Road
Barrow

1	Status
---	--------

INFORMATION

Drawing Title

FW and CW 1-20 Manhole Details

Drawn MH	Date May 23	Checked MS	Date May 23	Approved	Date
Scale 1:20		Orig Size A1		Dimensions	
Project No. 882667			Drawing File		
Drawing No. 10-07					Rev. P1

Drawing No. 10-07	Rev. P1
-----------------------------	-------------------