	Manhole Number	Cover Level		Pipe			Manhole Size	Types		
	Coordinates	Depth To Soffit	Connections		Code	Inverts	Diams		Manhole	Cover
	F1	78.179	0							4000 005
E.	373845.630	1.300	1					1350	Type C	1220 x 685 D400
N.	438417.897			0	1.000	76.729	150			
	F2	77.273	0	1	1.000	75.905	150			
E.	373820.919	1.218						1350	Type C	1220 x 685 D400
N.	438417.182			0	1.001	75.905	150			
	F3			1	1.001	74.744	150			
		76.203	0							
E.	373798.305	1.309	1					1350	Type C	1220 x 685 D400
N.	438422.455			0	1.002	74.744	150			

## CIVIL / STRUCTURAL DESIGN RISK MANAGEMENT

Abnormal or unusual residual risks associated with the design outcomes shown on this

RSK LDE LTD has followed its Design Risk Management process for Hazard Elimination and Risk reduction in developing the designs shown on this drawing.

Abnormal or unusual residual risks may be shown above where it is considered that such risk may not normally be expected by competent persons engaged on work of this nature

- This drawing is to be read in conjunction with all relevant Architect's and Engineer's drawings.
- 2. All levels quoted are in metres A.O.D.
- Concrete surround to manhole is always required unless a widewall manhole system is proposed. If widewall rings are proposed, then the drawing must contain a detail specific to this type of construction, and a prominent note should be added that the entire system must be used.

## CONNECTIONS SHOWN ARE FOR MAIN SEWERS ONLY

				_	
P1	01.06.23	First Issue	МН	MS	
lev.	Date	Amendment	Drawn	Chkd.	Appd.



Spring Lodge Tel: +44 (0) 1928 726006
172 Chester Road Fax: +44 (0) 1928 725633
Helsby Email: Ide@rsk.co.uk
Cheshire, WA6 0AR Web: www.rsk.co.uk
United Kingdom

LNT Construction

Project Title

Whalley Road Barrow

INFORMATION

Foul Water Manhole Schedule

Drawn MH	Date May 23	Checked MS	Date 26.05.23	Approved Date
Scale N/A		Orig Size		Dimensions

Project No. Drawing File 882667

Rev. Drawing No. 10-04