

Preliminary Bat Roost Assessment Report

**Laneside Barn,
Grindleton Road,
Grindleton,
BB7 4QN**

11.04.2019



**Report prepared by:
Dave Anderson
Batworker.com
dave@batworker.com
07894 338290**

Summary

In March 2019 Batworker consultancy was commissioned to undertake a survey of Laneside Barn, Grindleton Road, Grindleton, BB7 4QN to assess the potential for use by bats.

A daytime survey was carried out on 3rd April in order to support plans to develop the building for residential use.

No evidence was recorded to suggest bats were roosting within the building.

No bats were observed or recorded using the building for roosting.

The building is considered to be of moderate potential for roosting bats.

It is recommended that further survey work is carried out between May and September to confirm presence/absence of use by roosting bats.

Introduction

In March 2019 Batworker consultancy was commissioned to undertake a survey of Laneside Barn, Grindleton Road, Grindleton, BB7 4QN to assess the potential for use by bats.


A daytime survey was carried out on 3rd April in order to support plans to develop the building for residential use.

Survey and Site Assessment

Objectives of the survey

The survey was carried out to determine roost potential of the building, current usage by bats, and other protected species, of the site and to establish status of the bat species using the site prior to development work being carried out.

Survey site location



A central grid reference for the site is SD7569345050

Site/Habitat description

The property consists of a traditional stone built barn with double pitched slate roof. Areas of missing or lifted slates are present on both sides of the double pitched roof, gaps are present below ridge tiles. Some crevices in external walls are present, however examination by endoscope suggested these were too shallow for use by bats.




No loft space is present, the roof is unlined. Beams and joists are hand cut.



Overall the building offers moderate roosting opportunities.

Surrounding habitat.



The property is located in a rural position with surrounding habitat dominated by improved and semi improved grassland. Hedgerows and mature trees on field boundaries provide connectivity to the wider landscape. Approx 300m to the south of the barn is the River Hodder

Overall foraging potential for bats can be considered high.

Pre Existing data on local bat species

A search of the MAGIC website revealed one bat EPS licence applications within a 1km radius.

EPSM2012-4959 17/10/2012 Common Pipistrelle, Whiskered and Daubenton's Destruction of a breeding roost.

From personal experience of surveying for and researching bats in Lancashire, Yorkshire and Cumbria, the following species were considered.

Common Pipistrelle – known to roost on sites where suitable foraging habitat is available.

Soprano Pipistrelle – known to roost on sites where suitable foraging habitat is available.

Whiskered/Brandt's – species often found roosting in buildings close to woodland.

Natterer's – a typical upland bat with foraging bats being recorded high on heather moorland. Often roosting in barns.

Daubenton's – a species commonly associated with aquatic habitats.

Long Eared bat – a woodland species which has been recorded foraging over in bye meadows and rough grassland sites. Often roosting in barns.

Field Survey Methodology

Visual inspection

An inspection was carried out to search for and identify potential feeding perches, roosting opportunities and signs of bat use both internally and externally.

The visual inspection focussed on searching for feeding remains and bat droppings both within the building and on external walls. Crevices and other potential roost sites were investigated for smear/grease marks, lack of cobwebs, urine staining.

Equipment used included:

- ! Lupine Pico LED torch
- ! SeeSnake CA 300 video endoscope
- ! Opticron close focusing binoculars

Personnel

All surveys were conducted by Dave Anderson MSc, Natural England Science, Education and Conservation bat licence holder (2015-15784-CLS-CLS) a bat surveyor and ecologist with 20 years experience.

Survey Summary

Survey	Date	Timings
Visual	03.04.2019	1 Hour

Survey constraints

Access to all areas of the exterior of the building was possible and good visual inspection at ground level was possible.

Evidence of bat activity such as bat droppings or staining on external walls and surfaces is frequently removed by the action of wind and rain; apparent absence of evidence is therefore evaluated with caution. In many situations it is not possible to inspect every locations where bats are present therefore it should be assumed that an absence of bat evidence does not necessarily equate to evidence that bats are absent.

Some species such as pipistrelle sp bats are opportunistic and it is possible for individuals to be found during works, even where surveys have had negative results during preliminary and activity surveys.

Results

Visual Inspection - Bats

The building was observed to have potential roost features associated with both the roof and interior timbers. No evidence of bats – droppings, feeding remains, staining was observed either within the building or on external surfaces .

Visual Inspection – Nesting birds / Barn Owl

No evidence of use by barn owls was observed. Two swallow nests were recorded within the midden.

Evaluation of the results

Suitable potential roost features were recorded during the survey associated with both the roof and interior timbers. While no evidence of bat use was recorded it is recommended that further survey work is necessary to confirm presence/absence of roosting bats.

Suitability	Description Roosting habitats	Commuting and foraging habitats
Negligible	Negligible habitat features on site likely to be used by roosting bats.	Negligible habitat features on site likely to be used by commuting or foraging bats.
Low	A structure with one or more potential roost sites that could be used by individual bats opportunistically. However, these potential roost sites do not provide enough space, shelter, protection, appropriate conditions* and/or suitable surrounding habitat to be used on a regular basis or by larger numbers of bats (i.e. unlikely to be suitable for maternity or hibernation*). A tree of sufficient size and age to contain PRFs but with none seen from the ground or features seen with only very limited roosting potential?	Habitat that could be used by small numbers of commuting bats such as a gappy hedgerow or unvegetated stream, but isolated, i.e. not very well connected to the surrounding landscape by other habitat. Suitable, but isolated habitat that could be used by small numbers of foraging bats such as a lone tree (not in a parkland situation) or a patch of scrub.
Moderate	A structure or tree with one or more potential roost sites that could be used by bats due to their size, shelter, protection, conditions* and surrounding habitat but unlikely to support a roost of high conservation status (with respect to roost type only – the assessments in this table are made irrespective of species conservation status, which is established after presence is confirmed).	Continuous habitat connected to the wider landscape that could be used by bats for commuting such as lines of trees and scrub or linked back gardens. Habitat that is connected to the wider landscape that could be used by bats for foraging such as trees, scrub, grassland or water.
High	A structure or tree with one or more potential roost sites that are obviously suitable for use by larger numbers of bats on a more regular basis and potentially for longer periods of time due to their size, shelter, protection, conditions* and surrounding habitat	Continuous, high-quality habitat that is well connected to the wider landscape that is likely to be used regularly by commuting bats such as river valleys, streams, hedgerows, lines of trees and woodland edge. High-quality habitat that is well connected to the wider landscape that is likely to be used regularly by foraging bats such as broadleaved woodland, tree-lined watercourses and grazed parkland. Site is close to and connected to known roosts.

From Bat Survey Guidelines 3rd Edition

Conclusion

No evidence was recorded to suggest bats were roosting within the building.

No bats were observed or recorded using the building for roosting.

The building is considered to be of moderate potential for roosting bats.

It is recommended that further survey work is carried out between May and September to confirm presence/absence of use by roosting bats.

E Bibliography

Barn Owls and Rural Planning Applications	Barn Owl Trust 2009
Barn Owl Survey Methodology and Techniques for use in Ecological Assessments	Shawyer, C. August 2011
Bat Mitigation Guidelines	Natural England 2006
Bat Survey Guidelines 3rd Edition	Bat Conservation Trust 2016
Bat Workers Manual 3 rd Edition	JNCC 2004

Bats and the Law

Wildlife and Countryside Act 1981, principally those relating to powers and penalties, have been amended by the Countryside and Rights of Way Act 2000 (CRoW Act). The CRoW Act only applies to England and Wales.

Section 9(1)

It is an offence for any person to intentionally kill, injure or take any wild bat.

Section 9(4)(a)

It is an offence to intentionally or recklessly* damage, destroy or obstruct access to any place that a wild bat uses for shelter or protection.

(*Added by the CRoW Act in England and Wales only)

This is taken to mean all bat roosts whether bats are present or not.

Section 9(4)(b)

It is an offence to intentionally or recklessly* disturb any wild bat while it is occupying a structure or place that it uses for shelter or protection.

(*Added by the CRoW Act in England and Wales only)

The Conservation (Natural Habitats, &c.) Regulations 1994

Section 39(1)

It is an offence

(a) deliberately to capture or kill any bat

(b) deliberately to disturb any bat

(d) to damage or destroy a breeding site or resting place of any bat.

The difference between this legislation and the Wildlife and Countryside Act 1981 is the use of the word 'deliberately' rather than 'intentionally'. Also disturbance of bats can be anywhere, not just at a roost. Damage or destruction of a bat roost does not require the offence to be intentional or deliberate.

Barn Owls and the Law

Part 1 of the Wildlife and Countryside Act (1981)

(1) Subject to the provisions of this Part, if any person intentionally (or recklessly as amended by the CRoW Act, 2000) (a) kills, injures or takes any wild bird; (b) takes, damages or destroys the nest of any wild bird while

that nest is in use or being built; or (c) takes or destroys an egg of any wild bird. he shall be guilty of an offence.

(5) Subject to the provisions of this Part, if any person intentionally- (a) disturbs any wild bird included in Schedule 1 while it is building a nest or is at, on or near a nest containing eggs or young; or (b) disturbs dependent young of such a bird, he shall be guilty of an offence and liable to a special penalty.

Countryside and Rights of Way (CROW) Act (2000)

Part III Nature conservation and wildlife protection

74 Conservation of biological diversity

(1) It is the duty of (a) any Minister of the Crown (within the meaning of the Ministers of the [1975 c. 26.] Crown Act 1975), (b) any Government department, and (c) the National Assembly for Wales, in carrying out his or its functions, to have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biological diversity in accordance with the Convention.

SCHEDULE 12 AMENDMENTS RELATING TO PART I OF WILDLIFE AND COUNTRYSIDE ACT 1981

1. In section 1(5) of the 1981 Act (offence of intentional disturbance of wild birds) after "intentionally" there is inserted "or recklessly".

The Natural Environment and Rural Communities Act (2006)

PART 3, (40): Duty to conserve biodiversity

(1) Every public authority must, in exercising its functions, have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biodiversity.

(3) Conserving biodiversity includes, in relation to a living organism or type of habitat, restoring or enhancing a population or habitat.