




Project Name: Standen Central	Project No. 16499	Co-ords: 374877.00 - 440780.00 Level:	Date 19/12/2022
Location: Clitheroe	Dimensions (m): Depth 2.00		Scale 1:30
Client: Eric Wright	0.70		Logged E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.25	ES		0.30			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
				0.70			Stiff greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets.	
				2.00			Very stiff greyish brown sandy gravelly CLAY with frequent cobbles and occasional large boulders. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles and boulders are subrounded of mudstone.	1
							End of Pit at 2.00m	2
								3
								4

Trial Pit Photographs



Trial Pit 104

Trial Pit 104 Spoil

Remarks: 1. Complete 2. Slow/hard digging through boulder clay 3. Fast ingress of water through land drain at 1.00m bgl.

Stability: Stable.

Project Name: Standen Central

Project No.
16499

Co-ords: 374860.00 - 440741.00
Level:

Date
19/12/2022

Location: Clitheroe

Dimensions (m): 2.10

Scale
1:30



Client: Eric Wright

Depth 2.10

0.70

2.10

Logged
E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description		
	Depth	Type	Results						
	0.50 0.60	ES HVP	83	0.20			MADE GROUND: Brown gravelly sandy reworked clay with occasional rootlets. Gravel is fine to coarse subangular to subrounded of mudstone, brick and slate. MADE GROUND: Firm to stiff greyish brown mottled orange slightly silty slightly gravelly sandy clay with occasional rootlets. Gravel is fine to medium subangular of rare brick.	1	
				0.70			Greyish brown sandy gravelly CLAY with frequent cobbles and occasional large boulders. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles and boulders are subrounded of mudstone.		
				2.10			End of Pit at 2.10m		2
									3

Trial Pit Photographs



Trial Pit 105



Trial Pit 105 Spoil

Remarks: 1. Complete 2. Slow/hard digging through boulder clay

Stability: Stable.

Project Name: Standen Central

Project No.
16499

Co-ords: 374831.00 - 440692.00
Level:

Date
19/12/2022

Location: Clitheroe

Dimensions (m): 2.20





Scale
1:30

Client: Eric Wright

Depth
2.80

0.70

Logged
E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.40 0.40	ES HVP	117	0.20			MADE GROUND: Greyish brown slightly gravelly slightly sandy clay with rare brick and occasional rootlets.	1
				0.50			Stiff greyish brown mottled orange slightly silty sandy gravelly CLAY with occasional rootlets. Gravel is medium to coarse subrounded to rounded mudstone.	
							Firm to stiff greyish brown sandy gravelly CLAY with frequent cobbles and occasional large boulders. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles and boulders are subrounded of mudstone.	
								
				2.80			End of Pit at 2.80m	3

Trial Pit Photographs



Trial Pit 106






Trial Pit 106 Spoil

Remarks: 1. Complete 2. Slow/hard digging through boulder clay

Stability: Stable.

Project Name: Standen Central	Project No. 16499	Co-ords: 374858.00 - 440684.00 Level:	Date 19/12/2022
Location: Clitheroe	Dimensions (m): Depth 2.50		Scale 1:30
Client: Eric Wright	0.70		Logged E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
				0.30			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
	1.00	ES		1.00			Very stiff greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets and rare pockets of yellowish orange medium to coarse SAND.	1
	1.50	B					Very stiff greyish brown sandy gravelly CLAY with frequent cobbles and occasional large boulders. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles and boulders are subrounded of mudstone.	2
				2.50			End of Pit at 2.50m	3
								4

Trial Pit Photographs






Trial Pit 107

Trial Pit 107 Spoil

Remarks: 1. Complete 2. Slow/hard digging through boulder clay

Stability: Stable.

Project Name: Standen Central	Project No. 16499	Co-ords: 374865.00 - 440712.00 Level:	Date 19/12/2022
Location: Clitheroe		Dimensions (m): 2.80 Depth 2.00	Scale 1:30
Client: Eric Wright			Logged E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
				0.35			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
				1.00			Stiff greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets.	1
				2.00			Stiff greyish brown sandy gravelly CLAY with frequent cobbles and frequent boulders. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles and boulders are subrounded of mudstone.	2
							End of Pit at 2.00m	3
								4




Trial Pit Photographs



Remarks: 1. Complete 2. Slow/hard digging through boulder clay

Stability: Stable.

Project Name: Standen Central	Project No. 16499	Co-ords: 374882.00 - 440753.00 Level:	Date 19/12/2022
Location: Clitheroe	Dimensions (m): 2.40 Depth 2.60		Scale 1:30
Client: Eric Wright			Logged E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.50	HVP	90	0.25			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
				0.80			Firm to stiff greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets.	
				2.60			Very stiff greyish brown sandy gravelly CLAY with frequent cobbles and frequent boulders. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles and boulders are subrounded of mudstone.	1
							End of Pit at 2.60m	2
								3
								4

Trial Pit Photographs



Trial Pit 109






Trial Pit 109 Spoil

Remarks: 1. Complete 2. Slow/hard digging through boulder clay 3. Slight organic odour encountered between 0.25m and 0.80m bgl.

Stability: Stable.

Project Name: Standen Central	Project No. 16499	Co-ords: 374911.00 - 440729.00 Level:	Date 19/12/2022
Location: Clitheroe		Dimensions (m): 2.50 Depth 2.00	Scale 1:30
Client: Eric Wright		0.70	Logged E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
				0.30			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
				0.60			Greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets.	
	1.80	ES		2.00			Stiff greyish brown sandy gravelly CLAY with frequent cobbles and frequent boulders. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles and boulders are subrounded of mudstone.	1
							End of Pit at 2.00m	2
								3
								4

Trial Pit Photographs



Trial Pit 110






Trial Pit 110 Spoil

Remarks: 1. Complete 2. Slow/hard digging through boulder clay

Stability: Stable.

Project Name: Standen Central	Project No. 16499	Co-ords: 374892.00 - 440708.00 Level:	Date 19/12/2022
Location: Clitheroe	Dimensions (m): 2.20 0.70		Scale 1:30
Client: Eric Wright	Depth 2.80		Logged E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.20	ES		0.30			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
				0.60			Greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets.	
				2.80			Very stiff dark grey mottled orangish yellow sandy gravelly CLAY with frequent cobbles and frequent boulders. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles and boulders are subrounded of mudstone.	1 2 3 4
							End of Pit at 2.80m	

Trial Pit Photographs



Trial Pit 111






Trial Pit 111 Spoil

Remarks: 1. Complete 2. Slow/hard digging through boulder clay

Stability: Stable.

Project Name: Standen Central	Project No. 16499	Co-ords: 374886.00 - 440691.00 Level:	Date 19/12/2022
Location: Clitheroe	Dimensions (m): 2.50 Depth 2.00 0.70		Scale 1:30
Client: Eric Wright			Logged E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.50	ES		0.20			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
				0.70			Stiff greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets.	
				2.00			Very stiff greyish brown sandy gravelly CLAY with frequent cobbles and frequent boulders. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles and boulders are subrounded of mudstone.	1
							End of Pit at 2.00m	2
								3
								4

Trial Pit Photographs



Trial Pit 112







Trial Pit 112 Spoil

Remarks: 1. Complete 2. Slow/hard digging through boulder clay

Stability: Stable.

Project Name: Standen Central	Project No. 16499	Co-ords: 374908.00 - 440671.00 Level:	Date 19/12/2022
Location: Clitheroe	Dimensions (m): 2.20 Depth 2.50		Scale 1:30
Client: Eric Wright			Logged E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.20	ES		0.25			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
	0.50	HVP	82	0.70			Firm to stiff greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets.	
				1.20			Very stiff dark greyish brown mottled orange slightly gravelly CLAY. Gravel is fine to coarse subrounded mudstone.	1
				2.50			Very stiff greyish brown sandy gravelly CLAY with frequent cobbles and occasional large boulders. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles and boulders are subrounded of mudstone.	2
							End of Pit at 2.50m	3
								4

Trial Pit Photographs



Trial Pit 113



Trial Pit 113 Spoil

Remarks: 1. Complete 2. Slow/hard digging through boulder clay

Stability: Stable.



Trial Pit Log

TrialPit No
TP114
Sheet 1 of 1

Project Name: Standen Central

Project No.
16499

Co-ords: 374914.00 - 440702.00
Level:

Date
19/12/2022

Location: Clitheroe

Dimensions (m): 2.10




Depth
2.60

0.70

Scale
1:30

Logged
E. Canham

Client: Eric Wright

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
				0.30			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
				0.60			Greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets.	
				2.60			Stiff greyish brown sandy gravelly CLAY with frequent cobbles and frequent boulders. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles and boulders are subrounded of mudstone.	1 2 3 4
							End of Pit at 2.60m	

Remarks: 1. Complete 2. Slow/hard digging through boulder clay




Stability: Stable.



Trial Pit Log

TrialPit No
TP115
Sheet 1 of 1

Project Name: Standen Central	Project No. 16499	Co-ords: 374937.00 - 440698.00 Level:	Date 19/12/2022
Location: Clitheroe		Dimensions (m): 2.40 Depth 2.40	Scale 1:30 Logged E. Canham
Client: Eric Wright			

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
				0.30			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
				0.70			Greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets.	
				2.40			Very stiff greyish brown sandy gravelly CLAY with frequent cobbles and frequent boulders. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles and boulders are subrounded of mudstone.	1 2 3 4
							End of Pit at 2.40m	

Remarks: 1. Complete 2. Slow/hard digging through boulder clay

Stability: Stable.



Borehole Log

Borehole No.

WS101

Sheet 1 of 1

Project Name: Standen Central

Project No.
16499

Co-ords: 374945.00 - 440681.00

Hole Type
WS

Location: Clitheroe

Level:

Scale
1:50

Client: Eric Wright

Dates: 19/12/2022 -

Logged By
E. Canham

Well	Water Strikes	Samples and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
					0.25			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
					0.60			Greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets.	
		1.00 1.00	SPT	12 (3 for 0mm/12 for 0mm)				Stiff medium strength greyish brown sandy gravelly CLAY with occasional cobbles. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles are subrounded of mudstone. Becomes very stiff high strength at circa 3.00m bgl and very high strength at circa 4.00m bgl.	1
		2.00 2.00	SPT	13 (4 for 0mm/13 for 0mm)					2
		2.50 - 3.00	U						
		3.00 3.00	SPT	20 (19 for 0mm/20 for 0mm)					3
		4.00 4.00	SPT	27 (16 for 0mm/27 for 0mm)					4
		4.40		50 (21 for 0mm/50 for 0mm)					
					4.95			End of borehole at 4.95 m	5
									6
									7
									8
									9
									10

Remarks

1. Refusal at 4.95m bgl



Borehole Log

Borehole No.

WS102

Sheet 1 of 1

Project Name: Standen Central

Project No.
16499

Co-ords: 374901.00 - 440687.00

Hole Type
WS

Location: Clitheroe

Level:

Scale
1:50

Client: Eric Wright

Dates: 19/12/2022 -

Logged By
E. Canham

Well	Water Strikes	Samples and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
					0.20			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
		1.00	SPT	17 (3 for 0mm/17 for 0mm)	1.20			Very stiff high strength greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets.	1
		1.40	ES						
		2.00	SPT	17 (8 for 0mm/17 for 0mm)				Very stiff high strength greyish brown sandy gravelly CLAY with occasional cobbles. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles are subrounded of mudstone. Becomes very high strength at circa 3.00m bgl.	2
		2.00							
		3.00		50 (25 for 0mm/50 for 0mm)					3
					3.42			End of borehole at 3.42 m	4
									5
									6
									7
									8
									9
									10

Remarks

1. Refusal at 3.42m bgl 2. Monitoring well installed: response zone (1.00m-3.00m bgl)

Borehole Log

Borehole No.

WS103

Sheet 1 of 1

Project Name: Standen Central

Project No.
16499

Co-ords: 374844.00 - 440698.00

Hole Type
WS

Location: Clitheroe









Level:

Scale
1:50

Client: Eric Wright

Dates: 19/12/2022 -

Logged By
E. Canham

Well	Water Strikes	Samples and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
					0.20			MADE GROUND: Dark brown silty sandy clay with frequent rootlets. (Topsoil)	
					0.80			Greyish brown mottled orange slightly silty sandy gravelly CLAY with occasional rootlets. Gravel is medium to coarse subrounded to rounded mudstone.	
		1.00	SPT	22 (3 for 0mm/22 for 0mm)				Very stiff very high strength greyish brown slightly silty gravelly CLAY. Gravel is fine to coarse subrounded mudstone.	1
		1.00							
		1.20	ES						
		2.00	SPT	22 (6 for 0mm/22 for 0mm)	2.00			Very stiff very high strength dark grey gravelly CLAY with frequent cobbles. Gravel is medium to coarse subrounded of mudstone. Cobbles are subrounded of mudstone. Becomes very high strength at circa 3.90m bgl.	2
		2.00							
		3.00	SPT	18 (6 for 0mm/18 for 0mm)					3
		3.00							
		3.90		50 (24 for 0mm/50 for 0mm)					4
					4.34			End of borehole at 4.34 m	

Remarks

1. Refusal at 4.34m bgl 2. Monitoring well installed: response zone (1.00m-4.00m bgl)

Borehole Log

Borehole No.

WS104

Sheet 1 of 1

Project Name: Standen Central

Project No.
16499

Co-ords: 374871.00 - 440728.00

Hole Type
WS

Location: Clitheroe

Level:

Scale
1:50

Client: Eric Wright

Dates: 19/12/2022 -

Logged By
E. Canham

Well	Water Strikes	Samples and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
		0.20	ES		0.35			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
					0.80			Greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets.	
		1.00 1.00	SPT	9 (4 for 0mm/9 for 0mm)				Stiff medium strength greyish brown sandy gravelly CLAY with occasional cobbles. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles are subrounded of mudstone. Becomes very stiff high strength at circa 2.00m bgl and very high strength at circa 3.00m bgl.	1
		1.50 - 2.00	U						
		2.00 2.00	SPT	18 (8 for 0mm/18 for 0mm)					2
		3.00		50 (25 for 0mm/50 for 0mm)	3.42			End of borehole at 3.42 m	3
									4
									5
									6
									7
									8
									9
									10

Remarks

1. Refusal at 3.42m bgl

Borehole Log

Borehole No.

WS105

Sheet 1 of 1

Project Name: Standen Central

Project No.
16499

Co-ords: 374888.00 - 440768.00

Hole Type
WS

Location: Clitheroe





Level:

Scale
1:50

Client: Eric Wright

Dates: 19/12/2022 -

Logged By
E. Canham

Well	Water Strikes	Samples and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
					0.30			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
								Yellowish brown slightly silty sandy CLAY with occasional rootlets.	
		1.00 1.00 1.00	ES SPT	18 (9 for 0mm/18 for 0mm)	1.00			Very stiff high strength greyish brown sandy gravelly CLAY with occasional cobbles. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles are subrounded of mudstone. Becomes stiff medium strength at circa 2.00m bgl and very stiff very high strength at 2.80m bgl.	1
		2.00 2.00	SPT	14 (10 for 0mm/14 for 0mm)					2
		2.50 - 3.00	U	50 (25 for 0mm/50 for 0mm)					3
		2.80			3.23			End of borehole at 3.23 m	
									4
									5
									6
									7
									8
									9
									10

Remarks

1. Refusal at 3.23m bgl 2. Monitoring well installed: response zone (1.00m-3.00m bgl)

Borehole Log

Borehole No.

WS106

Sheet 1 of 1

Project Name: Standen Central

Project No.
16499

Co-ords: 374919.00 - 440719.00

Hole Type
WS

Location: Clitheroe






Level:

Scale
1:50

Client: Eric Wright

Dates: 19/12/2022 -



Logged By
E. Canham


Well	Water Strikes	Samples and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
					0.30			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)	
					0.70			Greyish brown mottled orange slightly silty sandy CLAY with occasional rootlets and rare pockets of yellowish orange medium to coarse SAND.	
		1.00	SPT	13 (3 for 0mm/13 for 0mm)				Stiff medium strength greyish brown sandy gravelly CLAY with occasional cobbles. Gravel is fine to coarse subrounded to rounded of mudstone. Cobbles are subrounded of mudstone. Becomes very stiff high strength from circa 2.00m bgl.	1
		2.00	ES						2
		2.00	SPT	24 (9 for 0mm/24 for 0mm)					
		2.50 - 3.00	U						
		3.00		27 (10 for 0mm/27 for 0mm)					3
		4.00	SPT	30 (11 for 0mm/30 for 0mm)					4
		4.00							
		5.00		26 (17 for 0mm/26 for 0mm)					5
					5.45				
									6
									7
									8
									9
									10

Remarks

1. Complete 2. Monitoring well installed: response zone (1.00m-5.00m bgl)

Project Name: Standen Central	Project No. 16499	Co-ords: 374852.00 - 440691.00 Level:	Date 20/01/2023
Location: Clitheroe		Dimensions (m): 0.30	Scale 1:10
Client: Eric Wright		Depth 0.90	Logged E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
				0.15			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)
	0.50	ES					Greyish brown CLAY.
				0.90			End of Pit at 0.90m

Remarks: 1. Hand pit dug to 900mm in bund	
Stability: Stable.	



e3p

Trial Pit Log

TrialPit No
HP102
Sheet 1 of 1

Project Name: Standen Central

Project No.
16499Co-ords: 374855.00 - 440710.00
Level:Date
20/01/2023

Location: Clitheroe

Dimensions (m): 0.30




Scale
1:10

Client: Eric Wright

Depth
0.90

0.30

Logged
E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
				0.15			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)
				0.35			Dark brown sandy gravelly CLAY. Gravel is fine to medium subrounded mudstone.
	0.50	ES		0.90			Stiff greyish brown CLAY.
							End of Pit at 0.90m

1

2

Remarks: 1. Hand pit dug to 900mm in bund

Stability: Stable.





e3p

Trial Pit Log

TrialPit No
HP103
Sheet 1 of 1

Project Name: Standen Central

Project No.
16499Co-ords: 374864.00 - 440731.00
Level:Date
20/01/2023

Location: Clitheroe

Dimensions (m): 0.30



Scale
1:10

Client: Eric Wright

Depth
0.90

0.30

Logged
E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
				0.15			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)
	0.50	ES					Stiff greyish brown CLAY.
				0.90			End of Pit at 0.90m

1

2

Remarks: 1. Hand pit dug to 900mm in bund

Stability: Stable.





e3p

Trial Pit Log

TrialPit No
HP104
Sheet 1 of 1

Project Name: Standen Central

Project No.
16499Co-ords: 374869.00 - 440762.00
Level:Date
20/01/2023

Location: Clitheroe

Dimensions (m): 0.30



Scale
1:10

Client: Eric Wright

Depth
0.95

0.30

Logged
E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
				0.15			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)
	0.50	ES					Stiff greyish brown CLAY.
				0.95			End of Pit at 0.95m

1



2


Remarks: 1. Hand pit dug to 950mm in bund

Stability: Stable.



Project Name: Standen Central	Project No. 16499	Co-ords: 374874.00 - 440778.00 Level:	Date 20/01/2023
Location: Clitheroe		Dimensions (m): 0.30	Scale 1:10
Client: Eric Wright		Depth 0.90	Logged E. Canham

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
				0.15			Dark brown silty sandy CLAY with frequent rootlets. (Topsoil)
	0.50	ES					Stiff greyish brown CLAY.
				0.90			End of Pit at 0.90m

Remarks: 1. Hand pit dug to 900mm in bund	
Stability: Stable.	