



MASTER LOCK & SAFE LTD.



OUR REF:- ST-PA-10309-A

FAO: Stephanie White
Well Court
Well Terrace
Clitheroe
Lancashire
BB7 2AD

6th February 2023

Dear Ms White

RE:- NEW DOORS AND AUTOMATIC DOOR OPERATORS

Further to the recent visit to site by our engineer, [REDACTED]
[REDACTED] I have pleasure in providing our quotation for the supply and installation of new doors and automatic door operators to the inner and outer doors, as discussed on that occasion.

Prices are as follows and are subject to V.A.T which will be added at the current rate.

Option 1 – Aluminium Doors

Outer Double Doors

Material Metal technology high quality aluminium door system 9-10

Ironmongery 1 x Hook bolt Lock
1 x Double cylinder
1 x Blind door closer (master door)
1 x HO transom door closer (slave door)
Flush bolts, pivots, escutcheons and pad handle

Finish Standard polyester paint finish.
All door ironmongery is Silver or White only
Or RAL Colour: TBC

Glass 28mm Double glazing with low energy glass


Details Overall size – 1750 x 2070mm

Cont...





MASTER LOCK & SAFE LTD.



Cont...

NB: Work will be carried out to the ceiling to accommodate the door operator – MLS will make good – the decorations are to be carried out by others

Inner Double Doors

Material Metal technology high quality aluminium door system 9-10

Ironmongery 1 x Euro profile mortice nightlatch
1 x Euro profile cylinder and turn
1 x Blind door closer (master door)
1 x HO transom door closer (slave door)
Flush bolts, pivots, escutcheons and pad handle

Finish Standard polyester paint finish.
All door ironmongery is Silver or White only
Or RAL Colour: TBC

Glass 28mm Double glazing with low energy glass

Details Overall size – 1760 x 2070mm

The new doors supplied and installed for the sum of..... 

Option 2 – Timber Double Doors

2 x Pairs of oak doors and frames with clear double glazing
6 x Panels of glass in each door fitted to the top of the doors and boarded at the bottom

All ironmongery required for the doors will be supplied to the door manufacturer by MLS

The new doors supplied and installed for the sum of..... 

NB: There will be no finish applied to the oak doors.

Cont...





MASTER LOCK & SAFE LTD.



Cont...

Materials required for either option 1 or option 2

Door A – Outer Porch – Main Front Entrance

- 1 x AC-LA-BODY-LET Low energy automatic door operator body only
- 1 x AC-LA-ARM-S Slide arm to suite NEPTIS door operator
- 1 x AC-LA-FP Fixing plate for NEPTIS door operator
- 1 x AC-LA-OPTEX-M Master 900 door safety sensor
- 1 x AC-LA-OPTEX-S Slave 900 door safety sensor
- 2 x AC-CD-SETMC-1C-9V Universal radio transmitter
- 1 x AC-CD-RX26-NANO Wireless one channel receiver
- 2 x AC-LA-PAD5 100x100 surface mounted exit button c/w battery compartment
- 1 x AC-200 Cable, trunking and fixings

Door B – Inner Door – Main Front Entrance

- 1 x AC-LA-BODY-LET Low energy automatic door operator body only
- 1 x AC-LA-ARM-S Slide arm to suite NEPTIS door operator
- 1 x AC-LA-FP Fixing plate for NEPTIS door operator
- 1 x AC-LA-OPTEX-M Master 900 door safety sensor
- 1 x AC-LA-OPTEX-S Slave 900 door safety sensor
- 1 x AC-CD-SETMC-1C-9V Universal radio transmitter
- 1 x AC-CD-RX26-NANO Wireless one channel receiver
- 1 x AC-DL-SUR-AR Armoured door loop
- 1 x AC-LA-3KS Three position key switch
- 1 x AC-LA-PAD5 100x100 surface mounted exit button c/w battery compartment
- 1 x AC-200 Cable, trunking and fixings

The automatic door operators supplied and installed for the sum of.....

NB:

1 – The new door operators will be linked to the existing access control system.

2 – Two fused spurs will be required – MLS to arrange

NB: Due to continual manufacturers price increases, this quotation will be valid for 90 days.

I trust that the above information meets with your approval and assure you of our best attention at all times.

Yours sincerely

S TAYLOR

