

BAT SURVEY AT -

THE HAWTHORNS
RIMINGTON LANE
RIMINGTON

DATE AND TIME OF VISIT

3rd Aug 2023 5.00pm

4th Aug 2023 9.00pm

WEATHER CONDITIONS

Partly cloudy, 12-22 mph north westerly wind .16 C - 3rd Aug

Clear skies, 12-15 mph, westerly wind. 18 C - 15 C - 4th Aug

REFERENCE NO. 6179



SURVEY CARRIED OUT BY: LYNNE RUSHWORTH
SUNDERLAND PEACOCK & ASSOCIATES LTD
HAZELMERE, PIMLICO ROAD, CLITHEROE
LANCASHIRE, BB7 2AG
T 01200 423178 F 01200 427328
E info@sunderlandpeacock.com
www.sunderlandpeacock.com

UK BAT ECOLOGY

- It is thought that there are 18 native species of bats in the UK, most of which have seen declines in numbers over the last century.
- 11 Species have been recorded in Lancashire the most common being :-
 - **Common Pipistrelle** – Widely distributed across the UK.. Known to roost in buildings and trees.
 - **Soprano Pipistrelle** – Widely distributed across the UK.. Known to roost in buildings and trees
 - **Whiskered / Brandts** – Roost mainly in buildings or trees.
 - **Long eared Bat** - Roost in older buildings, Barns, Churches and trees.
 - **Daubentons** - Known to roost in trees, tunnels, bridges, caves, mines and cellars near to lakes, rivers or ponds.
 - **Natterers** – Known to roost in old stone buildings , large timbered barns , tree holes , caves or mines.
- As insect feeding species the preferred habitats include woodland, grassland, agricultural land, wetland and rivers which provide good foraging potential.
- Bats typically roost close to foraging sites and use linear features such as hedgerows, tree lines and rivers to navigate. It is important to maintain these features, as removal is thought to contribute to the decline in numbers.
- Bats will roost in a wide variety of sites and built structures, including underground structures (caves , bridges) and trees . Types of roost and times of year used.

Hibernacula - November to March

Temporary roosts - March to April and August to October

Maternity roosts – May to August

Summer roosts – Used by Males and immature females

Mating roosts – September and October

- Disturbance to a Hibernacula or Maternity roost is the most damaging for any local bat population. The same Maternity roosts are typically used year after year commencing between May to early June and are colonised with mature females and their young, any disturbance can lead to abandonment of the young and loss of the roost will have a significant impact on the bat population. Hibernacula roosts typically consist of underground sites caves, cellars etc or buildings which maintain cool and fairly constant temperatures. Bats hibernate (deep sleep , torpor) to survive the winter months when insects are in short supply so they hibernate to conserve energy and survive on their fat stores. Any disturbance which wakes the bats can result in unnecessary use of the energy reserves and thus reduces the chance of survival over the winter months.

THIS SURVEY HAS BEEN CARRIED OUT BY: LYNNE RUSHWORTH WHO HAS SIXTEEN YEARS OF EXPERIENCE AND COMPLETED THE BAT CONSERVATION TRUST'S 'BATS AND BAT SURVEYS' FOUNDATION COURSE FOR CONSULTANTS, AND 'PLANNING AND PREPARATION OF BAT SURVEYS' COURSE
EMERGENCE SURVEYS ARE CARRIED OUT WITH A SECOND SURVEYOR WITH SIXTEEN YEARS EXPERIENCE OF ASSISTING ON EMERGENCE SURVEYS

THE BRIEF

In conjunction with the submission of an application for planning approval, this survey was commissioned to identify if bats are currently present in the building, to assess if it has been used in the past or if there is any potential for future use of the building.

All British bats and their roosts are legally protected under the Wildlife and Countryside Act 1981 (as amended) and the Conservation of Habitats and Species Regulations 2010, the Countryside and Rights of Way Act 2000 and the Natural Environment and Rural Communities Act 2006

BAT LEGISLATION - Summary of offences under the law:

Bats and the Law Wildlife and Countryside Act 1981.

Principally those relating to powers and penalties, have been amended by the Countryside and Rights of Way Act 2000 (CRoW Act). The CRoW Act only applies to England and Wales.

Section 9(1) It is an offence for any person to intentionally kill, injure or take any wild bat.

Section 9(4)(a) It is an offence to intentionally or recklessly* damage, destroy or obstruct access to any place that a wild bat uses for shelter or protection. (*Added by the CRoW Act in England and Wales only) This is taken to mean all bat roosts whether bats are present or not.

Section 9(4)(b) It is an offence to intentionally or recklessly* disturb any wild bat while it is occupying a structure or place that it uses for shelter or protection. (*Added by the CRoW Act in England and Wales only)

The Conservation (Natural Habitats, &c.) Regulations 1994

Section 39(1)

It is an offence to

(a) Deliberately to capture or kill any bat

(b) Deliberately to disturb any bat

(c) Damage or destroy a breeding site or resting place of any bat. The difference between this legislation and the Wildlife and Countryside Act 1981 is the use of the word 'deliberately' rather than 'intentionally'. Also disturbance of bats can be anywhere, not just at a roost. Damage or destruction of a bat roost does not require the offence to be intentional or deliberate.

Countryside and Rights of Way (CRoW) Act (2000) Part III Nature conservation and wildlife protection 74 Conservation of biological diversity

(1) It is the duty of (a) any Minister of the Crown (within the meaning of the Ministers of the [1975 c. 26.] Crown Act 1975), (b) any Government department, and (c) the National Assembly for Wales, in carrying out his or its functions, to have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biological diversity in accordance with the Convention.

The Natural Environment and Rural Communities Act (2006) PART 3, (40): Duty to conserve biodiversity

(1) Every public authority must, in exercising its functions, have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biodiversity.

(2) Conserving biodiversity includes, in relation to a living organism or type of habitat, restoring or enhancing a population or habitat.

If it is discovered that development may impact upon bat roosts (thus leading to an offence being committed) a mitigation plan should be devised and a Bat Mitigation Licence applied for from the relevant government department (i.e. Natural England). Gaining a licence will depend on many variables, such as the bat species present, roost type, roost size and its local/regional/national importance

LIMITATIONS OF REPORT

***NOTE:** The absence of bats is near impossible to prove. The bats' high mobility means it is virtually impossible to rule out bats using any type of structure for roosting or habitat for foraging or on a flight path.*

- External walls and internal rooms inspected from ground level.
- Roof spaces, attics and lofts will only be inspected if safe access is possible.
- Winter surveys will provide limited results. However internal inspection should determine if bats have used the building in the previous year.
- Any building whose structure is considered dangerous can only be inspected from a safe distance. Crevice- roosting bats ie. Pipistrelles, some Myotis species and Brown long eared bats can remain unseen even after close inspection in small spaces ie. cavity walls, roof structures soffits or cladding.
- Bat roosting evidence ie. Droppings or insect remains can be removed by weather conditions or sweeping/ cleaning internally so this lack of evidence cannot always prove undoubtedly that bats are absent.

EQUIPMENT USED ON SURVEY

- 'MAGENTA 5' BAT DETECTOR
- BINOCULARS
- SHADOWHAWK 12000 lumen HIGH POWERED LED TORCH
- LADDERS FOR HIGH LEVEL INSPECTION
- CAMERA
- ENDOSCOPE

PROPOSED DEVELOPMENT

Demolish existing Bungalow prior to construction of new House.

Impact of development in relation to potential bat habitat:-

Removal of a building which may have potential as bat habitat

TYPE OF BUILDING

The property is a detached Bungalow with attached garage. Possibly dating from the 70s

In accordance with previous approvals the demolition was started a few years ago. machinery and materials are on site.



METHODOLOGY

The survey methodology follows the guidelines published in the Bat Conservation Trust 2016 (BCT- Bat surveys, good practice guidelines 3rd Edition)

Scoping survey ; (Non invasive) carried out by one surveyor to assess if the site has any potential value for protected species and determine if bats are currently or have historically used the building.

Emergence survey ; are conducted 20 minutes before sunset and up to two hours after. Emergence surveys are conducted between the months of April through to end of September (weather dependant).

October to April (winter months) bats are inactive during the hibernation period.

All surveyors used have many years experience in conducting bat emergence surveys

CONSTRAINTS

Due to some previous stripping out having been carried internally it was difficult to access some areas.

AIMS OF THE SURVEY

To ensure the proposed development will not affect any protected species

The survey will ; Identify past ,current or potential use of the site by protected species.

Assess any impact of the proposed development on these species

Outline a mitigation scheme for any species affected by the development (if required)

LOCATION SD 802455 151m elevation

The house is located adjacent to Rimington Lane surrounded by garden and agricultural land on the outskirts of the village.



FORAGING POTENTIAL IN THE LOCATION

The garden boundaries to the side are Beech hedge the south west being approx 2m from the building, and there are mature trees lining the other boundaries.

The large acreage pastureland surrounding the property is bound by hedgerow and trees.

Rimington Lane is densely lined with trees and substantial hedgerow.

The garden area is currently full of machinery and building materials.

The greater location is considered to have a reasonable level of forage potential.



WALL CONSTRUCTION

The Bungalow has a painted render finish with stone quoins and a small section of stone to the front elevation. The walls are in excellent condition.

BAT ACCESS POINTS IN WALLS

There are no access points in the walls and no signs of grease marks or staining indicating bat entry.

ROOF CONSTRUCTION

The roof was been replaced 6-7 years ago The tile roof is in reasonable condition with no access points, the exception being a missing ridge tile to the main roof.



ROOF SPACE

The roof space is used for storage the purlins rafters and felt are in excellent condition with no cracks or crevices suitable for bats.



The garage roof (photo below) is trussed with no ceiling.



BAT SIGNS, EXTERNAL


SEEN
DROPPINGS
MAGENTA BAT5 DETECTOR RESULT

Yes No

X	
	X
X	

The external features of the property and the roof space were the focus of the scoping part of the survey. The lead flashings, fascia soffits ridge slates, walls and any sills were visually examined for droppings, staining, grease marks or feeding remains. No evidence was found.

The emergence survey commenced at 9.00pm during ideal weather conditions for bat forage activity. The front and rear of the property were monitored (red dots indicate positions of surveyors)
The red arrows indicate the forage activity



At 9.20 pm a pair of common pipistrelle bats commenced forage activity over the front garden emerging from the trees on the north side of Rimington Lane. The activity was limited to the front garden only and along the tree line adjacent to Rimington lane. There was no activity recorded in the rear garden. The forage activity was monitored until it was too dark to see.
There was no emergence from the bungalow.

BAT SIGNS, INTERNAL

SIGHTED
DROPPINGS
DETECTOR RESULTS
STAINING/GREASE MARKS
SUSPECT SUMMER ROOST
SUSPECT WINTER HIBERNACULA
INSECT OR MOTH FEEDING EVIDENCE

Yes No

	X
	X
	X
	X
	X
	X
	X
	X

In line with a previous approved planning application on this site, stripping out of the building had commenced. Bat presence has not been found internally.



CONCLUSION

This scoping and emergence survey was carried out to update two previous bat surveys which were carried out on this property in 2013 and 2020

The result on both occasions was that Bats were not found to be present in the building and the forage activity levels along the garden borders was marginal.

The current status of the building being in a partially stripped condition with machinery and materials on site.

This building does not provide any high value roost habitat for bats, the removal of this building will not threaten or impact on any local bat population. The size and scale of the proposed new house will not impact or break any potential forage or commute routes.

Mitigation is not required however the construction of a new house provides the opportunity to enhance the roost potential in the area. It is recommended that Ridge access be incorporated in the new roof over the garage/ annex. See illustration below.

All contractors should be made aware of their responsibilities to protected species and work should proceed with due diligence and in the unlikely event that any bats are discovered work must be stopped immediately and a licensed bat worker must be contacted for advice on how to proceed

ENHANCEMENT MEASURES (Bats - 2)

METHOD 2:


PROVIDE 2 No. RIDGE ACCESS TILES ALONG THE ROOF RIDGE.

SPACE RIDGE ACCESS SLATES EVENLY ALONG LENGTH OF ROOF.

Ridge access tile Detail 4A (below)

RECOMMENDED BY NATURAL ENGLAND: either raised ridge tiles providing 15 – 20mm gaps or leaving access gaps under tiles to enable bats to enter the space beneath the ridge tiles.

Pipistrelles and long-eared bats will enter roofs via narrow gaps under the ridge tiles; additional benefits are provided when small gaps are provided through the roofing felt or sarking membrane thus enabling bats to enter any retained roof voids.



ENGLISH
NATURE

SP

The above information is for guidance only and may not be appropriate in all circumstances. If in doubt seek professional advice.
English Nature Countryside Team, Jubilee House, Market Street, Chesham Road, Watlington, Oxfordshire, UK. Tel: 01535 760800 Fax: 01535 760800 Email: countryside@english-nature.org.uk

RISK ASSESSMENT

(The level of probability that bats are using the property is calculated on the evidence found.)

LOW

NOTES:

The precautions below should be incorporated in the unlikely event that any bats are found to be present in the intervening time between surveys and work commencing on site.

When bats are found to be present in a building:

- A NATURAL ENGLAND licence will be required before any building work is undertaken.
- Pointing work should not be undertaken during winter months as hibernating bats might be entombed.
- Work to roof structure should not be undertaken between late May, June, July and August.
- Small areas of wall could be left un-pointed to encourage potential roosting sites.
- Care must be taken when removing existing roof timbers, and any new timbers or treatment of existing timbers must be carried out using chemicals listed as safe for bat roosts.
- NOTE: The onus lies with the applicant to satisfy themselves that no offence will be committed if the development goes ahead.

If bats are ever found during building work, stop work immediately and contact the Bat Conservation Trust or Natural England.

The Bat Conservation Trust
Quadrant House
250 Kennington Lane

London SE11 5RD

0845 1300 228

Natural England
Cheshire-Lancashire Team
2nd Floor, Arndale House

Manchester M4 3AQ

0300 060 3900

LIVING WITH BATS

- **Bats are not rodents**, and will not nibble or gnaw at wood, wires or insulation.
- **Bats do not build nests** and therefore do not bring bedding material into the roost; neither do they bring their insect prey into the roost.
- **All bats in the UK eat insects**, so they are a great form of natural pest control!
- **Bat droppings** in the UK are dry and crumble away to dust. As a result, there are no known health risks associated with them.
- **Female bats usually have only one baby a year**, so properties do not become 'infested'.
- **Most bats are seasonal visitors** to buildings - they are unlikely to live in the same building all year round, although they are loyal to their roosts and so usually return to the same roosts year after year.
- **Bats are clean and sociable animals** and spend many hours grooming themselves.

