

320231002P

BAT SURVEY AT-REDWOODS THORNEYHOLME DUNSOP BRIDGE

DATE AND TIME OF VISIT 23 rd Nov 2023, 1.00 PM

WEATHER CONDITIONS
Sunny., Light north easterly breeze. 8 C

REFERENCE NO. 6958

SURVEY CARRIED OUT BY: LYNNE RUSHWORTH
SUNDERLAND PEACOCK & ASSOCIATES LTD
HAZELMERE, PIMLICO ROAD, CLITHEROE
LANCASHIRE, BB7 2AG
T 01200 423178 F 01200 427328
E info@sunderlandpeacock.com
www.sunderlandpeacock.com

UK BAT ECOLOGY

- It is thought that there are 18 native species of bats in the UK, most of which have seen declines in numbers over the last century.
- 11 Species have been recorded in Lancashire the most common being :-
- Common Pipistrelle Widley distributed across the UK.. Known to roost in buildings and trees.
- Soprano Pipistrelle- Widley distributed across the UK.. Known to roost in buildings and trees
- Whiskered / Brandts Roost mainly in buildings or trees.
- Long eared Bat Roost in older buildings, Barns, Churches and trees.
- Daubentons Known to roost in trees, tunnels, bridges, caves, mines and cellars near to lakes, rivers or ponds.
- Natterers Known to roost in old stone buildings, large timbered barns, tree holes, caves or mines.
- As insect feeding species the preferred habitats include woodland, grassland, agricultural land, wetland and rivers which provide good foraging potential.
- Bats typically roost close to foraging sites and use linear features such as hedgerows, tree lines and
 rivers to navigate. It is important to maintain these features, as removal is thought to contribute to the
 decline in numbers.
- Bats will roost in a wide variety of sites and built structures, including underground structures (caves , bridges) and trees . Types of roost and times of year used.

Hibernacula - November to March
Temporary roosts - March to April and August to October
Maternity roosts - May to August
Summer roosts - Used by Males and immature females
Mating roosts - September and October

• Disturbance to a Hibernacula or Maternity roost is the most damaging for any local bat population. The same <u>Maternity roosts</u> are typically used year after year commencing between May to early June and are colonised with mature females and their young, any disturbance can lead to abandonment of the young and loss of the roost will have a significant impact on the bat population. <u>Hibernacula roosts</u> typically consist of underground sites caves, cellars etc or buildings which maintain cool and fairly constant temperatures. Bats hibernate (deep sleep , torpor) to survive the winter months when insects are in short supply so they hibernate to conserve energy and survive on their fat stores. Any disturbance which wakes the bats can result in unnecessary use of the energy reserves and thus reduces the chance of survival over the winter months.

THIS SURVEY HAS BEEN CARRIED OUT BY: LYNNE RUSHWORTH WHO HAS SIXTEEN YEARS OF EXPERIENCE AND COMPLETED THE BAT CONSERVATION TRUST'S 'BATS AND BAT SURVEYS' FOUNDATION COURSE FOR CONSULTANTS, AND 'PLANNING AND PREPARATION OF BAT SURVEYS' COURSE

EMERGENCE SURVEYS ARE CARRIED OUT WITH A SECOND SURVEYOR WITH SIXTEEN YEARS EXPERIENCE OF ASSISTING ON EMERGENCE SURVEYS

THE BRIEF

In conjunction with the submission of an application for planning approval, this survey was commissioned to identify if bats are currently present in the building, to assess if it has been used in the past or if there is any potential for future use of the building.

All British bats and their roosts are legally protected under the Wildlife and Countryside Act 1981 (as amended) and the Conservation of Habitats and Species Regulations 2010, the Countryside and Rights of Way Act 2000 and the Natural Environment and Rural Communities Act 2006

BAT LEGISLATION - Summary of offences under the law:

Bats and the Law Wildlife and Countryside Act 1981,

Principally those relating to powers and penalties, have been amended by the Countryside and Rights of Way Act 2000 (CRoW Act). The CRoW Act only applies to England and Wales. Section 9(1) It is an offence for any person to intentionally kill, injure or take any wild bat.

Section 9(4)(a) It is an offence to intentionally or recklessly* damage, destroy or obstruct access to any place that a wild bat uses for shelter or protection. (*Added by the CRoW Act in England and Wales only) This is taken to mean all bat roosts whether bats are present or not.

Section 9(4)(b) It is an offence to intentionally or recklessly* disturb any wild bat while it is occupying a structure or place that it uses for shelter or protection. (*Added by the CRoW Act in England and Wales only)

The Conservation (Natural Habitats, &c.) Regulations 1994

Section 39(1)

It is an offence to

- (a) Deliberately to capture or kill any bat
- (b) Deliberately to disturb any bat
- (c) Damage or destroy a breeding site or resting place of any bat. The difference between this legislation and the Wildlife and Countryside Act 1981 is the use of the word 'deliberately' rather than 'intentionally'. Also disturbance of bats can be anywhere, not just at a roost. Damage or destruction of a bat roost does not require the offence to be intentional or deliberate.

Countryside and Rights of Way (CRoW) Act (2000) Part III Nature conservation and wildlife protection 74 Conservation of biological diversity

(1) It is the duty of (a) any Minister of the Crown (within the meaning of the Ministers of the [1975 c. 26.] Crown Act 1975), (b) any Government department, and (c) the National Assembly for Wales, in carrying out his or its functions, to have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biological diversity in accordance with the Convention.

The Natural Environment and Rural Communities Act (2006) PART 3, (40): Duty to conserve biodiversity

- (1) Every public authority must, in exercising its functions, have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biodiversity.
- (2) Conserving biodiversity includes, in relation to a living organism or type of habitat, restoring or enhancing a population or habitat.

If it is discovered that development may impact upon bat roosts (thus leading to an offence being committed) a mitigation plan should be devised and a Bat Mitigation Licence applied for from the relevant government department (i.e. Natural England). Gaining a licence will depend on many variables, such as the bat species present, roost type, roost size and its local/regional/national importance

LIMITATIONS OF REPORT

NOTE: The absence of bats is near impossible to prove. The bats' high mobility means it is virtually impossible to rule out bats using any type of structure for roosting or habitat for foraging or on a flight path.

- External walls and internal rooms inspected from ground level.
- Roof spaces, attics and lofts will only be inspected if safe access is possible.
- Winter surveys will provide limited results. However internal inspection should determine if bats have used the building in the previous year.
- Any building whose structure is considered dangerous can only be inspected from a safe distance.
 Crevice- roosting bats ie. Pipistrelles, some Myotis species and Brown long eared bats can remain unseen even after close inspection in small spaces ie. cavity walls, roof structures soffits or cladding.
- Bat roosting evidence ie. Droppings or insect remains can be removed by weather conditions or sweeping/cleaning internally so this lack of evidence cannot always prove undoubtedly that bats are absent.

EQUIPMENT USED ON SURVEY

- 'BATSCANNER' BAT DETECTOR
- BINOCULARS
- SHADOWHAWK 12000 lumen HIGH POWERED LED TORCH
- LADDERS FOR HIGH LEVEL INSPECTION
- CAMERA

PROPOSED DEVELOPMENT


Removal of the existing glazed Conservatory prior to the construction of replacement covered area. Cloaks and Garden store single storey extension to the front elevation. Impact of development in relation to potential bat habitat:-

Removal of a structure and disruption to the existing porch roof where the new roof will abut.

TYPE OF BUILDING

The property is a detached house with a rear conservatory to the rear. Front elevation







METHODOLOGY

The survey methodology follows the guidelines published in the Bat Conservation Trust 2016 (BCT- Bat surveys, good practice guidelines 4th Edition)

Scoping survey; (Non invasive) carried out by one surveyor to assess if the site has any potential value for protected species and determine if bats are currently or have historically used the building.

Emergence survey; are conducted 20 minutes before sunset and up to two hours after. Emergence surveys are conducted between the months of April through to end of September (weather dependant).

October to April (winter months) bats are inactive during the hibernation period.

All surveyors used have many years experience in conducting bat emergence surveys

CONSTRAINTS

A scoping survey was carried out during the hibernation period. All the structure was easily accessible.

AIMS OF THE SURVEY

To ensure the proposed development will not affect any protected species

The survey will; Identify past ,current or potential use of the site by protected species.

Assess any impact of the proposed development on these species

Outline a mitigation scheme for any species affected by the development (if required)

LOCATION SD664499 118m elevation

The House is located amongst a small group of 4no. residential properties all built around the same time (Approx 20-30 years old). Further period properties are located within this small satellite housing group on the outskirts of Dunsop Bridge Village.



FORAGING POTENTIAL IN THE LOCATION

The property is situated in a large garden in a rural location surrounded by large acreage pasture land, largely bound by hedgerow and small trees. Extensive tree lines of mature broad leaf trees connect this location to the greater locality, lining the surrounding roads, drive and the River Hodder which is 39m to the north. Larger wooded areas are present in the area, the nearest being 130m to the North west.

The location can be considered to provide an optimal level of bat forage potential.



WALL CONSTRUCTION

The walls of the conservatory are coursed stone base walls Upvc glazed frames above. The adjacent house wall is the same coursed natural stone.



The porch walls and adjacent house walls are coursed stone.



<u>BAT ACCESS POINTS IN WALLS</u>
The walls are in very good condition and devoid of cracks or crevices. There are no possible access points into the walls of this property.

ROOF CONSTRUCTION

The conservatory roof is clear glass and Upvc frame. Lead flashing at abutment with the house wall. Moulded upvc gutters flush fixed.





The Porch roof.is artificial stone slate with pointed ridge tiles. The upvc fascia's are flush fixed to the walls. Lead flashing at abutment with the house walls.

The south pitch of the porch roof being abutted by the lean to extension roof.



BAT ACCESS POINTS IN ROOF

The conservatory roof was in good condition with no access points. The roof was well flashed to the wall with no gaps or crevices suitable for Bat ingress.



The porch roof was examined closely. There was significant moss coverage to the slates, however they were all tight fitting and the pointing was in reasonable condition with no crevices.



The verge to the porch is well pointed with no access points

ROOF SPACE

A ceiling was present in the porch however there was no hatch for access to the void.



BAT SIGNS, EXTERNAL

SEEN
DROPPINGS

MAGENTA BAT5 DETECTOR RESULT

163	INO
	Х
	Х
	N/A

NIA

The external features of the porch and Conservatory were the main focus of this scoping survey. The lead flashings, facia's, ridge slate pointing, walls, were visually examined for droppings, staining, grease marks or feeding remains. No evidence was found.

BAT SIGNS, INTERNAL

SIGHTED DROPPINGS

DETECTOR RESULTS
STAINING/GREASE MARKS
SUSPECT SUMMER ROOST
SUSPECT WINTER HIBERNACULA
INSECT OR MOTH FEEDING EVIDENCE

Yes	No
	Х
	X
	X
	Х
	Х
	X
	X

The interior of the porch and conservatory were inspected for any evidence of current or historic bat presence. None was found.

CONCLUSION

The removal of the conservatory and construction of a covered area will not disturb any bat population nor result in the loss of any high value roost habitat.

The examination of all exterior surfaces did not reveal any signs of bat presence. The construction of the new front extension will involve the removal of some slates on the south pitch of the porch roof, this will not disturb or uncover any bat population.

The scale of the extension to the front or the new rear canopy roof will not disrupt any existing commute or forage routes in the locality.

Whilst it is highly likely a bat population will be present in this locality, this application will not impact them in any way.

All contractors should be made aware of their responsibilities to protected species and work should proceed with due diligence and in the unlikely event that any bats are discovered work must be stopped immediately and a licensed bat worker must be contacted for advice on how to proceed

RISK ASSESSMENT

(The level of probability that bats are using the property is calculated on the evidence found.)

LOW

NOTES:

The precautions below should be incorporated in the unlikely event that any bats are found to be present in the intervening time between surveys and work commencing on site. When bats are found to be present in a building:

- A NATURAL ENGLAND licence will be required before any building work is undertaken.
- Pointing work should not be undertaken during winter months as hibernating bats might be entombed.
- Work to roof structure should not be undertaken between late May, June, July and August.
- Small areas of wall could be left un -pointed to encourage potential roosting sites.
- Care must be taken when removing existing roof timbers, and any new timbers or treatment of
 existing timbers must be carried out using chemicals listed as safe for bat roosts.
- NOTE: The onus lies with the applicant to satisfy themselves that no offence will be committed if the development goes ahead.

If bats are ever found during building work, stop work immediately and contact the Bat Conservation Trust or Natural England.

The Bat Conservation Trust Quadrant House 250 Kennington Lane Natural England Cheshire-Lancashire Team 2nd Floor, Arndale House

London SE11 5RD

Manchester M4 3AQ

0845 1300 228

0300 060 3900

LIVING WITH BATS

- Bats are not rodents, and will not nibble or gnaw at wood, wires or insulation.
- Bats do not build nests and therefore do not bring bedding material into the roost; neither do they bring their insect prey into the roost.
- All bats in the UK eat insects, so they are a great form of natural pest control!
- **Bat droppings** in the UK are dry and crumble away to dust. As a result, there are no known health risks associated with them.
- Female bats usually have only one baby a year, so properties do not become 'infested'.
- Most bats are seasonal visitors to buildings they are unlikely to live in the same building all
 year round, although they are loyal to their roosts and so usually return to the same roosts year
 after year.
- Bats are clean and sociable animals and spend many hours grooming themselves.