

THE MEASURE OF QUALITY





Touchstone's slim window profile has become a popular solution for stone mullion glazing situations. Stone mullion windows are often narrow by definition and therefore it is vital such as Insulead® has a minimal sightline. This is particularly important when it comes to replacement glazing for historic buildings where there is a need to replace a single glazed window with virtually no sightline.





AN OPENING CASEMENT MADE TO LAST

Touchstone's Steelyte® opening casements are uniquely designed and constructed from stainless steel. Thermally broken and fully weather stripped, they take a full 28mm unit. They combine the narrowest of sight lines with security, durability and elegance. The steel is all but immune from corrosion. Whilst powder coated for the heritage market, our openers can be supplied polished for modern building applications. A choice of type of lead, glass and glazing bars is always available.





SHAPES AND OUT OF SQUARE WINDOWS MADE EASY

Each installation is a truly bespoke process. For this reason shaped openings and badly out of square windows are no problem. Due to the inherently flexible nature of Touchstone's glazing system it is possible to construct virtually any shape and configuration of glazing that may be required. All with the full benefits outlined in this brochure.

The glass, steel and lead used in our products are fully recyclable.





FULLY DRAINED & THERMALLY
BROKEN

Touchstone's Insulead® has been specifically designed for double glazed units. It is fully drained and thermally broken. In the unlikely event of water ingress through, for example stone porosity, the inbuilt drainage channels allow the water to exit to the outside via weep holes. Combined with warm edge spacer bar technology Insulead offers the highest level of insulation possible.



HISTORIC GLAZING RE-DEFINED

Using Touchstone's numerous glazing options, along with our own kiln modified glass to give an aged appearance, our skilled craftsmen are able to create a product which reflects the essential character, quality and charm of the original leaded windows. Combined with energy efficient glass our system satisfies both function and form.

EXTENSIVE RANGE OF GLAZING

Due to the unique ability of Touchstone's Insulead® to take any thickness of unit (28mm standard) it is possible to incorporate specialised glass for the purposes of security, UV filtration, energy conservation and sound inhibition whilst maintaining a traditional appearance. It is even possible to use the original glazing either within the double glazing or mounted in front or behind as a decorative screen.





THE MEASURE OF QUALITY

