



The Rooflight Company −Natural slates on 25x38 conservation rooflight (517mm tanalized battens spacing and clear viewable width x 828mm lap to suppliers specification clear viewable length). Fitted fixed in accordance with strictly in accordance with BS5534 part 1 manufacturer's instructions to achieve a 'flush slate' Existing breathable membrane installation. retained Timber bearers fixed on top of head structural rafter supports 25x50mm treated timber with coach bolts through -50mm thick Thermafleece ⊢ 175mm thick Thermafleece ŬUltraWool insulation between UltraWool insulation to jambs, head & cill -AVCL (Thermofloc VSD) 100mm thick Thermafleece UltraWool insulation under 12.5mm thick plasterboard & rafters between cross battens 3mm skim finish

Section B-B



Elevation Side hung double casement



Section D-D

- Code 4 lead flashing with

taken up roof face & under

breather membrane
Hardwood tilting fillet

with coach bolts through 175mm thick Thermafleece

rafters between cross battens

UltraWool insulation to jambs,

12.5mm thick plasterboard &

50mm thick Thermafleece

UltraWool insulation bed rafters

100mm thick Thermafleece


UltraWool insulation under rafters

head & cill

3mm skim finish

Timber bearers fixed on top of head structural trimmer supports

clipped down slates. Flashing



В	02/02/24	MR	ZH	PLANNING SUBMISSION					
Α	16/01/24	MR	ZH	For client approval					
REV	DATE	DRWN	CHKD	REVISION DETAILS					
Renovation of Park Style Cottage Higher Lickhurst, Leagram, Chipping Lancashire PR3 2QT  CLIENT  Duchy of Lancaster									
Lan	cashire nt	PR3	2QT	gram, Chipping					

Window Details as Proposed Sheet 1

	G STATUS		SCALE:	1:10 @ A1		
PLA	NNING		DATE: January 2024			
DRAWIN	G No.	REVISION		DRAWN: MR		
2461	-06	В		CHECKED : ZH		
0	200	400	60	00	800mm	



29 CASTLE HILL, LANCASTER LA1 1YN **1** 01524 32479 

DO NOT SCALE SITE DIMENSIONS FROM THIS DRAWING