



NOTES:

1. ALL SEWERS ARE DESIGNED IN ACCORDANCE WITH SEWERS FOR ADOPTION 6TH EDITION AND UNITED UTILITIES GUIDELINES AND STANDARD DETAILS.
2. ALL CO-ORDINATES AND LEVELS SHOWN ARE RELATIVE TO THE TOPOGRAPHIC SURVEY.
3. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO ENSURE THE LINE AND LOCATION OF ANY EXISTING SEWERS, AS WELL AS ANY EXISTING GROUND AND INVERT LEVELS SHOWN ON THE DRAWING ARE CORRECT PRIOR TO THE COMMENCEMENT OF ANY WORKS. ANY DISCREPANCIES MUST BE REPORTED IMMEDIATELY.
4. PRIOR TO THE COMMENCEMENT OF ANY ON SITE WORKS THE CONTRACTOR MUST CONTACT THE STATUTORY UNDERTAKER AND BE IN POSSESSION OF THE LATEST DRAWINGS SHOWING THEIR APPARATUS.
5. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO ALLOW FOR THE SUPERVISION OF THE CONSTRUCTION WORKS BY UNITED UTILITIES AND/OR THE HIGHWAYS AUTHORITY. THE CONTRACTOR WILL NOTIFY THE SUPERVISING OFFICER GIVING NOTICE WHICH WILL BE IN ACCORDANCE WITH THE AUTHORITIES REQUIREMENTS.
6. THE PROPOSED SEWERS WILL BE CLAY PIPE WORK AND SHALL BE EXTRA STRENGTH TO BS EN 295:1991 PART 1.
7. ANY PCC PIPE WORK WILL BE IN ACCORDANCE WITH BS EN 1916:2002.
8. ALL MANHOLES AND CHAMBERS SHALL BE IN ACCORDANCE WITH BS EN 1917:2002.
9. SEWERS WITH COVER TO SOFTEN GREATER THAN 1.2m IN ROADS AND 0.9m IN FIELDS SHALL HAVE BED AND SURROUND AS FOLLOWS: RIGID PIPE EMBEDMENT SHALL BE CLASS S, SEMI RIGID PIPE EMBEDMENT SHALL BE CLASS S ALL IN ACCORDANCE WITH UNITED UTILITIES STANDARD DETAIL STD/05/001.
10. PRIVATE DRAINAGE CONNECTIONS TO THE SEWER WILL BE 150MM DIAMETER AND LAID TO THE SPECIFIED INVERT. THE INVERT LEVELS SPECIFIED AT THE DRAG OUT CHAMBER ARE INCOMING LEVELS.
11. WHEREVER POSSIBLE PRIVATE DRAINAGE RUNS WILL REMAIN WITHIN THE CURTLEGE OF THE DWELLING FOR WHICH THEY SERVE.
12. THE CONNECTION TO THE ADOPTABLE SEWER SHALL BE MANUFACTURED JUNCTION PIPES. SADDLE CONNECTION IS NOT PERMITTED UNLESS IT IS CLEARLY SPECIFIED.
13. ANY SEWER FOR ADOPTION WITH A COVER OF LESS THAN 1.2M TO PIPE SOFFIT IN ROADS OR 0.9M TO PIPE SOFFIT IN FIELDS WILL HAVE A MINIMUM 150MM GEN 3 CONCRETE BED AND SURROUND WITH FLEXIBILITY MAINTAINED WITH FLEXCELL EXPANSION JOINT FILLER OR SIMILAR APPROVED AT EACH JOINT.
14. CONNECTIONS TO THE EXISTING SEWER WILL BE IN ACCORDANCE WITH SECTION 104 APPROVAL GRANTED BY UNITED UTILITIES.
15. CONNECTIONS TO THE EXISTING WATERCOURSE WILL BE IN ACCORDANCE WITH APPROVAL GRANTED BY THE EA.

KEY:

- SW SEWER
- FW SEWER
- PROPOSED LAND DRAINAGE
- EXISTING PUBLIC FW SEWER
- PROPOSED FW DIVERSION
- SW DRAUGHT
- FW DRAUGHT
- GULLY
- PROPOSED CULVERTED WATERCOURSE
- GAS MAIN (APPROXIMATE LOCATION)
- EXISTING WATERCOURSE
- EXISTING CULVERT TO BE ABANDONED
- ALLAN BLOCK RETAINING WALL TYPE AND FINISH TO PERMISSIMON SPECIFICATION

P21 06.02.24	Added land drain and amended.	H.S. R.A.
P20 16.01.24	Updated site layout	R.M. R.A.
P19 22.09.23	Updated drainage layout due to change on ret. wall	R.M. R.A.
P18 03.02.23	Updated to LCC comments	M.A. R.A.
P17 09.09.22	Climate change allowance updated	M.A. R.A.
P16 21.04.22	Drainage updates to as built culvert levels	M.A. R.A.
P15 07.04.22	FW3 connection updates	M.A. R.A.
P14 25.02.22	Gully positions update in line with road	J.C. R.A.
P13 21.02.22	FFL for garage behind plot 1 updated	H.S. R.A.
P12 15.02.22	Pond and FFLs updated along southern boundary	J.C. R.A.

P15 07.04.22	FW3 connection updates	M.A. R.A.
P14 25.02.22	Gully positions update in line with road	J.C. R.A.
P13 21.02.22	FFL for garage behind plot 1 updated	H.S. R.A.
P12 15.02.22	Pond and FFLs updated along southern boundary	J.C. R.A.
P11 07.12.21	Drainage update in line with SW14 IL change	J.C. R.A.
P10 19.02.21	Road names added. Scaled to fit A0	D.A. R.A.
P09 17.11.20	Updated to site layout rev H	J.C. R.A.
P08 30.09.20	PRELIMINARY - Updated to suit latest site layout	D.A. R.A.
P07 24.08.20	PRELIMINARY - Updated to suit S.104 comments	J.C. R.A.
P06 30.06.20	PRELIMINARY - Updated to suit S.104 comments	D.A. R.A.

EDGE
CONSULTANTS
LIMITED

Manchester, UK
3rd Floor, Cornbrook Court,
12 Beaudin Street,
Manchester, M3 2BQ,
United Kingdom

T: +44 (0) 161 834 1938
E: manchester@edgece.com

www.edgece.com

The copyright in this document is the copyright of EDGE CONSULTANTS. Any use or copying of this document in whole or in part without the written permission of EDGE CONSULTANTS constitutes an infringement of copyright.
DO NOT SCALE DRAWINGS. IF IN DOUBT, ASK!

HAWTHORNE FARM CLITHEROE

Client: **PERSIMMON HOMES**

Drawn: **D.A.** Checked: **R.A.** Scale: **1:250**

DRAINAGE LAYOUT

Project No: **19310**

Drawing No: **19310-EDGE-XX-XX-DR-C-C2001**

PRELIMINARY
NOT FOR CONSTRUCTION

Revision: **P22**



ymede itage

10/2/2021

PARK AVENUE