

320240592P

**BAT SURVEY AT -
6 RAILWAY VIEW ROAD
CLITHEROE**

DATE AND TIME OF VISIT
24TH April 2024

WEATHER CONDITIONS
Sunny , 6 -20mph northerly wind. 7 C

REFERENCE NO. 6670



SURVEY CARRIED OUT BY: LYNNE RUSHWORTH
SUNDERLAND PEACOCK & ASSOCIATES LTD
HAZELMERE, PIMLICO ROAD, CLITHEROE
LANCASHIRE, BB7 2AG
T 01200 423178 F 01200 427328
E info@sunderlandpeacock.com
www.sunderlandpeacock.com

UK BAT ECOLOGY

- It is thought that there are 18 native species of bats in the UK, most of which have seen declines in numbers over the last century.
- 11 Species have been recorded in Lancashire the most common being :-
 - **Common Pipistrelle** – Widely distributed across the UK.. Known to roost in buildings and trees.
 - **Soprano Pipistrelle-** – Widely distributed across the UK.. Known to roost in buildings and trees
 - **Whiskered / Brandts** – Roost mainly in buildings or trees.
 - **Long eared Bat** - Roost in older buildings, Barns, Churches and trees.
 - **Daubentons** - Known to roost in trees, tunnels, bridges, caves, mines and cellars near to lakes, rivers or ponds.
 - **Natterers** – Known to roost in old stone buildings , large timbered barns , tree holes , caves or mines.
- As insect feeding species the preferred habitats include woodland, grassland, agricultural land, wetland and rivers which provide good foraging potential.
- Bats typically roost close to foraging sites and use linear features such as hedgerows, tree lines and rivers to navigate. It is important to maintain these features, as removal is thought to contribute to the decline in numbers.
- Bats will roost in a wide variety of sites and built structures, including underground structures (caves , bridges) and trees . Types of roost and times of year used.

Hibernacula - November to March

Temporary roosts - March to April and August to October

Maternity roosts – May to August

Summer roosts – Used by Males and immature females

Mating roosts – September and October

- Disturbance to a Hibernacula or Maternity roost is the most damaging for any local bat population. The same Maternity roosts are typically used year after year commencing between May to early June and are colonised with mature females and their young, any disturbance can lead to abandonment of the young and loss of the roost will have a significant impact on the bat population. Hibernacula roosts typically consist of underground sites caves, cellars etc or buildings which maintain cool and fairly constant temperatures. Bats hibernate (deep sleep , torpor) to survive the winter months when insects are in short supply so they hibernate to conserve energy and survive on their fat stores. Any disturbance which wakes the bats can result in unnecessary use of the energy reserves and thus reduces the chance of survival over the winter months.

**THIS SURVEY HAS BEEN CARRIED OUT BY: LYNNE RUSHWORTH WHO HAS SIXTEEN YEARS OF EXPERIENCE AND COMPLETED THE BAT CONSERVATION TRUST'S 'BATS AND BAT SURVEYS' FOUNDATION COURSE FOR CONSULTANTS, AND 'PLANNING AND PREPARATION OF BAT SURVEYS' COURSE
EMERGENCE SURVEYS ARE CARRIED OUT WITH A SECOND SURVEYOR WITH SIXTEEN YEARS EXPERIENCE OF ASSISTING ON EMERGENCE SURVEYS**

THE BRIEF

In conjunction with the submission of an application for planning approval, this survey was commissioned to identify if bats are currently present in the building, to assess if it has been used in the past or if there is any potential for future use of the building.

All British bats and their roosts are legally protected under the Wildlife and Countryside Act 1981 (as amended) and the Conservation of Habitats and Species Regulations 2010, the Countryside and Rights of Way Act 2000 and the Natural Environment and Rural Communities Act 2006

BAT LEGISLATION - Summary of offences under the law:

Bats and the Law Wildlife and Countryside Act 1981

Principally those relating to powers and penalties, have been amended by the Countryside and Rights of Way Act 2000 (CRoW Act). The CRoW Act only applies to England and Wales.

Section 9(1) It is an offence for any person to intentionally kill, injure or take any wild bat.

Section 9(4)(a) It is an offence to intentionally or recklessly* damage, destroy or obstruct access to any place that a wild bat uses for shelter or protection. (*Added by the CRoW Act in England and Wales only) This is taken to mean all bat roosts whether bats are present or not.

Section 9(4)(b) It is an offence to intentionally or recklessly* disturb any wild bat while it is occupying a structure or place that it uses for shelter or protection. (*Added by the CRoW Act in England and Wales only)

The Conservation (Natural Habitats, &c.) Regulations 1994

Section 39(1)

It is an offence to

- (a) Deliberately to capture or kill any bat
- (b) Deliberately to disturb any bat
- (c) Damage or destroy a breeding site or resting place of any bat. The difference between this legislation and the Wildlife and Countryside Act 1981 is the use of the word 'deliberately' rather than 'intentionally'. Also disturbance of bats can be anywhere, not just at a roost. Damage or destruction of a bat roost does not require the offence to be intentional or deliberate.

Countryside and Rights of Way (CRoW) Act (2000) Part III Nature conservation and wildlife protection 74 Conservation of biological diversity

- (1) It is the duty of (a) any Minister of the Crown (within the meaning of the Ministers of the [1975 c. 26.] Crown Act 1975), (b) any Government department, and (c) the National Assembly for Wales, in carrying out his or its functions, to have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biological diversity in accordance with the Convention.

The Natural Environment and Rural Communities Act (2006) PART 3. (40): Duty to conserve biodiversity

- (1) Every public authority must, in exercising its functions, have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biodiversity.
- (2) Conserving biodiversity includes, in relation to a living organism or type of habitat, restoring or enhancing a population or habitat.

If it is discovered that development may impact upon bat roosts (thus leading to an offence being committed) a mitigation plan should be devised and a Bat Mitigation Licence applied for from the relevant government department (i.e. Natural England). Gaining a licence will depend on many variables, such as the bat species present, roost type, roost size and its local/regional/national importance

LIMITATIONS OF REPORT

NOTE: *The absence of bats is near impossible to prove. The bats' high mobility means it is virtually impossible to rule out bats using any type of structure for roosting or habitat for foraging or on a flight path.*

- External walls and internal rooms inspected from ground level.
- Roof spaces, attics and lofts will only be inspected if safe access is possible.
- Winter surveys will provide limited results. However internal inspection should determine if bats have used the building in the previous year.
- Any building whose structure is considered dangerous can only be inspected from a safe distance. Crevice- roosting bats ie. Pipistrelles, some Myotis species and Brown long eared bats can remain unseen even after close inspection in small spaces ie. cavity walls, roof structures soffits or cladding.
- Bat roosting evidence ie. Droppings or insect remains can be removed by weather conditions or sweeping/ cleaning internally so this lack of evidence cannot always prove undoubtedly that bats are absent.

EQUIPMENT USED ON SURVEY

- 'BATSCANNER' BAT DETECTOR
- BINOCULARS
- SHADOWHAWK 12000 lumen HIGH POWERED LED TORCH
- LADDERS FOR HIGH LEVEL INSPECTION
- CAMERA

PROPOSED DEVELOPMENT

Insertion of a dormer roof in the main roof rear pitch and conversion of roof space.

Impact of development in relation to potential bat habitat:-

Disturbance to the main roof structure.

TYPE OF BUILDING

The property is a terrace building functioning as a doctors surgery.



Front Elevation



Rear Elevation



Location of proposed Dormer

METHODOLOGY

The survey methodology follows the guidelines published in the Bat Conservation Trusts (BCT- Bat surveys for professional Ecologists, good practice guidelines 4th Edition)

Scoping survey ; (Non invasive) carried out by one surveyor to assess if the site has any potential value for protected species and determine if bats are currently or have historically used the building.

Emergence survey ; are conducted 20 minutes before sunset and up to two hours after. Emergence surveys are conducted between the months of April through to end of September (weather dependant).

October to April (winter months) bats are inactive during the hibernation period.

All surveyors used have many years experience in conducting bat emergence surveys.

CONSTRAINTS

A scoping survey was carried out towards the end of the hibernation period.

A small section of the rear outrigger roof was not fully visible.

AIMS OF THE SURVEY

To ensure the proposed development will not affect any protected species


The survey will ; Identify past ,current or potential use of the site by protected species.

Assess any impact of the proposed development on these species

Outline a mitigation scheme for any species affected by the development (if required)

LOCATION SD742421 82 m elevation

The property is located just north of Clitheroe town centre in a largely residential area. It is at the junction of Railway View and Brennand street.



FORAGING POTENTIAL IN THE LOCATION

The site is located adjacent to extensive areas of terraced properties. There is a small group of mature trees located adjacent to the Telephone exchange 65 m to the south. Further mature trees are present at approx 100m to the south east adjacent to the church and the houses located on Church brow. The railway line is 60m to the north west which is lined with some marginal tree/ shrubs. There is no significant connectivity between the identified groups of trees or to the greater locality, the forage potential is considered sub optimal.



WALL CONSTRUCTION

The walls are brick to the rear outrigger, the front elevation and rear wall of the main building is natural stone with a lower section of render.



BAT ACCESS POINTS IN WALLS

The walls are well pointed and are in good condition. No cracks or crevices suitable for bat ingress were found to be present.

ROOF CONSTRUCTION

The main roof and outrigger is blue slate with pointed ridge tiles and lead flashed chimney's. Gutters on brackets are present at the eaves. There is a glazed light in the rear pitch.



Main roof front pitch



Rear roof pitch and outrigger



Rear pitch



Outrigger mono pitch

The outrigger roof will not be affected by the insertion of the dormer roof.

BAT ACCESS POINTS IN ROOF

The roof is in excellent condition. The slates are very tight fitting and no slipped slates present. The pointing to the ridge tiles is in good condition with no missing sections or cracks. The gutters are in good condition and fit flush to the walls. No potential access points were evident.



ROOF SPACE

The roof space was accessible from the first floor landing. The timbers were in reasonable condition with no signs of rot or have any cracks present. The slates are fixed directly to the timbers no underlay is present. The space is very dusty due to the presence of back pointing to the rafters and battens.

The space is light due to the presence of the roof light.

The floor surface was examined for droppings or any insect remain feeding evidence, the result was negative.

The space does not provide any potential bat roost habitat.



BAT SIGNS, INTERNAL

Bats were not present in this building.

	Yes	No
SIGHTED		X
DROPPINGS		X
DETECTOR RESULTS		X
STAINING/GREASE MARKS		X
SUSPECT SUMMER ROOST		X
SUSPECT WINTER HIBERNACULA		X
INSECT OR MOTH FEEDING EVIDENCE		X

BAT SIGNS, EXTERNAL

The external features to rear of the property and the roof space were the main focus of this scoping survey. The lead flashings to chimney's, the ridge slates, walls and any sills were visually examined for droppings, staining, grease marks or feeding remains. No evidence was found.

	Yes	No
SEEN		X
DROPPINGS		X
MAGENTA BAT5 DETECTOR RESULT		N/A

CONCLUSION

The lack of evidence and lack of potential access points or crevices at this property indicates that the new Dormer and conversion of the roof space will not impact adversely on any local bat population nor is it likely that any bats will be uncovered or disturbed during the slate removal. The scale of the dormer does not have the potential to disrupt any commute /forage routes in the locality. It is not considered necessary to carry out an emergence survey nor is there a requirement for a mitigation scheme.

All contractors should be made aware of their responsibilities to protected species and work should proceed with due diligence and in the unlikely event that any bats are discovered work must be stopped immediately and a licensed bat worker must be contacted for advice on how to proceed

RISK ASSESSMENT

(The level of probability that bats are using the property is calculated on the evidence found.)

LOW

NOTES:

The ` be incorporated in the unlikely event that any bats are found to be present in the intervening time between surveys and work commencing on site.

When bats are found to be present in a building:

- A NATURAL ENGLAND licence will be required before any building work is undertaken.
- Pointing work should not be undertaken during winter months as hibernating bats might be entombed.
- Work to roof structure should not be undertaken between late May, June, July and August.
- Small areas of wall could be left un -pointed to encourage potential roosting sites.
- Care must be taken when removing existing roof timbers, and any new timbers or treatment of existing timbers must be carried out using chemicals listed as safe for bat roosts.
- NOTE: The onus lies with the applicant to satisfy themselves that no offence will be committed if the development goes ahead.

If bats are ever found during building work, stop work immediately and contact the Bat Conservation Trust or Natural England.

The Bat Conservation Trust
Quadrant House
250 Kennington Lane

London SE11 5RD

0845 1300 228

Natural England
Cheshire-Lancashire Team
2nd Floor, Arndale House

Manchester M4 3AQ

0300 060 3900

LIVING WITH BATS

- **Bats are not rodents**, and will not nibble or gnaw at wood, wires or insulation.
- **Bats do not build nests** and therefore do not bring bedding material into the roost; neither do they bring their insect prey into the roost.
- **All bats in the UK eat insects**, so they are a great form of natural pest control!
- **Bat droppings** in the UK are dry and crumble away to dust. As a result, there are no known health risks associated with them.
- **Female bats usually have only one baby a year**, so properties do not become 'infested'.
- **Most bats are seasonal visitors** to buildings - they are unlikely to live in the same building all year round, although they are loyal to their roosts and so usually return to the same roosts year after year.
- **Bats are clean and sociable animals** and spend many hours grooming themselves.