

## SANDERSON BROTHERS

(INGLEWHITE LTD)
JOINERS SHOP
SILK MILL LANE
INGLEWHITE



Project: OFR2602 - Dog @ Partridge Front Elevation / Date: 03/10/2024

## **Client Quote**

Client: Phone: Email: Rachel Suthers- Homelife Developments Ltd

Adress: Dog @


Dog @ Partridge, Hesketh Lane, Chipping PR3 2TH

Thankyou for your enquiry.

Here at Sanderson Brothers we manufacture products which have been tested to achieve British Fenestration Council 'A' rating. This includes PAS24 security certification to satisfy Document Q for new build housing. Our 'CM GOLD' 3rd party certification ensures full compliance with CE marking regulations.

All our windows and doors are manufactured in hardwood (unless requested otherwise). Our products come factor finished with a four coat Sirca Paint system. Where applicable all products will be supplied fully glazed (unless requested otherwise) with 24mm LOW E, argon gas filled units. Where applicable MACO (windows) & Wink Haus (Doors) multipoint security locks are fitted as standard.

Please find below our supply only estimate, if you would like any further information please contact us at the email above.



Version: 4.1.0.36 (210705.210705.6)

Page 1 of 7

Project: OFR2602 - Dog @ Partridge Front Elevation Printed on: 03/10/2024

## 002 - Fre Escape

Size:

905.0 mm x 865.0 mm

Profile System:


Stormproof Casement Window System / Black British Standard 00 E 53 / Utile

Fittings:

Casement Window With Fab & Fix Ironmongery

Glass:

4mm PLANITHERM 1 - 16mm Black Warm Edge (Argon) - 4mm Plani Clear (24.0 mm)



Computed Values	
Unit Price	
Quantity	
Value	

## 003 - Fire Escape

Size:

940.0 mm x 930.0 mm

Profile System:


Stormproof Casement Window System / Black British Standard 00 E 53 / Utile

Fittings:

Casement Window With Fab & Fix Ironmongery

Glass:

6.8mm LAMINATED PLANITHERM 1 - 12mm Black Warm Edge (Argon) - 4mm TUFF Plani Clear (22.8 mm)




Computed Values	
Unit Price	
Quantity	
Value	


Size: 1,010.0 mm x 905.0 mm

Profile System: Stormproof Casement Window System / Black British Standard 00 E 53 / Utile

Fittings: Casement Window With Fab & Fix Ironmongery

Glass: 4mm PLANITHERM 1 - 16mm Black Warm Edge (Argon) - 4mm Plani Clear (24.0 mm)





005 -	1 005 0		
Size:	1,005.0 mm x 915.0 mm		
Profile System:	Stormproof Casement Window System / Black British Standard 00 E 53 / Laminate Sapele		
Glass:	6.8mm LAMINATED PLANITHERM 1	· 12mm Black Warm Edge (Argon) - 4mm TUFF Plani Clear (	(22.8 mm)
T seems		Computed Values	
		Unit Price	
		Quantity	
		A CONTROL OF THE CONT	

H=915.0	W=1.005.0
u.hu	W=1,005.0
	Viewed from outside.


006 - Fire Escape Size:

1,005.0 mm x 905.0 mm Stormproof Casement Window System / Black British Standard 00 E 53 / Utile

Profile System: Casement Window With Fab & Fix Ironmongery

Fittings:

4mm PLANITHERM 1 - 16mm Black Warm Edge (Argon) - 4mm Plani Clear (24.0 mm) Glass:



Computed Values	
Unit Price	
Quantity	
Value	


007 -

Size: 1,140.0 mm x 1,490.0 mm

Stormproof Casement Window System / Black British Standard 00 E 53 / Utile Profile System:

Casement Window With Fab & Fix Ironmongery Fittings:

4mm PLANITHERM 1 - 16mm Black Warm Edge (Argon) - 4mm Plani Clear (24.0 mm) Glass:



<b>Computed Values</b>	
Unit Price	
Quantity	
Value	

Version: 4.1.0.36 (210705.210705.6)


Page 4 of 7

Project: OFR2602 - Dog @ Partridge Front Elevation Printed on: 03/10/2024 Size: 1,015.0 mm x 1,180.0 mm

Profile System: Stormproof Casement Window System / Black British Standard 00 E 53 / Utile

Fittings: Casement Window With Fab & Fix Ironmongery


Glass: 4mm PLANITHERM 1 - 16mm Black Warm Edge (Argon) - 4mm Plani Clear (24.0 mm)



Computed Value	ies
Unit Price	
Quantity	
Value	



Size:	2,095.0 mm x 1,200.0 mm
Profile System:	Stormproof Casement Window System / Black British Standard 00 E 53 / Utile
Fittings:	Casement Window With Fab & Fix Ironmongery
Glass:	4mm PLANITHERM 1 - 16mm Black Warm Edge (Argon) - 4mm Plani Clear (24.0 mm)




Computed Values	•
Unit Price	
Quantity	
Value	



Version: 4.1.0.36 (210705.210705.6)


Page 5 of 7

Project: OFR2602 - Dog @ Partridge Front Elevation Printed on: 03/10/2024 010 -Size: 945.0 mm x 1,195.0 mm Profile System: Stormproof Casement Window System / Black British Standard 00 E 53 / Utile Fittings: Casement Window With Fab & Fix Ironmongery 4mm PLANITHERM 1 - 16mm Black Warm Edge (Argon) - 4mm Plani Clear (24.0 mm) Glass:




Computed Values	
Unit Price	to the discontinuous of the state of the sta
Quantity	
Value	And the control of th

011 - D1	
Size:	995.0 mm x 2,050.0 mm
Profile System:	Inward Opening Boarded Door System / Black British Standard 00 E 53 / Utile
Fittings:	Single Door - Fab & Fix - GRAPHITE PEWTER - (www.eraeverywhere.com/fabfix)
Glass:	Triccoya V Jointed Mdf (15.0 mm), 6.8mm LAMINATED PLANITHERM 1 - 12mm Black Warm Edge (Argon) - 4mm TUFF Plani Clear (22.8 mm)



**Computed Values** Unit Price Quantity Value





Quote Total	
Value	У У АСТИГИЕЙ ДОЛИ НЕНИКТОВНИЕ НЕВИДИНЕННИЕМ И СЕЗ МЕТОТИКИЙ СЕЗАНИЙ ОССИБЕНИЕМИ. ПРИ СТИТИТЕЛЬНИЕМ В ПОВЕДИНЕННИЕМ В СЕЗАНИЙ В СТИТИТЕЛЬНИЕМ В СЕЗАНИЙ В СТИТИТЕЛЬНИЕМИ.
VAT	
Quote Total	to the control of the

Quote is valid for 30 days. To proceed with this quote please contact us on the email provided. We will contact you to arrange a site visit to go over the final details. A 50% deposit invoice will then be issued at the start of the manufacture process (6 weeks before the expected delivery). A further 50% invoice will be issued on completion of manufacture.

Viewed from outside. Opens inwards.