

Enviro+Geo

BEACON FELL VIEW CARAVAN PARK, HIGHER ROAD, LONGRIDGE, LANCASHIRE, PR3 2TF

Order Details

Date: 01/07/2025

Your ref: **GAA Beacon Fell**

Our Ref: GS-GWX-IWQ-ZFR-MO1

Site Details

Location: 361677 438103

0.02 ha Area:

Authority: Ribble Valley Borough Council *↗*



Summary of findings

Aerial image <u>p. 2</u> >

p. 9 >

OS MasterMap site plan

<u>p.14</u> > Insight User Guide ↗





Summary of findings

Page	Section	Past land use >	On site	0-50m	50-250m	250-500m	500-2000m
<u>15</u> >	<u>1.1</u> >	<u>Historical industrial land uses</u> >	0	7	16	36	-
<u>18</u> >	<u>1.2</u> >	<u>Historical tanks</u> >	0	1	0	4	-
<u>18</u> >	<u>1.3</u> >	<u>Historical energy features</u> >	0	0	0	1	-
19	1.4	Historical petrol stations	0	0	0	0	-
19	1.5	Historical garages	0	0	0	0	-
19	1.6	Historical military land	0	0	0	0	-
Page	Section	Past land use - un-grouped >	On site	0-50m	50-250m	250-500m	500-2000m
<u>20</u> >	<u>2.1</u> >	<u>Historical industrial land uses</u> >	0	7	19	47	-
<u>23</u> >	<u>2.2</u> >	<u>Historical tanks</u> >	0	1	0	4	-
<u>24</u> >	<u>2.3</u> >	<u>Historical energy features</u> >	0	0	0	2	-
24	2.4	Historical petrol stations	0	0	0	0	-
24	2.5	Historical garages	0	0	0	0	-
Page	Section	Waste and landfill >	On site	0-50m	50-250m	250-500m	500-2000m
<u>25</u> >	<u>3.1</u> >	Active or recent landfill >	0	0	0	1	-
26	3.2	Historical landfill (BGS records)	0	0	0	0	-
26	3.3	Historical landfill (LA/mapping records)	0	0	0	0	-
<u>26</u> >	<u>3.4</u> >	<u>Historical landfill (EA/NRW records)</u> >	0	0	0	1	-
27	3.5	Historical waste sites	0	0	0	0	-
27	3.6	Licensed waste sites	0	0	0	0	-
<u>27</u> >	<u>3.7</u> >	Waste exemptions >	0	0	0	7	-
Page	Section	<u>Current industrial land use</u> >	On site	0-50m	50-250m	250-500m	500-2000m
29	4.1	Recent industrial land uses	0	0	0	-	-
<u>29</u> >	<u>4.2</u> >	National Geographic Database (NGD) - Current or recent tanks >	0	0	2	-	-
30	4.3	Current or recent petrol stations	0	0	0	0	-
30	4.4	Electricity cables	0	0	0	0	-
30	4.5	Gas pipelines	0	0	0	0	-



30	4.6	Sites determined as Contaminated Land	0	0	0	0	-
30	4.7	Control of Major Accident Hazards (COMAH)	0	0	0	0	-
31	4.8	Regulated explosive sites	0	0	0	0	-
31	4.9	Hazardous substance storage/usage	0	0	0	0	-
31	4.10	Historical licensed industrial activities (IPC)	0	0	0	0	-
31	4.11	Licensed industrial activities (Part A(1))	0	0	0	0	-
31	4.12	Licensed pollutant release (Part A(2)/B)	0	0	0	0	-
32	4.13	Radioactive Substance Authorisations	0	0	0	0	-
<u>32</u> >	<u>4.14</u> >	<u>Licensed Discharges to controlled waters</u> >	0	0	0	1	-
32	4.15	Pollutant release to surface waters (Red List)	0	0	0	0	-
32	4.16	Pollutant release to public sewer	0	0	0	0	-
33	4.17	List 1 Dangerous Substances	0	0	0	0	-
33	4.18	List 2 Dangerous Substances	0	0	0	0	-
<u>33</u> >	<u>4.19</u> >	Pollution Incidents (EA/NRW) >	0	0	0	1	-
33	4.20	Pollution inventory substances	0	0	0	0	-
34	4.21	Pollution inventory waste transfers	0	0	0	0	-
34	4.22	Pollution inventory radioactive waste	0	0	0	0	-
Page	Section	<u>Hydrogeology</u> >	On site	0-50m	50-250m	250-500m	500-2000m
<u>35</u> >	<u>5.1</u> >	Superficial aquifer >	Identified (within 500m)		
<u>37</u> >	<u>5.2</u> >	Bedrock aquifer >	Identified (within 500m)				
20 5			Identified (within 50m)				
<u>38</u> >	<u>5.3</u> >	Groundwater vulnerability >					
39 >	<u>5.3</u> > <u>5.4</u> >	Groundwater vulnerability > Groundwater vulnerability- soluble rock risk >		within 50m)			
			Identified (within 50m) within 0m)			
<u>39</u> >	<u>5.4</u> >	Groundwater vulnerability- soluble rock risk >	Identified (within 50m) within 0m)	0	0	6
39 > 39	<u>5.4</u> > 5.5	Groundwater vulnerability- soluble rock risk > Groundwater vulnerability- local information	Identified (Identified (None (with	within 50m) within 0m) in 0m)	0	0	6
39 > 39 40 >	5.4 > 5.5 5.6 >	Groundwater vulnerability- soluble rock risk > Groundwater vulnerability- local information Groundwater abstractions >	Identified (Identified (None (with	within 50m) within 0m) in 0m)			
39 > 39 40 > 42 >	5.4 > 5.5 5.6 > 5.7 >	Groundwater vulnerability- soluble rock risk > Groundwater vulnerability- local information Groundwater abstractions > Surface water abstractions >	Identified (Identified (None (with 0	within 50m) within 0m) in 0m) 0	0	0	4
39 > 39	5.4 > 5.5 5.6 > 5.7 > 5.8 >	Groundwater vulnerability- soluble rock risk > Groundwater vulnerability- local information Groundwater abstractions > Surface water abstractions > Potable abstractions >	Identified (Identified (None (with 0 0	within 50m) within 0m) in 0m) 0 0	0	0	4
39 > 39	5.4 > 5.5 5.6 > 5.7 > 5.8 > 5.9	Groundwater vulnerability- soluble rock risk > Groundwater vulnerability- local information Groundwater abstractions > Surface water abstractions > Potable abstractions > Source Protection Zones	Identified (Identified (None (with 0 0 0	within 50m) within 0m) in 0m) 0 0 0	0 0	0 0	4



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

<u>46</u> >	<u>6.1</u> >	Water Network (OS MasterMap) >	0	0	1	-	-
<u>47</u> >	<u>6.2</u> >	<u>Surface water features</u> >	0	0	2	-	-
<u>47</u> >	<u>6.3</u> >	WFD Surface water body catchments >	1	-	-	-	-
<u>47</u> >	<u>6.4</u> >	WFD Surface water bodies >	0	0	0	-	-
<u>48</u> >	<u>6.5</u> >	WFD Groundwater bodies >	1	-	-	-	-
Page	Section	River and coastal flooding	On site	0-50m	50-250m	250-500m	500-2000m
49	7.1	Risk of flooding from rivers and the sea	None (with	in 50m)			
49	7.2	Historical Flood Events	0	0	0	-	-
49	7.3	Flood Defences	0	0	0	-	-
50	7.4	Areas Benefiting from Flood Defences	0	0	0	-	-
50	7.5	Flood Storage Areas	0	0	0	-	-
51	7.6	Flood Zone 2	None (with	in 50m)			
51	7.7	Flood Zone 3	None (with	in 50m)			
Page	Section	Surface water flooding					
52	8.1	Surface water flooding	Negligihle (within 50m)			
		- Sarrade Water Hooding	IACPUPIDIC (within 30iii)			
Page	Section	Groundwater flooding >	Webligible (within 30mi			
		-		within 50m)			
Page	Section	Groundwater flooding >				250-500m	500-2000m
Page <u>53</u> >	Section <u>9.1</u> >	Groundwater flooding > Groundwater flooding >	Negligible (within 50m)		250-500m	500-2000m
Page 53 > Page	Section 9.1 > Section	Groundwater flooding > Groundwater flooding > Environmental designations >	Negligible (within 50m) 0-50m	50-250m		
Page 53 > Page 54	Section 9.1 > Section 10.1	Groundwater flooding > Groundwater flooding > Environmental designations > Sites of Special Scientific Interest (SSSI)	Negligible (On site	within 50m) 0-50m 0	50-250m	0	0
Page 53 > Page 54 55	<pre>Section 9.1 > Section 10.1 10.2</pre>	Groundwater flooding > Groundwater flooding > Environmental designations > Sites of Special Scientific Interest (SSSI) Conserved wetland sites (Ramsar sites)	Negligible (On site 0	within 50m) 0-50m 0	50-250m 0	0	0
Page 53 > Page 54 55 55	Section 9.1 > Section 10.1 10.2 10.3	Groundwater flooding > Groundwater flooding > Environmental designations > Sites of Special Scientific Interest (SSSI) Conserved wetland sites (Ramsar sites) Special Areas of Conservation (SAC)	Negligible (On site 0 0	within 50m) 0-50m 0 0	50-250m 0 0	0 0	0 0
Page 53 > Page 54 55 55	Section 9.1 > Section 10.1 10.2 10.3 10.4	Groundwater flooding > Groundwater flooding > Environmental designations > Sites of Special Scientific Interest (SSSI) Conserved wetland sites (Ramsar sites) Special Areas of Conservation (SAC) Special Protection Areas (SPA)	Negligible (On site 0 0 0 0	within 50m) 0-50m 0 0 0	50-250m 0 0 0	0 0 0	0 0 0
Page 53 > Page 54 55 55 55	Section 9.1 > Section 10.1 10.2 10.3 10.4 10.5	Groundwater flooding > Groundwater flooding > Environmental designations > Sites of Special Scientific Interest (SSSI) Conserved wetland sites (Ramsar sites) Special Areas of Conservation (SAC) Special Protection Areas (SPA) National Nature Reserves (NNR)	Negligible (On site 0 0 0 0	within 50m) 0-50m 0 0 0 0	50-250m 0 0 0 0	0 0 0 0	0 0 0 0 0
Page 53 > Page 54 55 55 55 56	Section 9.1 > Section 10.1 10.2 10.3 10.4 10.5 10.6	Groundwater flooding > Groundwater flooding > Environmental designations > Sites of Special Scientific Interest (SSSI) Conserved wetland sites (Ramsar sites) Special Areas of Conservation (SAC) Special Protection Areas (SPA) National Nature Reserves (NNR) Local Nature Reserves (LNR)	Negligible (On site 0 0 0 0 0	within 50m) 0-50m 0 0 0 0 0	50-250m 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
Page 53 > Page 54 55 55 55 56 56 56 >	Section 9.1 > Section 10.1 10.2 10.3 10.4 10.5 10.6 10.7 >	Groundwater flooding > Groundwater flooding > Environmental designations > Sites of Special Scientific Interest (SSSI) Conserved wetland sites (Ramsar sites) Special Areas of Conservation (SAC) Special Protection Areas (SPA) National Nature Reserves (NNR) Local Nature Reserves (LNR) Designated Ancient Woodland >	Negligible (On site O O O O O O O O	within 50m) 0-50m 0 0 0 0 0 0	50-250m 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
Page 53 > Page 54 55 55 55 56 56 56 56	Section 9.1 > Section 10.1 10.2 10.3 10.4 10.5 10.6 10.7 > 10.8	Groundwater flooding > Environmental designations > Sites of Special Scientific Interest (SSSI) Conserved wetland sites (Ramsar sites) Special Areas of Conservation (SAC) Special Protection Areas (SPA) National Nature Reserves (NNR) Local Nature Reserves (LNR) Designated Ancient Woodland > Biosphere Reserves	Negligible (On site O O O O O O O O O O O	within 50m) 0-50m 0 0 0 0 0 0 0	50-250m 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0 2



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

57	10.12	Proposed Ramsar sites	0	0	0	0	0
57	10.13	Possible Special Areas of Conservation (pSAC)	0	0	0	0	0
57	10.14	Potential Special Protection Areas (pSPA)	0	0	0	0	0
58	10.15	Nitrate Sensitive Areas	0	0	0	0	0
58	10.16	Nitrate Vulnerable Zones	0	0	0	0	0
<u>59</u> >	<u>10.17</u> >	SSSI Impact Risk Zones >	1	-	-	-	-
60	10.18	SSSI Units	0	0	0	0	0
Page	Section	Visual and cultural designations >	On site	0-50m	50-250m	250-500m	500-2000m
61	11.1	World Heritage Sites	0	0	0	-	-
<u>62</u> >	<u>11.2</u> >	Area of Outstanding Natural Beauty >	0	0	1	-	-
62	11.3	National Parks	0	0	0	-	-
62	11.4	Listed Buildings	0	0	0	-	-
63	11.5	Conservation Areas	0	0	0	-	-
63	11.6	Scheduled Ancient Monuments	0	0	0	-	-
63	11.7	Registered Parks and Gardens	0	0	0	-	-
Page	Section	Agricultural designations >	On site	0-50m	50-250m	250-500m	500-2000m
<u>64</u> >	<u>12.1</u> >	<u>Agricultural Land Classification</u> >	Grade 4 (wi	thin 250m)			
65	12.2	Open Access Land	0	0	0	-	-
65	12.3	Tree Felling Licences	0	0	0	-	-
<u>65</u> >	<u>12.4</u> >	Environmental Stewardship Schemes >	0	0	1	-	-
<u>65</u> >	<u>12.5</u> >	Countryside Stewardship Schemes >	0	0	1	-	-
Page	Section	Habitat designations	On site	0-50m	50-250m	250-500m	500-2000m
67	13.1	Priority Habitat Inventory	0	0	0	-	-
67	13.2	Habitat Networks	0	0	0	-	-
67	13.3	Open Mosaic Habitat	0	0	0	-	-
67	13.4	Limestone Pavement Orders	0	0	0	-	-
Page	Section	<u>Geology 1:10,000 scale</u> >	On site	0-50m	50-250m	250-500m	500-2000m
<u>68</u> >	<u>14.1</u> >	10k Availability >	Identified (within 500m)		
69	14.2	Artificial and made ground (10k)	0	0	0	0	-



 $\underline{info@groundsure.com} \nearrow$

01273 257 755

70 14.3 Superficial geology (10k) 0 0 0 0 0 0 0 7 7 14.4 Landslip (10k) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>								
71 14.5 Bedrock geology (10k) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	70	14.3	Superficial geology (10k)	0	0	0	0	-
Page Section Geology 1:50,000 scale Section Geology 1:50,000 scale Section Geology 1:50,000 scale Section Geology 1:50,000 scale Section Sectio	70	14.4	Landslip (10k)	0	0	0	0	-
Page Section Geology 1:50,000 scale > Identified (within 500m) 250,500m \$50,200m	71	14.5	Bedrock geology (10k)	0	0	0	0	-
	71	14.6	Bedrock faults and other linear features (10k)	0	0	0	0	_
15.2 Artificial and made ground (50k) 0 2 2 1	Page	Section	<u>Geology 1:50,000 scale</u> >	On site	0-50m	50-250m	250-500m	500-2000m
74 > 15.3 > 15.4 > 15.4 > 15.5 Superficial geology (50k) > 0 0 1 2	<u>72</u> >	<u>15.1</u> >	50k Availability >	Identified (within 500m)		
75 > 15.4 > Superficial geology (50k) > 15.5 Superficial permeability (50k) None (within 50m) 1 2	<u>73</u> >	<u>15.2</u> >	Artificial and made ground (50k) >	0	2	2	1	-
15.5 Superficial permeability (50k) None (within 50m)	<u>74</u> >	<u>15.3</u> >	Artificial ground permeability (50k) >	0	2	-	-	-
76 > 15.6 > Landslip (50k) > 0 0 0 1 - 76 15.7 Landslip permeability (50k) None (within 50m)	<u>75</u> >	<u>15.4</u> >	Superficial geology (50k) >	0	0	1	2	-
15.7 Landslip permeability (50k) None (within 50m) 77 > 15.8 > Bedrock geology (50k) > 1 0 4 12 - 78 > 15.9 > Bedrock permeability (50k) > 1dentified (within 50m) 0 0 2 1 - 78 > 15.10 > Bedrock faults and other linear features (50k) > 0 0 0 2 1 - Page Section Boreholes 0 0 0 - - 80 16.1 BGS Boreholes 0 0 0 - - - 81 > 17.1 > Shrink swell clays > Negligible (within 50m) - - - 82 > 17.2 > Running sands > Very low (within 50m) - - - 84 > 17.3 > Compressible deposits > Very low (within 50m) - - - 86 > 17.4 > Collapsible deposits > Very low (within 50m) - - - 87 > 17.5 > Landslides > Very low (within 50m) - - - 88 > 17.6 > Ground dissolution of soluble rocks > Negligible (within 50m) - - - 88 > 17.6 > Ground dissolution of soluble rocks > On site 0.50m	76	15.5	Superficial permeability (50k)	None (with	in 50m)			
77 > 15.8 > Bedrock geology (50k) > 1 0 4 12 - 78 > 15.9 > Bedrock permeability (50k) > Identified (within 50m) - - - 78 > 15.10 > Bedrock faults and other linear features (50k) > 0 0 2 1 - Page Section Boreholes 0 0 0 - - 80 16.1 BGS Boreholes 0 0 0 - - Page Section Natural ground subsidence > - - - - - 81 > 17.1 > Shrink swell clays > Negligible (within 50m) - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -	<u>76</u> >	<u>15.6</u> >	<u>Landslip (50k)</u> >	0	0	0	1	-
78 > 15.9 > Bedrock permeability (50k) > Identified (within 50m) 78 > 15.10 > Bedrock faults and other linear features (50k) > 0 0 2 1 - Page Section Boreholes On site 0-50m 50-250m 250-500m 500-2000m 80 16.1 BGS Boreholes 0 0 0 - - Page Section Natural ground subsidence > Image: section linear	76	15.7	Landslip permeability (50k)	None (with	in 50m)			
78 > 15.10 > Bedrock faults and other linear features (50k) > 0 0 2 1 - Page Section Boreholes On site 0-50m 50-250m 250-500m 500-2000m 80 16.1 BGS Boreholes 0 0 0 - - Page Section Natural ground subsidence > Section Negligible (within 50m) Section Negligible (lays) Negligible (within 50m) Section Negligible (apposits) Very low (within 50m) Section Negligible (apposits) Negligible (within 50m) Section Negligible (apposits) Negligible (within 50m) Section Negligible (apposits) Negligible (within 50m) Section Section Negligible (apposits) Negligible (within 50m) Section Section Section Mining and ground workings Negligible (within 50m) Section Section Section Section Mining and ground workings On site 0-50m 50-250m 500-250m 500-250m 500-250m 500-250m 500-250m 500-250m 500-250m 500-250m 500-250m 500-250m <td><u>77</u> ></td> <td><u>15.8</u> ></td> <th>Bedrock geology (50k) ></th> <td>1</td> <td>0</td> <td>4</td> <td>12</td> <td>-</td>	<u>77</u> >	<u>15.8</u> >	Bedrock geology (50k) >	1	0	4	12	-
Page Section Boreholes On site 0-50m 50-250m 250-500m 500-2000m 80 16.1 BGS Boreholes 0 0 0 - - - Page Section Natural ground subsidence > Section Negligible (within 50m) Section Section Negligible (within 50m) Section Section Section (within 50m) Section Section (within 50m) Section (within 50m	<u>78</u> >	<u>15.9</u> >	Bedrock permeability (50k) >	Identified (within 50m)			
16.1 BGS Boreholes	<u>78</u> >	<u>15.10</u> >	Bedrock faults and other linear features (50k) >	0	0	2	1	-
Page Section Natural ground subsidence > 81 > 17.1 > Shrink swell clays > Negligible (within 50m) 82 > 17.2 > Running sands > Very low (within 50m) 84 > 17.3 > Compressible deposits > Very low (within 50m) 86 > 17.4 > Collapsible deposits > Very low (within 50m) 87 > 17.5 > Landslides > Very low (within 50m) 88 > 17.6 > Ground dissolution of soluble rocks > Negligible (within 50m) Page Section Mining and ground workings > On site 0-50m 50-250m 500-2000m 90 > 18.1 > BritPits > 0 0 2 5 - 92 > 18.2 > Surface ground workings > 0 6 29 - - 94 > 18.3 > Underground workings > 0 0 0 0 6	Page	Section	Boreholes	On site	0-50m	50-250m	250-500m	500-2000m
81 > 17.1 > Shrink swell clays > Negligible (within 50m) 82 > 17.2 > Running sands > Very low (within 50m) 84 > 17.3 > Compressible deposits > Very low (within 50m) 86 > 17.4 > Collapsible deposits > Very low (within 50m) 87 > 17.5 > Landslides > Very low (within 50m) 88 > 17.6 > Ground dissolution of soluble rocks > Negligible (within 50m) Page Section Mining and ground workings > On site 0-50m 50-250m 500-200m 90 > 18.1 > BritPits > 0 0 2 5 - 92 > 18.2 > Surface ground workings > 0 0 0 0 6 94 > 18.3 > Underground workings > 0 0 0 0 6	90		DCC Develope	0	0	Ω	_	_
82 > 17.2 > Running sands > Very low (within 50m) 84 > 17.3 > Compressible deposits > Very low (within 50m) 86 > 17.4 > Collapsible deposits > Very low (within 50m) 87 > 17.5 > Landslides > Very low (within 50m) 88 > 17.6 > Ground dissolution of soluble rocks > Negligible (within 50m) Page Section Mining and ground workings > 90 > 18.1 > BritPits > 0 0 250-500m 500-2000m 90 > 18.2 > Surface ground workings > 0 6 29 - - 94 > 18.3 > Underground workings > 0 0 0 0 6	00	16.1	BG2 Borenoles	U	0	O		
84 > 17.3 > Compressible deposits > Very low (within 50m) 86 > 17.4 > Collapsible deposits > Very low (within 50m) 87 > 17.5 > Landslides > Very low (within 50m) 88 > 17.6 > Ground dissolution of soluble rocks > Negligible (within 50m) Page Section Mining and ground workings > 90 > 18.1 > BritPits > 0 0 2 50-500m 500-2000m 92 > 18.2 > Surface ground workings > 0 6 29 - - 94 > 18.3 > Underground workings > 0 0 0 0 6				0				
86 > 17.4 > Collapsible deposits > Very low (within 50m) 87 > 17.5 > Landslides > Very low (within 50m) 88 > 17.6 > Ground dissolution of soluble rocks > Negligible (within 50m) Page Section Mining and ground workings > On site 0-50m 50-250m 500-2000m 90 > 18.1 > BritPits > 0 0 2 5 - 92 > 18.2 > Surface ground workings > 0 6 29 - - 94 > 18.3 > Underground workings > 0 0 0 0 6	Page	Section	Natural ground subsidence >					
87 > 17.5 > Landslides > Very low (within 50m) 88 > 17.6 > Ground dissolution of soluble rocks > Negligible (within 50m) Page Section Mining and ground workings > On site 0-50m 50-250m 250-500m 500-2000m 90 > 18.1 > BritPits > 0 0 2 5 - 92 > 18.2 > Surface ground workings > 0 6 29 - - 94 > 18.3 > Underground workings > 0 0 0 0 6	Page <u>81</u> >	Section 17.1 >	Natural ground subsidence > Shrink swell clays >	Negligible (within 50m)	C		
88 > 17.6 > Ground dissolution of soluble rocks > Negligible (within 50m) Page Section Mining and ground workings > On site 0-50m 50-250m 250-500m 500-2000m 90 > 18.1 > BritPits > 0 0 2 5 - 92 > 18.2 > Surface ground workings > 0 6 29 - - 94 > 18.3 > Underground workings > 0 0 0 0 6	Page <u>81</u> > <u>82</u> >	Section 17.1 > 17.2 >	Natural ground subsidence > Shrink swell clays > Running sands >	Negligible (within 50m) vithin 50m)	C		
Page Section Mining and ground workings > On site 0-50m 50-250m 250-500m 500-2000m 90 > 18.1 > BritPits > 0 0 2 5 - 92 > 18.2 > Surface ground workings > 0 6 29 - - 94 > 18.3 > Underground workings > 0 0 0 0 6	Page <u>81</u> > <u>82</u> > <u>84</u> >	Section 17.1 > 17.2 > 17.3 >	Natural ground subsidence > Shrink swell clays > Running sands > Compressible deposits >	Negligible (Very low (w Very low (w	within 50m) vithin 50m) vithin 50m)			
90 > 18.1 > BritPits > 0 0 2 5 - 92 > 18.2 > Surface ground workings > 0 6 29 - - 94 > 18.3 > Underground workings > 0 0 0 0 6	Page 81 > 82 > 84 > 86 >	Section 17.1 > 17.2 > 17.3 > 17.4 >	Natural ground subsidence > Shrink swell clays > Running sands > Compressible deposits > Collapsible deposits >	Negligible (Very low (w Very low (w Very low (w	within 50m) vithin 50m) vithin 50m) vithin 50m)			
92 > 18.2 > Surface ground workings > 0 6 29 - - 94 > 18.3 > Underground workings > 0 0 0 0 6	Page 81 > 82 > 84 > 86 > 87 >	Section 17.1 > 17.2 > 17.3 > 17.4 > 17.5 >	Natural ground subsidence > Shrink swell clays > Running sands > Compressible deposits > Collapsible deposits > Landslides >	Negligible (Very low (w Very low (w Very low (w Very low (w	within 50m) vithin 50m) vithin 50m) vithin 50m) vithin 50m)	C		
94 > 18.3 > Underground workings > 0 0 0 0 6	Page 81 > 82 > 84 > 86 > 87 > 88 >	Section 17.1 > 17.2 > 17.3 > 17.4 > 17.5 > 17.6 >	Natural ground subsidence > Shrink swell clays > Running sands > Compressible deposits > Collapsible deposits > Landslides > Ground dissolution of soluble rocks >	Negligible (Very low (w Very low (w Very low (w Very low (w Negligible (within 50m) vithin 50m) vithin 50m) vithin 50m) vithin 50m) vithin 50m)		250-500m	500-2000m
	Page 81 > 82 > 84 > 86 > 87 > 88 > Page	Section 17.1 > 17.2 > 17.3 > 17.4 > 17.5 > 17.6 > Section	Natural ground subsidence > Shrink swell clays > Running sands > Compressible deposits > Collapsible deposits > Landslides > Ground dissolution of soluble rocks > Mining and ground workings >	Negligible (Very low (w Very low (w Very low (w Very low (w Negligible (On site	within 50m) within 50m) within 50m) within 50m) within 50m) within 50m)	50-250m		500-2000m
94 18.4 Underground mining extents 0 0 0 0 -	Page 81 > 82 > 84 > 86 > 87 > 88 > Page	Section 17.1 > 17.2 > 17.3 > 17.4 > 17.5 > 17.6 > Section 18.1 >	Natural ground subsidence > Shrink swell clays > Running sands > Compressible deposits > Collapsible deposits > Landslides > Ground dissolution of soluble rocks > Mining and ground workings > BritPits >	Negligible (Very low (w Very low (w Very low (w Very low (w Negligible (On site	within 50m) vithin 50m) vithin 50m) vithin 50m) vithin 50m) within 50m) 0-50m	50-250m 2		500-2000m -
	Page 81 > 82 > 84 > 86 > 87 > 88 > Page 90 > 92 >	Section 17.1 > 17.2 > 17.3 > 17.4 > 17.5 > 17.6 > Section 18.1 > 18.2 >	Natural ground subsidence > Shrink swell clays > Running sands > Compressible deposits > Collapsible deposits > Landslides > Ground dissolution of soluble rocks > Mining and ground workings > BritPits > Surface ground workings >	Negligible (Very low (w Very low (w Very low (w Very low (w Negligible (On site	within 50m) vithin 50m) vithin 50m) vithin 50m) vithin 50m) within 50m) 0-50m 0 6	50-250m 2 29	5	-





<u>95</u> >	<u>18.5</u> >	<u>Historical Mineral Planning Areas</u> >	0	1	1	1	-
<u>95</u> >	<u>18.6</u> >	Non-coal mining >	1	0	0	0	1
96	18.7	JPB mining areas	None (within 0m)				
96	18.8	The Coal Authority non-coal mining	0	0	0	0	-
96	18.9	Researched mining	0	0	0	0	-
96	18.10	Mining record office plans	0	0	0	0	-
97	18.11	BGS mine plans	0	0	0	0	-
97	18.12	Coal mining	None (with	in 0m)			
97	18.13	Brine areas	None (with	in 0m)			
97	18.14	Gypsum areas	None (with	in 0m)			
97	18.15	Tin mining	None (with	in 0m)			
98	18.16	Clay mining	None (with	in 0m)			
Page	Section	Ground cavities and sinkholes	On site	0-50m	50-250m	250-500m	500-2000m
99	19.1	Natural cavities	0	0	0	0	-
99	19.2	Mining cavities	0	0	0	0	0
99	19.3	Reported recent incidents	0	0	0	0	-
99	19.4	Historical incidents	0	0	0	0	-
Page	Section	Radon >					
<u>101</u> >	<u>20.1</u> >	Radon >	Less than 1	% (within 0r	n)		
Page	Section	Soil chemistry >	On site	0-50m	50-250m	250-500m	500-2000m
<u>103</u> >	<u>21.1</u> >	BGS Estimated Background Soil Chemistry >	1	0	-	-	-
103	21.2	BGS Estimated Urban Soil Chemistry	0	0	-	-	-
103	21.3	BGS Measured Urban Soil Chemistry	0	0	_	_	_
Page	Section	Railway infrastructure and projects	On site	0-50m	50-250m	250-500m	500-2000m
104	22.1	Underground railways (London)	0	0	0	-	-
104	22.2	Underground railways (Non-London)	0	0	0	-	-
104	22.3	Railway tunnels	0	0	0	-	-
104	22.4	Historical railway and tunnel features	0	0	0	-	-
104	22.5	Royal Mail tunnels	0	0	0	-	-





105	22.6	Historical railways	0	0	0	-	-
105	22.7	Railways	0	0	0	-	-
105	22.8	Crossrail 2	0	0	0	0	-
105	22.9	HS2	0	0	0	0	_





Recent aerial photograph



Capture Date: 03/04/2023

Site Area: 0.02ha





Recent site history - 2020 aerial photograph




Capture Date: 16/04/2020

Site Area: 0.02ha





Recent site history - 2017 aerial photograph



Capture Date: 03/04/2017


Site Area: 0.02ha





Recent site history - 2001 aerial photograph

Groundsure



Capture Date: 12/05/2001

Site Area: 0.02ha





Recent site history - 2000 aerial photograph




Capture Date: 08/05/2000

Site Area: 0.02ha










Site Area: 0.02ha





1 Past land use



1.1 Historical industrial land uses

Records within 500m 59

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 1:10,560 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on page 15 >

ID	Location	Land use	Dates present	Group ID
Α	3m W	Smithy	1892	680358



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Land use	Dates present	Group ID
А	23m NW	Unspecified Quarry	1892	783912
В	29m N	Unspecified Quarries	1932	756682
С	34m N	Unspecified Quarry	1951	745197
1	50m W	Unspecified Disused Quarry	1969	684158
В	50m W	Unspecified Quarry	1951	754599
D	50m NE	Unspecified Heap	1910 - 1932	724676
С	51m N	Unspecified Quarry	1910	782844
С	57m N	Unspecified Disused Quarry	1969	684157
D	58m NE	Unspecified Pit	1969	676884
D	59m NE	Unspecified Heap	1951	739281
2	67m SW	Unspecified Heap	1969	741391
В	104m SW	Unspecified Quarry	1910	787891
В	130m W	Unspecified Quarries	1892	783109
Е	155m NE	Unspecified Quarry	1892 - 1910	744019
Е	159m NE	Sandstone Quarries	1847	692616
Е	163m NE	Unspecified Heap	1932	689267
F	173m NE	Unspecified Quarry	1932 - 1951	785293
F	187m NE	Unspecified Disused Quarry	1969	684159
3	192m NW	Valve Houses	1910	672520
Е	204m NE	Unspecified Shed	1847	654096
4	241m S	Unspecified Heaps	1951	774785
5	249m S	Unspecified Heaps	1932	738581
F	271m NE	Unspecified Heap	1910	689270
G	275m SW	Unspecified Heap	1951	716533
F	282m NE	Sandstone Quarries	1847	692615
G	284m SW	Unspecified Ground Workings	1910	662198
Н	285m SW	Unspecified Quarry	1951 - 1969	718211
Н	289m W	Sandstone Quarry	1847	668060



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Land use	Dates present	Group ID
6	336m SW	Unspecified Pit	1932 - 1951	747669
7	336m SE	Railway Sidings	1969	705877
В	337m SW	Smithy	1847	680355
В	345m W	Unspecified Tank	1994	698390
1	355m SW	Railway Sidings	1892	804629
Н	355m SW	Railway Sidings	1910	774891
В	361m SW	Smithy	1892	680357
Н	368m SW	Unspecified Quarry	1910	742541
Н	385m SW	Unspecified Heaps	1910	684688
J	386m W	Unspecified Quarry	1932 - 1951	722801
Н	393m SW	Railway Sidings	1932	761608
K	396m W	Unspecified Quarry	1910	796167
J	398m W	Unspecified Quarry	1892	765783
8	412m W	Railway Sidings	1910	733008
K	414m W	Smithy	1892	680356
9	423m SW	Tan Yard	1892 - 1932	798789
L	424m SE	Unspecified Ground Workings	1951	662199
M	431m SW	Tan Yard	1951	738395
J	436m W	Unspecified Heap	1910	689272
J	436m W	Unspecified Disused Quarry	1969 - 1994	793752
Н	438m SW	Chimney	1969	702107
J	440m W	Unspecified Heap	1910	689271
L	444m SE	Unspecified Pit	1932 - 1951	794510
M	448m SW	Tan Yard	1847	790353
l	454m W	Pipe	1847	701109
M	460m SW	Unspecified Heap	1932	689268
Н	470m SW	Unspecified Heap	1910	689269
Ν	476m N	Smithy	1892 - 1910	736847



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Land use	Dates present	Group ID
Ν	488m N	Smithy	1969 - 1994	748745
Ν	491m N	Smithy	1951	735585

This data is sourced from Ordnance Survey / Groundsure.

1.2 Historical tanks

Records within 500m 5

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on page 15 >

ID	Location	Land use	Dates present	Group ID
Α	27m W	Unspecified Tank	1967	85602
В	351m W	Unspecified Tank	1999	91582
В	351m W	Unspecified Tank	1994	92345
В	352m W	Unspecified Tank	1991	93030
В	353m W	Unspecified Tank	1990	103577

This data is sourced from Ordnance Survey / Groundsure.

1.3 Historical energy features

Records within 500m 1

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on page 15 >

ID	Location	Land use	Dates present	Group ID
В	348m W	Electricity Substation	1967 - 1994	56456



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

This data is sourced from Ordnance Survey / Groundsure.

1.4 Historical petrol stations

Records within 500m 0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

1.5 Historical garages

Records within 500m 0

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

1.6 Historical military land

Records within 500m 0


Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

This data is sourced from Ordnance Survey / Groundsure / other sources.





2 Past land use - un-grouped



2.1 Historical industrial land uses

Records within 500m 73

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 10,560 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on page 20 >

ID	Location	Land Use	Date	Group ID
А	3m W	Smithy	1892	680358
А	23m NW	Unspecified Quarry	1892	783912
В	29m N	Unspecified Quarries	1932	756682



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Land Use	Date	Group ID
С	34m N	Unspecified Quarry	1951	745197
D	50m W	Unspecified Quarry	1951	754599
D	50m W	Unspecified Disused Quarry	1969	684158
Е	50m NE	Unspecified Heap	1910	724676
Е	51m NE	Unspecified Heap	1932	724676
С	51m N	Unspecified Quarry	1910	782844
С	57m N	Unspecified Disused Quarry	1969	684157
Е	58m NE	Unspecified Pit	1969	676884
Е	59m NE	Unspecified Heap	1951	739281
1	67m SW	Unspecified Heap	1969	741391
D	104m SW	Unspecified Quarry	1910	787891
В	130m W	Unspecified Quarries	1892	783109
F	155m NE	Unspecified Quarry	1892	744019
F	158m NE	Unspecified Quarry	1910	744019
F	159m NE	Sandstone Quarries	1847	692616
F	163m NE	Unspecified Heap	1932	689267
F	173m NE	Unspecified Quarry	1951	785293
F	187m NE	Unspecified Disused Quarry	1969	684159
2	192m NW	Valve Houses	1910	672520
F	204m NE	Unspecified Shed	1847	654096
F	219m NE	Unspecified Quarry	1932	785293
3	241m S	Unspecified Heaps	1951	774785
4	249m S	Unspecified Heaps	1932	738581
В	270m SW	Unspecified Quarry	1951	754599
F	271m NE	Unspecified Heap	1910	689270
G	275m SW	Unspecified Heap	1951	716533
F	282m NE	Sandstone Quarries	1847	692615
В	284m SW	Unspecified Quarry	1910	787891



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Land Use	Date	Group ID
G	284m SW	Unspecified Ground Workings	1910	662198
В	285m SW	Unspecified Quarry	1969	718211
В	289m W	Sandstone Quarry	1847	668060
В	289m SW	Unspecified Quarry	1951	718211
Н	336m SW	Unspecified Pit	1951	747669
5	336m SE	Railway Sidings	1969	705877
В	337m SW	Smithy	1847	680355
В	345m W	Unspecified Tank	1994	698390
Н	347m SW	Unspecified Pit	1932	747669
I	355m SW	Railway Sidings	1892	804629
В	355m SW	Railway Sidings	1910	774891
В	361m SW	Smithy	1892	680357
В	368m SW	Unspecified Quarry	1910	742541
В	385m SW	Unspecified Heaps	1910	684688
J	386m W	Unspecified Quarry	1951	722801
В	393m SW	Railway Sidings	1932	761608
J	395m W	Unspecified Quarry	1932	722801
K	396m W	Unspecified Quarry	1910	796167
J	398m W	Unspecified Quarry	1892	765783
6	412m W	Railway Sidings	1910	733008
K	414m W	Smithy	1892	680356
L	423m SW	Tan Yard	1932	798789
L	423m SW	Tan Yard	1910	798789
L	423m SW	Tan Yard	1892	798789
M	424m SE	Unspecified Ground Workings	1951	662199
Ν	431m SW	Tan Yard	1951	738395
J	436m W	Unspecified Heap	1910	689272
J	436m W	Unspecified Disused Quarry	1969	793752





ID	Location	Land Use	Date	Group ID
J	436m W	Unspecified Disused Quarry	1994	793752
В	438m SW	Chimney	1969	702107
J	440m W	Unspecified Heap	1910	689271
M	444m SE	Unspecified Pit	1932	794510
Ν	448m SW	Tan Yard	1847	790353
M	449m SE	Unspecified Pit	1951	794510
I	454m W	Pipe	1847	701109
Ν	460m SW	Unspecified Heap	1932	689268
В	470m SW	Unspecified Heap	1910	689269
Ο	476m N	Smithy	1892	736847
Ο	480m N	Smithy	1910	736847
0	488m N	Smithy	1969	748745
0	488m N	Smithy	1994	748745
0	491m N	Smithy	1951	735585

This data is sourced from Ordnance Survey / Groundsure.

2.2 Historical tanks

Records within 500m 5

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on page 20 >

ID	Location	Land Use	Date	Group ID
А	27m W	Unspecified Tank	1967	85602
В	351m W	Unspecified Tank	1999	91582
В	351m W	Unspecified Tank	1994	92345
В	352m W	Unspecified Tank	1991	93030
В	353m W	Unspecified Tank	1990	103577

This data is sourced from Ordnance Survey / Groundsure.





2.3 Historical energy features

Records within 500m 2

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on page 20 >

ID	Location	Land Use	Date	Group ID
В	348m W	Electricity Substation	1967	56456
В	348m W	Electricity Substation	1994	56456

This data is sourced from Ordnance Survey / Groundsure.

2.4 Historical petrol stations

Records within 500m 0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

2.5 Historical garages

Records within 500m 0


Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.





3 Waste and landfill



3.1 Active or recent landfill

Records within 500m

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation. Features are displayed on the Waste and landfill map on page-25 >

ID	Location	Details	
2	388m W	Operator: William Pye Limited Site Address: William Pye Limited, Lords Delph Quarry, Shay Lane, Longridge, Preston, PR3 3BT	WML Number: 54034 EPR Reference: 633670 Landfill type: A05: Landfill taking Non-Biodegradeable Wastes Status: Issued IPPC Reference: - EPR Number: EA/EPR/FP3291CL





0

This data is sourced from the Environment Agency and Natural Resources Wales.

3.2 Historical landfill (BGS records)

Records within 500m

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

This data is sourced from the British Geological Survey.

3.3 Historical landfill (LA/mapping records)

Records within 500m 0

Landfill sites identified from Local Authority records and high detail historical mapping.

This data is sourced from the Ordnance Survey/Groundsure and Local Authority records.

3.4 Historical landfill (EA/NRW records)

Records within 500m 1

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

Features are displayed on the Waste and landfill map on page 25 >

ID	Location	Details		
1	326m SW	Site Address: Hollins Hall Farm, Tan Yard Lane, Longridge, Near Preston, Lancashire Licence Holder Address: Blackpool Road, Preston	Waste Licence: Yes Site Reference: WD100/270, L1/03/270, K1/03/008, Licence No 208 Waste Type: Inert, Household Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 06/11/1984 Licence Surrender: 31/03/1993	Operator: - Licence Holder: Crofts (Longridge) Limited First Recorded 01/11/1984 Last Recorded: 01/03/1993

This data is sourced from the Environment Agency and Natural Resources Wales.





3.5 Historical waste sites

Records within 500m 0

Waste site records derived from Local Authority planning records and high detail historical mapping.

This data is sourced from Ordnance Survey/Groundsure and Local Authority records.

3.6 Licensed waste sites

Records within 500m 0

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.7 Waste exemptions

Records within 500m 7

Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.

Features are displayed on the Waste and landfill map on page 25 >

ID	Location	Site	Reference	Category	Sub- Category	Description
А	484m N	Hill Top Farm Forty Acre Lane Preston Pr3 2ty	EPR/YH0575X C/A001	Disposing of waste exemption	Agricultur al waste only	Burning waste in the open
А	484m N	Hill Top Farm Forty Acre Lane Preston Pr3 2ty	EPR/YH0575X C/A001	Disposing of waste exemption	Agricultur al waste only	Deposit of waste from dredging of inland waters
А	484m N	Hill Top Farm Forty Acre Lane Preston Pr3 2ty	EPR/YH0575X C/A001	Treating waste exemption	Agricultur al waste only	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
А	484m N	Hill Top Farm Forty Acre Lane Preston Pr3 2ty	EPR/YH0575X C/A001	Using waste exemption	Agricultur al waste only	Use of waste in construction
А	484m N	Hill Top Farm Forty Acre Lane Preston Pr3 2ty	EPR/YH0575X C/A001	Using waste exemption	Agricultur al waste only	Spreading of plant matter to confer benefit
А	484m N	Hill Top Farm Forty Acre Lane Preston Pr3 2ty	EPR/YH0575X C/A001	Using waste exemption	Agricultur al waste only	Burning of waste as a fuel in a small appliance





Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103


ID	Location	Site	Reference	Category	Sub- Category	Description
А	484m N	Hill Top Farm Forty Acre Lane Preston Pr3 2ty	EPR/YH0575X C/A001	Using waste exemption	Agricultur al waste only	Use of waste for a specified purpose


This data is sourced from the Environment Agency and Natural Resources Wales.





4 Current industrial land use





4.1 Recent industrial land uses

Records within 250m 0

Current potentially contaminative industrial sites.

This data is sourced from Ordnance Survey.

4.2 National Geographic Database (NGD) - Current or recent tanks

Records within 250m 2

Current or recent tanks identified from the Ordnance Survey NGD.

Features are displayed on the Current industrial land use map on page 29 >



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell **Grid ref**: 361677 438103

ID	Location	Tank description	Activity	Date first identified
1	116m W	Roofed Storage Tank	Commercial Activity: Distribution Or Storage	11/08/2022
2	234m NE	Roofed Storage Tank	Commercial Activity: Distribution Or Storage	11/08/2022

This data is sourced from Ordnance Survey.

4.3 Current or recent petrol stations

Records within 500m 0

Open, closed, under development and obsolete petrol stations.

This data is sourced from Experian.

4.4 Electricity cables

Records within 500m 0

High voltage underground electricity transmission cables.

This data is sourced from National Grid.

4.5 Gas pipelines

Records within 500m

High pressure underground gas transmission pipelines.

This data is sourced from National Grid.

4.6 Sites determined as Contaminated Land

Records within 500m 0

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

This data is sourced from Local Authority records.

4.7 Control of Major Accident Hazards (COMAH)

Records within 500m 0

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

This data is sourced from the Health and Safety Executive.





0

4.8 Regulated explosive sites

Records within 500m 0

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

This data is sourced from the Health and Safety Executive.

4.9 Hazardous substance storage/usage

Records within 500m

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

This data is sourced from Local Authority records.

4.10 Historical licensed industrial activities (IPC)

Records within 500m 0

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.11 Licensed industrial activities (Part A(1))

Records within 500m 0

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.12 Licensed pollutant release (Part A(2)/B)

Records within 500m 0

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

This data is sourced from Local Authority records.





1

4.13 Radioactive Substance Authorisations

Records within 500m 0

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.14 Licensed Discharges to controlled waters

Records within 500m

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

Features are displayed on the Current industrial land use map on page 29 >

ID	Location	Address	Details	
3	321m W	DILWORTHWTP,DILWO RTH,LONGRIDGE,PREST ON,LANCASHIRE	Effluent Type: TRADE DISCHARGES - PROCESS EFFLUENT - WATER COMPANY (WTW) Permit Number: 017160050 Permit Version: 1 Receiving Water: HIGGIN BROOK	Status: SURRENDERED UNDER EPR 2010 Issue date: - Effective Date: 19/10/1979 Revocation Date: 30/04/2018

This data is sourced from the Environment Agency and Natural Resources Wales.

4.15 Pollutant release to surface waters (Red List)

Records within 500m 0

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.16 Pollutant release to public sewer

Records within 500m 0

Discharges of Special Category Effluents to the public sewer.

This data is sourced from the Environment Agency and Natural Resources Wales.





0

4.17 List 1 Dangerous Substances

Records within 500m 0

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.18 List 2 Dangerous Substances

Records within 500m

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.19 Pollution Incidents (EA/NRW)

Records within 500m 1

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on page 29 >

ID	Location	Details		
4	345m W Incident Date: 27/07/2023 Incident Identification: 2174592 Pollutant: Agricultural Materials and Wastes Pollutant Description: Slurry and Dilute Slurry		Water Impact: Category 2 (Significant) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)	

This data is sourced from the Environment Agency and Natural Resources Wales.

4.20 Pollution inventory substances

Records within 500m 0

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

4.21 Pollution inventory waste transfers

Records within 500m 0

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.22 Pollution inventory radioactive waste

Records within 500m 0


The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.





5 Hydrogeology - Superficial aquifer



5.1 Superficial aquifer

Records within 500m 2

Aquifer status of groundwater held within superficial geology.

Features are displayed on the Hydrogeology map on page 35 >

ID	Location	Designation	Description
1	55m SE	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
2	255m NW	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type






Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.





Bedrock aquifer



5.2 Bedrock aquifer

Records within 500m 1

Aquifer status of groundwater held within bedrock geology.

Features are displayed on the Bedrock aquifer map on page 37 >


ID	Location	Designation	Description
1	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.





Groundwater vulnerability



5.3 Groundwater vulnerability

Records within 50m 1

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium Intermediate between high and low vulnerability.
- Low Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on page 38 >



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: >550mm/year	Vulnerability: - Aquifer type: - Thickness: 3-10m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

5.4 Groundwater vulnerability- soluble rock risk

Records on site 1

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

1	ID	Maximum soluble risk category	Percentage of grid square covered by maximum risk
ž	2	Significant soluble rocks are likely to be present. Low possibility of localised subsidence or dissolution-related degradation of bedrock occurring naturally, but may be possible in adverse conditions such as high surface or subsurface water flow.	0.0%

This data is sourced from the British Geological Survey and the Environment Agency.

5.5 Groundwater vulnerability- local information

Records on site 0


This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on enquiries@environment-agency.gov.uk ↗.

This data is sourced from the British Geological Survey and the Environment Agency.





Abstractions and Source Protection Zones



5.6 Groundwater abstractions

Records within 2000m 6

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on page 40 >



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Details	
-	1219m NE	Status: Active Licence No: 2671317011 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE AT LONGRIDGE GOLF CLUB, PRESTON Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362510 Northing: 439000	Annual Volume (m³): 1920 Max Daily Volume (m³): 29.55 Original Application No: 7237 Original Start Date: 10/04/1997 Expiry Date: - Issue No: 100 Version Start Date: 01/04/2008 Version End Date: -
-	1219m NE	Status: Active Licence No: 2671317011 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: BOREHOLE AT LONGRIDGE GOLF CLUB, PRESTON Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362510 Northing: 439000	Annual Volume (m³): 1920 Max Daily Volume (m³): 29.55 Original Application No: 7237 Original Start Date: 10/04/1997 Expiry Date: - Issue No: 100 Version Start Date: 01/04/2008 Version End Date: -
	1219m NE	Status: Historical Licence No: 2671317011 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: "BOREHOLE AT LONGRIDGE GOLF CLUB, PRESTON" Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362510 Northing: 439000	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 10/04/1997 Expiry Date: - Issue No: 100 Version Start Date: 10/04/1997 Version End Date: -
-	1219m NE	Status: Historical Licence No: 2671317011 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: Ground Water - North West Region Point: "BOREHOLE AT LONGRIDGE GOLF CLUB, PRESTON" Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362510 Northing: 439000	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 10/04/1997 Expiry Date: - Issue No: 100 Version Start Date: 10/04/1997 Version End Date: -



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Details	
-	1867m SW	Status: Active Licence No: NW/071/0348/002 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: Ground Water - North West Region Point: MILL FARM BOREHOLE Data Type: Point Name: SINGLETONS DAIRY LTD Easting: 360176 Northing: 436984	Annual Volume (m³): 31840 Max Daily Volume (m³): 88 Original Application No: NPS/WR/013109 Original Start Date: 27/06/2013 Expiry Date: 31/03/2028 Issue No: 1 Version Start Date: 27/06/2013 Version End Date: -
	1900m SW	Status: Historical Licence No: 2671348013 Details: General use relating to Secondary Category (Medium Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE AT MILL FARM, PRESTON ROAD, LONGRIDGE Data Type: Point Name: SINGLETONS DAIRY LTD Easting: 360200 Northing: 436900	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 15/08/1989 Expiry Date: - Issue No: 100 Version Start Date: 15/08/1989 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.7 Surface water abstractions

Records within 2000m 4

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on page 40 >

ID	Location	Details	
-	1353m NE	Status: Historical Licence No: 2671338011 Details: Spray Irrigation - Direct Direct Source: "Surface, Non-Tidal - North West Region" Point: "CULVERT ON LAND AT LONGRIDGE GOLF CLUB, JEFFREY HILL" Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362600 Northing: 439100	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 10/10/1966 Expiry Date: - Issue No: 101 Version Start Date: 18/05/2001 Version End Date: -



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Details	
-	1353m NE	Status: Historical Licence No: 2671338011 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: "Surface, Non-Tidal - North West Region" Point: "CULVERT ON LAND AT LONGRIDGE GOLF CLUB, JEFFREY HILL" Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362600 Northing: 439100	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 10/10/1966 Expiry Date: - Issue No: 101 Version Start Date: 18/05/2001 Version End Date: -
-	1353m NE	Status: Historical Licence No: 2671338011 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Surface, Non-Tidal - North West Region Point: CULVERT ON LAND AT LONGRIDGE GOLF CLUB, JEFFREY HILL Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362600 Northing: 439100	Annual Volume (m³): 7364.53 Max Daily Volume (m³): 20.46 Original Application No: 4475 Original Start Date: 10/10/1966 Expiry Date: - Issue No: 101 Version Start Date: 01/04/2008 Version End Date: -
-	1353m NE	Status: Historical Licence No: 2671338011 Details: Spray Irrigation - Direct Direct Source: Surface, Non-Tidal - North West Region Point: CULVERT ON LAND AT LONGRIDGE GOLF CLUB, JEFFREY HILL Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362600 Northing: 439100	Annual Volume (m³): 7364.53 Max Daily Volume (m³): 20.46 Original Application No: 4475 Original Start Date: 10/10/1966 Expiry Date: - Issue No: 101 Version Start Date: 01/04/2008 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.8 Potable abstractions

Records within 2000m 4

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on page 40 >



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Details	
-	1219m NE	Status: Active Licence No: 2671317011 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE AT LONGRIDGE GOLF CLUB, PRESTON Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362510 Northing: 439000	Annual Volume (m³): 1920 Max Daily Volume (m³): 29.55 Original Application No: 7237 Original Start Date: 10/04/1997 Expiry Date: - Issue No: 100 Version Start Date: 01/04/2008 Version End Date: -
-	1219m NE	Status: Historical Licence No: 2671317011 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: Ground Water - North West Region Point: "BOREHOLE AT LONGRIDGE GOLF CLUB, PRESTON" Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362510 Northing: 439000	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 10/04/1997 Expiry Date: - Issue No: 100 Version Start Date: 10/04/1997 Version End Date: -
-	1353m NE	Status: Active Licence No: 2671338011 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Surface, Non-Tidal - North West Region Point: CULVERT ON LAND AT LONGRIDGE GOLF CLUB, JEFFREY HILL Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362600 Northing: 439100	Annual Volume (m³): 7364.53 Max Daily Volume (m³): 20.46 Original Application No: 4475 Original Start Date: 10/10/1966 Expiry Date: - Issue No: 101 Version Start Date: 01/04/2008 Version End Date: -
-	1353m NE	Status: Historical Licence No: 2671338011 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: "Surface, Non-Tidal - North West Region" Point: "CULVERT ON LAND AT LONGRIDGE GOLF CLUB, JEFFREY HILL" Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362600 Northing: 439100	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 10/10/1966 Expiry Date: - Issue No: 101 Version Start Date: 18/05/2001 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

5.9 Source Protection Zones

Records within 500m 0

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.10 Source Protection Zones (confined aquifer)

Records within 500m 0


Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

This data is sourced from the Environment Agency and Natural Resources Wales.





6 Hydrology



6.1 Water Network (OS MasterMap)

Records within 250m

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

Features are displayed on the Hydrology map on page 46 >

ID	Location	Type of water feature	Ground level	Permanence	Name
А	52m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

This data is sourced from the Ordnance Survey.





6.2 Surface water features

Records within 250m 2

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

Features are displayed on the Hydrology map on page 46 >

This data is sourced from the Ordnance Survey.

6.3 WFD Surface water body catchments

Records on site 1

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on page 46 >

ID	Location	Туре	Water body catchment	Water body ID	Operational catchment	Management catchment
1	On site	River	Duddel Brook	GB112071065700	Big Ribble	Ribble

This data is sourced from the Environment Agency and Natural Resources Wales.

6.4 WFD Surface water bodies

Records identified 1

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on page 46 >

ID	Location	Туре	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	1813m SE	River	Duddel Brook	GB112071065700 ↗	Moderate	Fail	Moderate	2019

This data is sourced from the Environment Agency and Natural Resources Wales.





6.5 WFD Groundwater bodies

Records on site 1

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.

Features are displayed on the Hydrology map on page 46 >

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
2	On site	Ribble Carboniferous Aquifers	GB41202G103000 ↗	Poor	Poor	Good	2019

This data is sourced from the Environment Agency and Natural Resources Wales.





7 River and coastal flooding

7.1 Risk of flooding from rivers and the sea

Records within 50m 0

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

This data is sourced from the Environment Agency and Natural Resources Wales.

7.2 Historical Flood Events

Records within 250m 0

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.3 Flood Defences

Records within 250m 0

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

This data is sourced from the Environment Agency and Natural Resources Wales.



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

7.4 Areas Benefiting from Flood Defences

Records within 250m 0

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.5 Flood Storage Areas

Records within 250m 0

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

This data is sourced from the Environment Agency and Natural Resources Wales.





River and coastal flooding - Flood Zones

7.6 Flood Zone 2

Records within 50m 0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.7 Flood Zone 3

Records within 50m

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.





8 Surface water flooding

8.1 Surface water flooding

Highest risk on site	Negligible
Highest risk within 50m	Negligible

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site. The table below shows the maximum flood depths for a range of return periods for the site.


Return period	Maximum modelled depth
1 in 1000 year	Negligible
1 in 250 year	Negligible
1 in 100 year	Negligible
1 in 30 year	Negligible

This data is sourced from Ambiental Risk Analytics.





9 Groundwater flooding



9.1 Groundwater flooding

Highest risk on site	Negligible
Highest risk within 50m	Negligible

Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).


Features are displayed on the Groundwater flooding map on page 53 >


This data is sourced from Ambiental Risk Analytics.





10 Environmental designations





10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m 0

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were renotified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.





10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m 0

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.3 Special Areas of Conservation (SAC)

Records within 2000m 0

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.4 Special Protection Areas (SPA)

Records within 2000m 0

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.5 National Nature Reserves (NNR)

Records within 2000m 0

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.





10.6 Local Nature Reserves (LNR)

Records within 2000m 0

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.7 Designated Ancient Woodland

Records within 2000m 2

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

Features are displayed on the Environmental designations map on page 54 >

ID	Location	Name	Woodland Type
-	1273m S	College Wood	Ancient & Semi-Natural Woodland
-	1621m S	College Wood	Ancient Replanted Woodland

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.8 Biosphere Reserves

Records within 2000m

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.9 Forest Parks

Records within 2000m 0

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

This data is sourced from the Forestry Commission.





0

10.10 Marine Conservation Zones

Records within 2000m 0

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.11 Green Belt

Records within 2000m

Areas designated to prevent urban sprawl by keeping land permanently open.

This data is sourced from the Ministry of Housing, Communities and Local Government.

10.12 Proposed Ramsar sites

Records within 2000m 0

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m 0

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

This data is sourced from Natural England and Natural Resources Wales.

10.14 Potential Special Protection Areas (pSPA)

Records within 2000m 0

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

This data is sourced from Natural England.



Contact us with any questions at: <u>info@groundsure.com</u>

✓

Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

10.15 Nitrate Sensitive Areas

Records within 2000m 0

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

This data is sourced from Natural England.

10.16 Nitrate Vulnerable Zones

Records within 2000m 0


Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

This data is sourced from Natural England and Natural Resources Wales.





SSSI Impact Zones and Units



10.17 SSSI Impact Risk Zones

Records on site 1

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on page 59 >

ID	Location	Type of developments requiring consultation
1	On site	https://irz.geodata.org.uk/IRZ/step2.html?irzcode=0300000530050¬es=&location=361786,436946 %20(IRZ%20polygon%20centre)

This data is sourced from Natural England.





Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

10.18 SSSI Units

Records within 2000m 0


Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

This data is sourced from Natural England and Natural Resources Wales.





11 Visual and cultural designations



11.1 World Heritage Sites

Records within 250m 0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.





11.2 Area of Outstanding Natural Beauty

Records within 250m 1

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

Features are displayed on the Visual and cultural designations map on page 61 >

ID	Location	NAME	Data Source
1	170m NE	Forest Of Bowland	Natural England

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

11.3 National Parks

Records within 250m 0

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.

11.4 Listed Buildings

Records within 250m 0

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.





11.5 Conservation Areas

Records within 250m 0

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.6 Scheduled Ancient Monuments

Records within 250m 0

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.7 Registered Parks and Gardens

Records within 250m 0


Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.





12 Agricultural designations



12.1 Agricultural Land Classification

Records within 250m 1

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on page 64 >

ID	Location	Classification	Description
1	On site	Grade 4	Poor quality agricultural land. Land with severe limitations which significantly restrict the range of crops and/or level of yields. It is mainly suited to grass with occasional arable crops (e.g. cereals and forage crops) the yields of which are variable. In moist climates, yields of grass may be moderate to high but there may be difficulties in utilisation. The grade also includes very droughty arable land.



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

This data is sourced from Natural England.

12.2 Open Access Land

Records within 250m 0

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

This data is sourced from Natural England and Natural Resources Wales.

12.3 Tree Felling Licences

Records within 250m 0

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

This data is sourced from the Forestry Commission.

12.4 Environmental Stewardship Schemes

Records within 250m 1

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

Location	Reference	Scheme	Start Date	End date
247m NW	AG00441108	Entry Level plus Higher Level Stewardship	01/10/2013	30/09/2023

This data is sourced from Natural England.

12.5 Countryside Stewardship Schemes

Records within 250m 1

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.





Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell **Grid ref**: 361677 438103

Location	Reference	Scheme	Start Date	End Date
248m NW	1652605	Countryside Stewardship (Middle Tier)	01/01/2024	31/12/2028

This data is sourced from Natural England.





13 Habitat designations

13.1 Priority Habitat Inventory

Records within 250m 0

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

This data is sourced from Natural England.

13.2 Habitat Networks

Records within 250m 0

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

This data is sourced from Natural England.

13.3 Open Mosaic Habitat

Records within 250m 0

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

This data is sourced from Natural England.

13.4 Limestone Pavement Orders

Records within 250m 0


Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

This data is sourced from Natural England.





14 Geology 1:10,000 scale - Availability



14.1 10k Availability

Records within 500m

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:10,000 scale - Availability map on page 68 >

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	No coverage	No coverage	No coverage	No coverage	NoCov

This data is sourced from the British Geological Survey.





Geology 1:10,000 scale - Artificial and made ground

14.2 Artificial and made ground (10k)

Records within 500m 0

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.





Geology 1:10,000 scale - Superficial

14.3 Superficial geology (10k)

Records within 500m 0

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

This data is sourced from the British Geological Survey.

14.4 Landslip (10k)

Records within 500m 0

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.





Geology 1:10,000 scale - Bedrock

14.5 Bedrock geology (10k)

Records within 500m 0

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

This data is sourced from the British Geological Survey.

14.6 Bedrock faults and other linear features (10k)

Records within 500m 0


Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

This data is sourced from the British Geological Survey.





15 Geology 1:50,000 scale - Availability



Search buffers in metres (m)

Geological map tile

15.1 50k Availability

Records within 500m 1

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:50,000 scale - Availability map on page 72 >

1	On site	Full	Full	Full	Full	EW067_garstang_v4
ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.

This data is sourced from the British Geological Survey.





Geology 1:50,000 scale - Artificial and made ground



15.2 Artificial and made ground (50k)

Records within 500m 5

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:50,000 scale - Artificial and made ground map on page 73 >

ID	Location	LEX Code	Description	Rock description
1	43m NE	MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT
2	47m SW	MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT
3	117m SE	MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT
4	207m NE	MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	LEX Code	Description	Rock description
5	441m W	MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT

This data is sourced from the British Geological Survey.

15.3 Artificial ground permeability (50k)

Records within 50m 2

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
43m NE	Mixed	Very High	Low
47m SW	Mixed	Very High	Low

This data is sourced from the British Geological Survey.





Geology 1:50,000 scale - Superficial



Site Outline

Search buffers in metres (m)

Landslip (50k)

Superficial geology (50k)

Please see table for more details.

15.4 Superficial geology (50k)

Records within 500m

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on page 75 >

ID	Location	LEX Code	Description	Rock description
1	55m SE	TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON
2	255m NW	TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON
4	442m W	TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON

This data is sourced from the British Geological Survey.





0

1

15.5 Superficial permeability (50k)

Records within 50m

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.

15.6 Landslip (50k)

Records within 500m

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

Features are displayed on the Geology 1:50,000 scale - Superficial map on page 75 >

ID	Location	LEX Code	Description	Rock description
3	373m NE	SLIP-UKNOWN	LANDSLIDE DEPOSITS	UNKNOWN/UNCLASSIFIED ENTRY

This data is sourced from the British Geological Survey.

15.7 Landslip permeability (50k)

Records within 50m 0


A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.





Geology 1:50,000 scale - Bedrock



Site OutlineSearch buffers in metres (m)

Bedrock faults and other linear features (50k)

Bedrock geology (50k) Please see table for more details.

15.8 Bedrock geology (50k)

Records within 500m 17

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on page 77 >

ID	Location	LEX Code	Description	Rock age
1	On site	PG-SDST	PENDLE GRIT MEMBER - SANDSTONE	NAMURIAN
3	163m N	PG-MDST	PENDLE GRIT MEMBER - MUDSTONE	NAMURIAN
4	197m NW	PG-MDST	PENDLE GRIT MEMBER - MUDSTONE	NAMURIAN
5	198m N	PG-SDST	PENDLE GRIT MEMBER - SANDSTONE	NAMURIAN



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	LEX Code	Description	Rock age
7	222m N	PG-SDST	PENDLE GRIT MEMBER - SANDSTONE	NAMURIAN
8	266m E	PG-SLSST	PENDLE GRIT MEMBER - SANDSTONE, SILTY	NAMURIAN
9	319m NW	PG-SLSST	PENDLE GRIT MEMBER - SANDSTONE, SILTY	NAMURIAN
10	324m N	PG-SLSST	PENDLE GRIT MEMBER - SANDSTONE, SILTY	NAMURIAN
11	346m NW	PG-SLSST	PENDLE GRIT MEMBER - SANDSTONE, SILTY	NAMURIAN
12	353m NW	PG-SDST	PENDLE GRIT MEMBER - SANDSTONE	NAMURIAN
13	371m NW	PG-SLSST	PENDLE GRIT MEMBER - SANDSTONE, SILTY	NAMURIAN
14	391m NW	PG-SDST	PENDLE GRIT MEMBER - SANDSTONE	NAMURIAN
15	393m NW	PG-SDST	PENDLE GRIT MEMBER - SANDSTONE	NAMURIAN
16	405m NW	PG-SLSST	PENDLE GRIT MEMBER - SANDSTONE, SILTY	NAMURIAN
17	444m NW	PG-SLSST	PENDLE GRIT MEMBER - SANDSTONE, SILTY	NAMURIAN
19	453m N	PG-SLSST	PENDLE GRIT MEMBER - SANDSTONE, SILTY	NAMURIAN
20	466m NW	PG-SLSST	PENDLE GRIT MEMBER - SANDSTONE, SILTY	NAMURIAN

This data is sourced from the British Geological Survey.

15.9 Bedrock permeability (50k)

Records within 50m 1

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Fracture	High	Moderate

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)

Records within 500m 3

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on page 77 >





Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Category	Description
2	115m NE	FAULT	Fault, inferred
6	198m N	FAULT	Fault, inferred
18	452m N	FAULT	Fault, inferred

This data is sourced from the British Geological Survey.



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

16 Boreholes

16.1 BGS Boreholes

Records within 250m 0

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

This data is sourced from the British Geological Survey.





17 Natural ground subsidence - Shrink swell clays



17.1 Shrink swell clays

Records within 50m 1

The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).

Features are displayed on the Natural ground subsidence - Shrink swell clays map on page 81 >


Location	Hazard rating	Details
On site	Negligible	Ground conditions predominantly non-plastic.

This data is sourced from the British Geological Survey.





Natural ground subsidence - Running sands



17.2 Running sands

Records within 50m 3

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.

Features are displayed on the Natural ground subsidence - Running sands map on page 82 >

Location	Hazard rating	Details
On site	Negligible	Running sand conditions are not thought to occur whatever the position of the water table. No identified constraints on lands use due to running conditions.





Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103


Location	Hazard rating	Details
43m NE	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.
47m SW	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.

This data is sourced from the British Geological Survey.





Natural ground subsidence - Compressible deposits



17.3 Compressible deposits

Records within 50m

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.

Features are displayed on the Natural ground subsidence - Compressible deposits map on page 84 >

Location	Hazard rating	Details
On site	Negligible	Compressible strata are not thought to occur.
43m NE	Very low	Compressibility and uneven settlement problems are not likely to be significant on the site for most land uses.





Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103


Location	Hazard rating	Details
47m SW	Very low	Compressibility and uneven settlement problems are not likely to be significant on the site for most land uses.

This data is sourced from the British Geological Survey.





Natural ground subsidence - Collapsible deposits



17.4 Collapsible deposits

Records within 50m 1

The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.

Features are displayed on the Natural ground subsidence - Collapsible deposits map on page 86 >

Location	Hazard rating	Details
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

This data is sourced from the British Geological Survey.





Natural ground subsidence - Landslides



17.5 Landslides

Records within 50m 1

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.

Features are displayed on the Natural ground subsidence - Landslides map on page 87 >


Locatio	n Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.

This data is sourced from the British Geological Survey.





Natural ground subsidence - Ground dissolution of soluble rocks



17.6 Ground dissolution of soluble rocks

Records within 50m 1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.

Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on page 88

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.





Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

This data is sourced from the British Geological Survey.





18 Mining and ground workings



18.1 BritPits

Records within 500m 7

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

Features are displayed on the Mining and ground workings map on page 90 >



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Details	Description
В	96m NW	Name: Nook Fold Address: Longridge, PRESTON, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
С	201m W	Name: Spencers Address: Longridge, PRESTON, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
G	305m NE	Name: Copy Address: Longridge, PRESTON, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
I	310m SW	Name: West End Quarry Address: LONGRIDGE, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Details	Description
E	366m SW	Name: Tootle Height Quarry Address: Longridge, PRESTON, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
N	424m W	Name: Lords Address: Longridge, PRESTON, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
J	424m SW	Name: New England Quarry Address: LONGRIDGE, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.

This data is sourced from the British Geological Survey.

18.2 Surface ground workings

Records within 250m 35

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining and ground workings map on page 90 >

ID	Location	Land Use	Year of mapping	Mapping scale
2	23m NW	Unspecified Quarry	1892	1:10560
А	29m N	Unspecified Quarries	1932	1:10560



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Land Use	Year of mapping	Mapping scale	
В	34m N	Unspecified Quarry	1951	1:10560	
С	50m W	Unspecified Quarry	1951	1:10560	
С	50m W	Unspecified Disused Quarry	1969	1:10560	
D	50m NE	Unspecified Heap	1910	1:10560	
D	51m NE	Unspecified Heap	1932	1:10560	
В	51m N	Unspecified Quarry	1910	1:10560	
В	57m N	Unspecified Disused Quarry	1969	1:10560	
D	58m NE	Unspecified Pit	1969	1:10560	
D	59m NE	Unspecified Heap	1951	1:10560	
3	67m SW	Unspecified Heap	1969	1:10560	
С	104m SW	Unspecified Quarry	1910	1:10560	
Е	130m W	Unspecified Quarries	1892	1:10560	
F	142m N	Reservoir	1910	1:10560	
F	142m N	Reservoir	1892	1:10560	
F	143m N	Reservoir	1847	1:10560	
F	155m N	Reservoirs	1951	1:10560	
4	155m SW	Pond	1892	1:10560	
G	155m NE	Unspecified Quarry	1892	1:10560	
F	158m N	Reservoir	1969	1:10560	
F	158m N	Reservoir	1994	1:10000	
G	158m NE	Unspecified Quarry	1910	1:10560	
G	159m NE	Sandstone Quarries	1847	1:10560	
G	163m NE	Unspecified Heap	1932	1:10560	
G	173m NE	Unspecified Quarry	1951	1:10560	
G	187m NE	Unspecified Disused Quarry	1969	1:10560	
Н	192m NW	Pond	1892	1:10560	
Н	201m NW	Reservoirs	1951	1:10560	
Н	204m NW	Pond	1910	1:10560	



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

ID	Location	Land Use	Year of mapping	Mapping scale
Н	211m NW	Reservoir	1969	1:10560
Н	211m NW	Reservoir	1994	1:10000
G	219m NE	Unspecified Quarry	1932	1:10560
5	241m S	Unspecified Heaps	1951	1:10560
6	249m S	Unspecified Heaps	1932	1:10560

This is data is sourced from Ordnance Survey/Groundsure.

18.3 Underground workings

Records within 1000m 6

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

Features are displayed on the Mining and ground workings map on page 90 >

ID	Location	Land Use	Year of mapping	Mapping scale
U	561m SW	Tunnel	1951	1:10560
U	570m SW	Tunnel	1969	1:10560
U	574m SW	Tunnel	1932	1:10560
U	577m SW	Tunnel	1910	1:10560
16	749m SE	Valve Well	1910	1:10560
_	977m SE	Valve Wells	1932	1:10560

This is data is sourced from Ordnance Survey/Groundsure.

18.4 Underground mining extents

Records within 500m 0

This data identifies underground mine workings that could present a potential risk, including adits and seam workings. These features have been identified from BGS Geological mapping and mine plans sourced from the BGS and various collections and sources.

This data is sourced from Groundsure.





18.5 Historical Mineral Planning Areas

Records within 500m 3

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

Features are displayed on the Mining and ground workings map on page 90 >

ID	Location	Site Name	Mineral	Туре	Planning Status	Planning Status Date
Α	49m NW	Nook Fold	Sandstone	Surface mineral working	Valid	Not available
G	205m NE	Green Bank	Sandstone	Surface mineral working	Not available	Not available
Е	351m SW	Railway	Sandstone, sand and gravel	Surface mineral working	Valid	Not available

This data is sourced from the British Geological Survey.

18.6 Non-coal mining

Records within 1000m 2

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

Features are displayed on the Mining and ground workings map on page 90 >

ID	Location	Name	Commodity	Class	Likelihood
1	On site	Not available	Vein Mineral	A	Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.
14	568m NW	Not available	Vein Mineral	В	Underground mine workings may have occurred in the past or current mines may be working at significant depth to modern engineering standards. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.

This data is sourced from the British Geological Survey.





18.7 JPB mining areas

Records on site 0

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

This data is sourced from Johnson Poole and Bloomer.

18.8 The Coal Authority non-coal mining

Records within 500m 0

This data provides an indication of the potential zone of influence of recorded underground non-coal mining workings. Any and all analysis and interpretation of Coal Authority Data in this report is made by Groundsure, and is in no way supported, endorsed or authorised by the Coal Authority. The use of the data is restricted to the terms and provisions contained in this report. Data reproduced in this report may be the copyright of the Coal Authority and permission should be sought from Groundsure prior to any re-use.

This data is sourced from The Coal Authority.

18.9 Researched mining

Records within 500m 0

This data indicates areas of potential mining identified from alternative or archival sources, including; BGS Geological paper maps, Lidar data, aerial photographs (from World War II onwards), archaeological data services, websites, Tithe maps, and various text/plans from collected books and reports. Some of this data is approximate and Groundsure have interpreted the resultant risk area and, where possible, specific areas of risk have been captured.

This data is sourced from Groundsure.

18.10 Mining record office plans

Records within 500m 0

This dataset is representative of Mining Record Office and/or plan extents held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

This data is sourced from Groundsure.





18.11 BGS mine plans

Records within 500m 0

This dataset is representative of BGS mine plans held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

This data is sourced from Groundsure.

18.12 Coal mining

Records on site 0

Areas which could be affected by past, current or future coal mining.

This data is sourced from the Coal Authority.

18.13 Brine areas

Records on site 0

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.

18.14 Gypsum areas

Records on site 0

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.15 Tin mining

Records on site 0

Generalised areas that may be affected by historical tin mining.

This data is sourced from Groundsure.



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

18.16 Clay mining

Records on site 0

Generalised areas that may be affected by kaolin and ball clay extraction.

This data is sourced from the Kaolin and Ball Clay Association (UK).





19 Ground cavities and sinkholes

19.1 Natural cavities

Records within 500m 0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Stantec UK Ltd.

19.2 Mining cavities

Records within 1000m 0

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

This data is sourced from Stantec UK Ltd.

19.3 Reported recent incidents

Records within 500m

This data identifies sinkhole information gathered from media reports and Groundsure's own records. This data goes back to 2014 and includes relative accuracy ratings for each event and links to the original data sources. The data is updated on a regular basis and should not be considered a comprehensive catalogue of all sinkhole events. The absence of data in this database does not mean a sinkhole definitely has not occurred during this time.

This data is sourced from Groundsure.

19.4 Historical incidents

Records within 500m 0

This dataset comprises an extract of 1:10,560, 1:10,000, 1:2,500 and 1:1,250 scale historical Ordnance Survey maps held by Groundsure, dating back to the 1840s. It shows shakeholes, deneholes and other 'holes' as noted on these maps. Dene holes are medieval chalk extraction pits, usually comprising a narrow shaft with a number of chambers at the base of the shaft. Shakeholes are an alternative name for suffusion sinkholes, most commonly found in the limestone landscapes of North Yorkshire but also extensively noted around the Brecon Beacons National Park.

Not all 'holes' noted on Ordnance Survey mapping will necessarily be present within this dataset.






Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

This data is sourced from Groundsure.





20 Radon



20.1 Radon

Records on site 1

The Radon Potential data classifies areas based on their likelihood of a property having a radon level at or above the Action Level in Great Britain. The dataset is intended for use at 1:50,000 scale and was derived from both geological assessments and indoor radon measurements (more than 560,000 records). A minimum 50m buffer should be considered when searching the maps, as the smallest detectable feature at this scale is 50m. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain (1:100,000 scale).

Features are displayed on the Radon map on page 101 >

Location	Estimated properties affected	Radon Protection Measures required
On site	Less than 1%	None





Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell **Grid ref**: 361677 438103

This data is sourced from the British Geological Survey and UK Health Security Agency.





21 Soil chemistry

21.1 BGS Estimated Background Soil Chemistry

Records within 50m 1

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km². In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km²; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 mg/kg

This data is sourced from the British Geological Survey.

21.2 BGS Estimated Urban Soil Chemistry

Records within 50m 0

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km²).

This data is sourced from the British Geological Survey.

21.3 BGS Measured Urban Soil Chemistry

Records within 50m

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km².

This data is sourced from the British Geological Survey.





22 Railway infrastructure and projects

22.1 Underground railways (London)

Records within 250m 0

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

22.2 Underground railways (Non-London)

Records within 250m 0

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.

This data is sourced from publicly available information by Groundsure.

22.3 Railway tunnels

Records within 250m

Railway tunnels taken from contemporary Ordnance Survey mapping.

This data is sourced from the Ordnance Survey.

22.4 Historical railway and tunnel features

Records within 250m 0

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

This data is sourced from Ordnance Survey/Groundsure.

22.5 Royal Mail tunnels

Records within 250m 0

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.





Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

This data is sourced from Groundsure/the Postal Museum.

22.6 Historical railways

Records within 250m 0

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

This data is sourced from OpenStreetMap.

22.7 Railways

Records within 250m 0

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

This data is sourced from Ordnance Survey and OpenStreetMap.

22.8 Crossrail 2

Records within 500m 0

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

This data is sourced from publicly available information by Groundsure.

22.9 HS2

Records within 500m 0

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 ltd.



Ref: GS-GWX-IWQ-ZFR-MO1 Your ref: GAA Beacon Fell Grid ref: 361677 438103

Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see https://www.groundsure.com/sources-reference.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: www.groundsure.com/terms-and-conditions-april-2023/<a> ↗.

