

BAT SURVEY, AT -
THE STABLES at
THE BARN
OLD LANGHO ROAD
BLACKBURN
BB6 8AW

DATE AND TIME OF VISIT
31st Oct 2025 9.15 am.

WEATHER CONDITIONS
Overcast, 16-30mph southerly wind, 10 C

REFERENCE NO 7173



SURVEY CARRIED OUT BY: LYNNE RUSHWORTH
SUNDERLAND PEACOCK & ASSOCIATES LTD
HAZELMERE, PIMLICO ROAD, CLITHEROE
LANCASHIRE, BB7 2AG
T 01200 423178 F 01200 427328
E info@sunderlandpeacock.com
www.sunderlandpeacock.com

UK BAT ECOLOGY

- It is thought that there are 18 native species of bats in the UK, most of which have seen declines in numbers over the last century.
- 11 Species have been recorded in Lancashire the most common being: -
 - **Common Pipistrelle** – Widely distributed across the UK. Known to roost in buildings and trees.
 - **Soprano Pipistrelle**- – Widely distributed across the UK. Known to roost in buildings and trees
 - **Whiskered / Brandts** – Roost mainly in buildings or trees.
 - **Long eared Bat** - Roost in older buildings, Barns, Churches and trees.
 - **Daubentons** - Known to roost in trees, tunnels, bridges, caves, mines and cellars near to lakes, rivers or ponds.
 - **Natterers** – Known to roost in old stone buildings, large timbered barns, tree holes, caves or mines.
- As insect feeding species the preferred habitats include woodland, grassland, agricultural land, wetland and rivers which provide good foraging potential.
- Bats typically roost close to foraging sites and use linear features such as hedgerows, tree lines and rivers to navigate. It is important to maintain these features, as removal is thought to contribute to the decline in numbers.
- Bats will roost in a wide variety of sites and built structures, including underground structures (caves, bridges) and trees. Types of roost and times of year used.

Hibernacula - November to March

Temporary roosts - March to April and August to October

Maternity roosts – May to August

Summer roosts – Used by Males and immature females

Mating roosts – September and October

- Disturbance to a Hibernacula or Maternity roost is the most damaging for any local bat population. The same Maternity roosts are typically used year after year commencing between May to early June and are colonised with mature females and their young, any disturbance can lead to abandonment of the young and loss of the roost will have a significant impact on the bat population. Hibernacula roosts typically consist of underground sites caves, cellars etc or buildings which maintain cool and fairly constant temperatures. Bats hibernate (deep sleep, torpor) to survive the winter months when insects are in short supply, so they hibernate to conserve energy and survive on their fat stores. Any disturbance which wakes the bats can result in unnecessary use of the energy reserves and thus reduces the chance of survival over the winter months.

THIS SURVEY HAS BEEN CARRIED OUT BY: LYNNE RUSHWORTH WHO HAS SIXTEEN YEARS OF EXPERIENCE AND COMPLETED THE BAT CONSERVATION TRUST'S 'BATS AND BAT SURVEYS' FOUNDATION COURSE FOR CONSULTANTS, AND 'PLANNING AND PREPARATION OF BAT SURVEYS' COURSE EMERGENCE SURVEYS ARE CARRIED OUT WITH A SECOND SURVEYOR WITH SEVENTEEN YEARS EXPERIENCE OF ASSISTING ON EMERGENCE SURVEYS

THE BRIEF

In conjunction with the submission of an application for planning approval, this survey was commissioned to identify if bats are currently present in the building, to assess if it has been used in the past or if there is any potential for future use of the building.

All British bats and their roosts are legally protected under the Wildlife and Countryside Act 1981 (as amended) and the Conservation of Habitats and Species Regulations 2010, the Countryside and Rights of Way Act 2000 and the Natural Environment and Rural Communities Act 2006

BAT LEGISLATION - Summary of offences under the law:

Bats and the Law Wildlife and Countryside Act 1981.

Principally those relating to powers and penalties, have been amended by the Countryside and Rights of Way Act 2000 (CRoW Act). The CRoW Act only applies to England and Wales.

Section 9(1) It is an offence for any person to intentionally kill, injure or take any wild bat.

Section 9(4)(a) It is an offence to intentionally or recklessly* damage, destroy or obstruct access to any place that a wild bat uses for shelter or protection. (*Added by the CRoW Act in England and Wales only) This is taken to mean all bat roosts whether bats are present or not.

Section 9(4)(b) It is an offence to intentionally or recklessly* disturb any wild bat while it is occupying a structure or place that it uses for shelter or protection. (*Added by the CRoW Act in England and Wales only)

The Conservation (Natural Habitats, &c.) Regulations 1994

Section 39(1)

It is an offence to

(a) Deliberately to capture or kill any bat

(b) Deliberately to disturb any bat

(c) Damage or destroy a breeding site or resting place of any bat. The difference between this legislation and the Wildlife and Countryside Act 1981 is the use of the word 'deliberately' rather than 'intentionally'. Also disturbance of bats can be anywhere, not just at a roost. Damage or destruction of a bat roost does not require the offence to be intentional or deliberate.

Countryside and Rights of Way (CRoW) Act (2000) Part III Nature conservation and wildlife protection 74 Conservation of biological diversity

(1) It is the duty of (a) any Minister of the Crown (within the meaning of the Ministers of the [1975 c. 26.] Crown Act 1975), (b) any Government department, and (c) the National Assembly for Wales, in carrying out his or its functions, to have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biological diversity in accordance with the Convention.

The Natural Environment and Rural Communities Act (2006) PART 3, (40): Duty to conserve biodiversity

(1) Every public authority must, in exercising its functions, have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biodiversity.

(2) Conserving biodiversity includes, in relation to a living organism or type of habitat, restoring or enhancing a population or habitat.

If it is discovered that development may impact upon bat roosts (thus leading to an offence being committed) a mitigation plan should be devised and a Bat Mitigation Licence applied for from the relevant government department (i.e. Natural England). Gaining a licence will depend on many variables, such as the bat species present, roost type, roost size and its local/regional/national importance

LIMITATIONS OF REPORT

NOTE: The absence of bats is near impossible to prove. The bats' high mobility means it is virtually impossible to rule out bats using any type of structure for roosting or habitat for foraging or on a flight path.

- External walls and internal rooms inspected from ground level.
- Roof spaces, attics and lofts will only be inspected if safe access is possible.
- Winter surveys will provide limited results. However internal inspection should determine if bats have used the building in the previous year.
- Any building whose structure is considered dangerous can only be inspected from a safe distance. Crevice-roosting bats ie. Pipistrelles, some Myotis species and Brown long eared bats can remain unseen even after close inspection in small spaces ie. cavity walls, roof structures soffits or cladding.
- Bat roosting evidence ie. Droppings or insect remains can be removed by weather conditions or sweeping/cleaning internally so this lack of evidence cannot always prove undoubtedly that bats are absent.

EQUIPMENT USED ON SURVEY

- 'BATSCANNER' BAT DETECTOR
- BINOCULARS
- SHADOWHAWK 12000 lumen HIGH POWERED LED TORCH
- LADDERS FOR HIGH LEVEL INSPECTION
- CAMERA

PROPOSED DEVELOPMENT

Demolition of existing stable block prior to construction of a replacement stable

Impact of development in relation to potential bat habitat: -

Removal of a building which may have to potential to provide roost habitat.

TYPE OF BUILDING

The building is an existing timber stable block of 3 loose boxes and a food store to the southwest end. It appears to have been disused for some time.



Southeast elevation



Northwest elevation



Southwest elevation



Northeast elevation

METHODOLOGY

The survey methodology follows the guidelines published in the Bat Conservation Trusts (BCT- Bat surveys for professional Ecologists, good practice guidelines 4th Edition)

Scoping survey: (Non-invasive) carried out by one surveyor to assess if the site has any potential value for protected species and determine if bats are currently or have historically used the building.

Emergence survey; are conducted 20 minutes before sunset and up to two hours after. Emergence surveys are conducted between the months of April through to end of September (weather dependant).

October to April (winter months) bats are inactive during the hibernation period.

All surveyors used have many years experience in conducting bat emergence surveys.

CONSTRAINTS

A scoping survey was carried out during the hibernation period.

All the structure was easily accessible.

AIMS OF THE SURVEY

To ensure the proposed development will not affect any protected species

The survey will; Identify past, current or potential use of the site by protected species.

Assess any impact of the proposed development on these species

Outline a mitigation scheme for any species affected by the development (if required)

LOCATION SD701358 62 m elevation


The stable block is located in a field ancillary to the adjacent house and garden. The site is at the corner where Northcote Road joins Old Langho road (forming the northwest and northeast boundaries of the property), on the southern edge of Brockhall Village settlement area.



FORAGING POTENTIAL IN THE LOCATION

The site is in a rural location surrounded by pastureland, mostly bound by tree/hedge lines. Langho Wood is approx 160m to the northwest which is connected by tree lines to further significant wooded areas in the greater locality. The nearest water course is Bushburn brook 268m to the southeast.

The location is considered to provide a good level of forage potential.



WALL CONSTRUCTION

The walls are vertical timber boarding over a timber frame.



BAT ACCESS POINTS IN WALLS

The timber finish is flaking; and the walls are in poor condition with some missing sections with some signs of rot to the adjacent timber frame. This said generally the walls do not provide any crevices for bat access. The areas of rot which were damp/ wet could be closely inspected and did not have any gaps with the potential the provide roost habitat. The interior is freely accessible through doorways and missing sections of wall.





Large section of wall missing to the rear of the loose box at the northeast end of the block.

ROOF CONSTRUCTION

The roof has a very shallow pitch with a felt finish. There is an overhang / canopy to the front southeast elevation.



Front pitch: the felt is well sealed and lapped over the front edge of the canopy.



The underside of the canopy is board fixed over rafters with felt finish directly over. Gutter to the front edge.



The rear roof pitch is in a dilapidated condition with the fascia and gutter missing.

BAT ACCESS POINTS IN ROOF

The felt is in reasonable condition on the front with no rips or lifted sections of felt.





The canopy is in good condition and the abutment with the wall is very tight fitting with no access points. This part of the roof does not provide any roost potential.

The rear roof pitch is largely in poor condition towards the eaves, due to a section of missing wall. The felt is lifted from the degraded deck below. The raised sections of felt did not provide crevices with the potential to provide roost habitat for bats being draughty and damp and not providing any protection from adverse weather conditions.



ROOF SPACE

There is no enclosed roof space the timber structure is fully visible. The timber purlins and single sheet of ply forming the deck for the mineral felt finish are fully visible. The structure does not form any crevices /gaps with bat roost potential.



Below are the sections of deck under the lifted degraded felt.



		Yes	No
<u>BAT SIGNS, EXTERNAL</u>	SEEN		X
	DROPPINGS		X
	BATSCANNER BAT DETECTOR RESULT		N/A

The exterior of the building did not have any potential to host crevice dwelling bats. The external walls of the building were carefully examined during the scoping survey for any droppings, grease marks or staining particularly near the large access points. No signs were found.

BAT SIGNS, INTERNAL


	Yes	No
SIGHTED		X
DROPPINGS		X
DETECTOR RESULTS		X
STAINING/GREASE MARKS		X
SUSPECT SUMMER ROOST		X
SUSPECT WINTER HIBERNACULA		X
INSECT OR MOTH FEEDING EVIDENCE		X

The interior was inspected throughout no signs were found of current or historic presence were found, the space being draughty and damp does not provide any suitable habitat for void or crevice dwelling bats. However, some swallow nests were present.

CONCLUSION

The removal of this stable will not impact on any local bat population; by removing any roost potential or by disrupting any potential commute forage routes. No further survey effort is required nor is mitigation necessary for bats, however the construction of a new stable block provides an opportunity to enhance the bat roost potential in this location. It is recommended that the following is incorporated preferably in a southeast/ southwest elevation at a height of between 3-4 m.

Retaining a cavity



It is essential to mitigate the loss of swallow access to the stables.

This can be achieved by incorporating swallow cups or similar proprietary nesting habitat. This should be carried out after the summer and prior to the next bird breeding / nesting season.



All contractors should be made aware of their responsibilities to protected species and work should proceed with due diligence and in the unlikely event that any bats are discovered work must be stopped immediately and a licensed bat worker must be contacted for advice on how to proceed

RISK ASSESSMENT

(The level of probability that bats are using the property is calculated on the evidence found.)

LOW

NOTES:

The provisions below should be incorporated in the unlikely event that any bats are found to be present in the intervening time between surveys and work commencing on site.

When bats are found to be present in a building:

- A NATURAL ENGLAND licence will be required before any building work is undertaken.
- Pointing work should not be undertaken during winter months as hibernating bats might be entombed.
- Work to roof structure should not be undertaken between late May, June, July and August.
- Small areas of wall could be left un-pointed to encourage potential roosting sites.
- Care must be taken when removing existing roof timbers, and any new timbers or treatment of existing timbers must be carried out using chemicals listed as safe for bat roosts.
- NOTE: The onus lies with the applicant to satisfy themselves that no offence will be committed if the development goes ahead.

If bats are ever found during building work, stop work immediately and contact the Bat Conservation Trust or Natural England.

The Bat Conservation Trust
Quadrant House
250 Kennington Lane

London SE11 5RD

0845 1300 228

Natural England
Cheshire-Lancashire Team
2nd Floor, Arndale House

Manchester M4 3AQ

0300 060 3900

LIVING WITH BATS

The integration of bat roosting habitat will not cause disturbance to the inhabitants nor visually affect the property. It can be incorporated easily and comply with Planning and building regulation requirements.

Bats do not nibble or gnaw at wires, insulation or timbers. The droppings are dry and crumbly without a strong aroma and have no known health risks with them.

- **Bats are not rodents**, and will not nibble or gnaw at wood, wires or insulation.
- **Bats do not build nests** and therefore do not bring bedding material into the roost; neither do they bring their insect prey into the roost.
- **All bats in the UK eat insects**, so they are a great form of natural pest control!
- **Bat droppings** in the UK are dry and crumble away to dust. As a result, there are no known health risks associated with them.
- **Female bats usually have only one baby a year**, so properties do not become 'infested'.
- **Most bats are seasonal visitors** to buildings - they are unlikely to live in the same building all year round, although they are loyal to their roosts and so usually return to the same roosts year after year.
- **Bats are clean and sociable animals** and spend many hours grooming themselves.