

Peter Hitchen Architects

Marathon House
The Sidings Business Park
Whalley
Lancashire
BB7 9SE
11 February 2026

PROPOSED ALTERATIONS
at
THE BUNGALOW, SIMONSTONE LANE, LANCASHIRE



This statement details the relevant classes from the Householder Technical Guidance document relevant to the proposal in order to support the Lawful Development Certificate application to Ribble Valley Borough Council for the alterations and extensions to the existing detached dwelling to improve the accommodation and overall appearance. This will assist the case officer to assess all the facts. The following should be read in association with the application drawings. The proposal involves alterations to all of the elevations including new fenestration. Reference must be made to the associated drawings when assessing this statement.

CLASS A – ENLARGEMENT, IMPROVEMENT OR ALTERATION

A.1 Development is not permitted by Class A if –

(a) permission to use the dwellinghouse as a dwellinghouse has been granted only by virtue of Class M, N, P or Q of Part 3 of this Schedule (changes of use);

Permission for use as a dwellinghouse was not granted by virtue of class M, N, P or Q of Part 3.

(b) as a result of the works the total area of ground covered by buildings within the curtilage of the dwelling house (other than the original dwelling house) would exceed 50% of the total area of the curtilage (excluding the ground area of the original dwelling house);

N/A

(c) the height of the part of the dwelling house enlarged, improved or altered would exceed the height of the highest part of the roof of the existing dwelling house;

The heights of the extensions are significantly lower than the ridge of the house

(d) the height of the eaves of the part of the dwelling house enlarged or improved or altered would exceed the height of the existing dwelling house;

N/A

(e) the enlarged part of the dwelling house would extend beyond a wall which

- (i) fronts a highway; and
- (ii) forms either the principal elevation or a side elevation of the original dwelling house;

The proposed rear and side extension would not extend beyond a wall which fronts a highway.

(f) subject to paragraph (g), the enlarged part of the dwelling house would have a single storey and –

- (i) extend beyond the rear wall of the original dwelling house by more than 4 metres in the case of a detached dwelling house or 3 metres in the case of any other dwelling house, or
- (ii) exceed 4 metres in height;

The extensions comply with these limitations

(g) until 30th May 2019, for a dwellinghouse not on article 2(3) land nor on a site of special scientific interest, the enlarged part of the dwellinghouse would have a single storey and — (i) extend beyond the rear wall of the original dwellinghouse by more than 8 metres in the case of a detached dwellinghouse, or 6 metres in the case of any other dwellinghouse, or(ii) exceed 4 metres in height;”

N/A

h) the enlarged part of the dwelling house would have more than one storey and –

- (i) extend beyond the rear wall of the original dwelling house by more than 3 metres, or be within 7 metres of any boundary of the curtilage of the dwelling house opposite the rear wall of the dwelling house;

N/A

(i) the enlarged part of the dwelling house would be within 2 metres of the boundary of the curtilage of the dwelling house, and the height of the eaves of the enlarged part would exceed 3 metres;

The height of the parapets to the extensions does not exceed 3m

(j) the enlarged part of the dwellinghouse would extend beyond a wall forming a side elevation of the original dwellinghouse, and would –

- (i) exceed 4 metres in height,
- (ii) have more than one storey, or
- (i) have a width greater than half the width of the original dwellinghouse; or
- (k) it would consist of or include—
 - (i) the construction or provision of a veranda, balcony or raised platform,
 - (ii) the installation, alteration or replacement of a microwave antenna,
 - (iii) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or
 - (ii) an alteration to any part of the roof of the dwellinghouse.

The proposed side extension would not conflict with any of the above criteria.

A.2 In the case of a dwellinghouse on article 2(3) land, development is not permitted by Class A if—

- (a) it would consist of or include the cladding of any part of the exterior of the dwellinghouse with stone, artificial stone, pebble dash, render, timber, plastic or tiles;
- (b) the enlarged part of the dwellinghouse would extend beyond a wall forming a side elevation of the original dwellinghouse; or
- (c) the enlarged part of the dwellinghouse would have more than a single storey and extend beyond the rear wall of the original dwellinghouse.

N/A

A.3 Development is permitted by Class A subject to the following conditions-

- a) the materials used in any exterior work (other than materials used in the construction of a conservatory) shall be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse

The exterior materiality will be demonstrated on the proposed elevations.

b) any upper-floor window located in a wall or roof slope forming a side elevation of the dwellinghouse shall be –

- (i) obscure-glazed, and
- (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed

N/A

- c) where the enlarged part of the dwellinghouse has more than a single storey, or forms an upper storey on an existing enlargement of the original dwellinghouse, the roof pitch of the enlarged part must, so far as practicable, be the same as the roof pitch of the original dwellinghouse.

N/A

CLASS B – ADDITIONS ETC TO THE ROOF

B.1 Development is not permitted by Class B if –

- a) permission to use the dwellinghouse as a dwellinghouse has been granted only by virtue of Class M, N, P, PA or Q of Part 3 of this Schedule (change of use)

Permission for use as a dwellinghouse was not granted by virtue of class M, N, P or Q of Part 3.

- (b) any part of the dwellinghouse would, as a result of the works, exceed the height of the highest part of the existing roof

The parapet heights of the extensions does not exceed the existing ridge height

- (c) any part of the dwellinghouse would, as a result of the works, extend beyond the plane of any existing roof slope which forms the principal elevation of the dwellinghouse and fronts a highway

N/A

- (d) the cubic content of the resulting roof space would exceed the cubic content of the original roof space by more than –

- (i) 40 cubic metres in the case of a terrace house, or
- (ii) 50 cubic metres in any other case

N/A

- (e) it would consist of or include –

- (i) the construction or provision of a verandah, balcony or raised platform, or
- (ii) the installation, alteration or replacement of a chimney, flue or soil and vent pipe

N/A

- (f) the dwellinghouse is on article 2(3) land

N/A

B.2 Development is permitted by Class B subject to the following conditions –

- (a) the materials used in any exterior work shall be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse

The materials will blend with the existing

- (b) the enlargement shall be constructed so that –

- (i) other than in the case of a hip-to-gable enlargement or an enlargement which joins the original roof to the roof of a rear or side extension –

- (aa) the eaves of the original roof are maintained or reinstated; and

- (bb) the edge of the enlargement closest to the eaves of the original roof shall, so far as practicable, be not less than 0.2 metres from the eaves, measured along the roof slope from the outside edge of the eaves; and

- (ii) other than in the case of an enlargement which joins the original roof to the roof of a rear or side extension, no part of the enlargement extends beyond the outside face of any external wall of the original dwellinghouse

N/A

(c) any window inserted on a wall or roof slope forming a side elevation of the dwellinghouse shall be

—

(i) obscure-glazed, and

(ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed

N/A



Supporting information includes :-

Application form

Existing plans

Existing elevations

Proposed plans

Proposed elevations

Site plans