


GROUND LEVEL	48.097	47.770	47.523	47.017	46.820	46.449	46.803	46.671
STORMWATER COVER LEVEL	48.097			46.923		46.785		46.593
STORMWATER INVERT	46.053			45.376	45.226	45.115	45.140	44.925
STORMWATER DETAILS		Pipe 3.005 Dia 300 Circular CLAY 1 in 56			Pipe 3.006 Dia 450 Circular CONC 1 in 150			Pipe 3.007 Dia 450 Circular CONC 1 in 94
STORMWATER LENGTHS		37.894			16.714			20.243
FOULWATER COVER LEVEL	48.026			46.947		46.059		46.554
FOULWATER INVERT	45.980		44.388 44.388		44.240 44.240			43.819
FOULWATER DETAILS		Pipe 1.005 Dia 150 Circular CLAY 1 in 23			Pipe 1.006 Dia 150 Circular CLAY 1 in 149			Pipe 1.007 Dia 150 Circular CLAY 1 in 46
FOULWATER LENGTHS		36.384			19.068			19.272



GROUND LEVEL	47.511		47.396	47.219	47.096	46.976	46.856	46.723
STORMWATER COVER LEVEL		47.488		47.428				
STORMWATER INVERT		45.113		45.075				
STORMWATER DETAILS		Pipe 1.003 Dia 450 Circular CONC 1 in 225						
STORMWATER LENGTHS		8.604						
FOULWATER COVER LEVEL	47.511		47.382		47.030			46.707
FOULWATER INVERT	46.150		45.972 45.972		45.680 45.680			45.357
FOULWATER DETAILS		Pipe 2.000 Dia 150 Circular CLAY 1 in 60		Pipe 2.001 Dia 150 Circular CLAY 1 in 84		Pipe 2.002 Dia 150 Circular CLAY 1 in 80		
FOULWATER LENGTHS		10.641			24.524			25.969

- GENERAL NOTES**
- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ENGINEERS, ARCHITECTS AND SPECIALISTS DRAWINGS AND SPECIFICATIONS.
 - ALL RELEVANT DIMENSIONS TO BE OBTAINED/CHECKED AGAINST ARCHITECT'S DRAWINGS AND BY SITE MEASUREMENT PRIOR TO THE COMMENCEMENT OF WORKS OR ORDERING OF MATERIALS. DISCREPANCIES BETWEEN THE DRAWINGS AND SITE CONDITIONS TO BE NOTIFIED TO THE ENGINEER.
 - DO NOT SCALE FROM THIS DRAWING.
 - ALL DPM'S & DPC'S AND WATERPROOFING/ WEATHERING DETAILS TO BE IN ACCORDANCE WITH ARCHITECT'S DETAILS.
 - THE CONTRACTOR IS RESPONSIBLE FOR THE LOCATION OF ALL UNDERGROUND SERVICES THAT MAY EXIST AND TO DIVERT THEM IF NECESSARY PRIOR TO THE COMMENCEMENT OF THE WORKS.
 - ALL STRUCTURAL WORKS TO BE CARRIED OUT STRICTLY IN ACCORDANCE WITH THE DETAILS GIVEN BY THE ENGINEER. THE ENGINEER IS TO BE ADVISED OF ANY SIGNIFICANT VARIATION PRIOR TO ITS IMPLEMENTATION.
 - SETTING-OUT OF WALLS TO BE IN ACCORDANCE WITH LATEST RELEVANT ARCHITECT'S DRAWING.
 - MATERIALS OR WORKMANSHIP NOT COMPLYING WITH THE ENGINEERS DRAWINGS AND SPECIFICATION SHALL BE DEEMED UNACCEPTABLE AND REMOVED FROM SITE AND REPLACED WITH WORK CORRECTLY MANUFACTURED, DELIVERED AND ERECTED.

REV	DATE	DESCRIPTION	BY	CHK	APP
P02	27-10-2023	UPDATED TO SUIT LATEST SITE LAYOUT	RG	RG	MG
P01	26-10-2022	PLANNING ISSUE	RG	RG	MG

DRAWING STATUS: **PLANNING**

CLIENT: **OAKMERE HOMES LTD**

ARCHITECT: -

PROJECT: **NEW HOUSING DEVELOPMENT
ACCRINGTON ROAD
WHALLEY**

TITLE: **DRAINAGE LONGSECTIONS
SHEET 2**

STATUS:	PROJECT No.	ORIGINATOR	PHASE	LEVEL	TYPE	ROLE	DRAWING No.	REV.
S2	21315	-GAD	01	- ZZ	- DR	- C	1022	P02

SCALE @ A1:	DESIGNED:	DRAWN:	CHECKED:	APPROVED:	DATE:
1:500	RG	RB	MG	MG	OCT 2022