

GENERAL NOTES

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ENGINEERS, ARCHITECTS AND SPECIALISTS DRAWINGS AND SPECIFICATIONS.

ALL RELEVANT DIMENSIONS TO BE OBTAINED/CHECKED AGAINST ARCHITECT'S DRAWINGS AND BY SITE MEASUREMENT PRIOR TO THE COMMENCEMENT OF WORKS OR ORDERING OF MATERIALS. DISCREPANCIES BETWEEN THE DRAWINGS AND SITE CONDITIONS TO BE NOTIFIED TO THE ENGINEER.

DO NOT SCALE FROM THIS DRAWING.

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types	
			Code	Inverts	Dimensions (mm)		Manhole	Cover
S1	92.296							
E. 375427.357	1.646		0	1.000	90.500	150	1500	4 D400
N. 443098.655								
S2	91.836		1	1.000	90.124	150		
E. 375459.314	1.775		0	1.001	89.836	225	1200	4 D400
N. 443119.008								
S3	91.195		1	1.001	89.716	225		
E. 375452.837	1.775		0	1.002	89.195	225	1200	4 D400
N. 443129.113								
S4	89.916		1	1.002	88.144	225		
E. 375433.615	1.547		0	1.003	88.069	300	1200	4 D400
N. 443137.634								
S5 FLOW CONTROL	88.666		1	1.003	87.166	300		
E. 375414.979	2.332		2	3.001	86.034	300	3000	3 D400
N. 443150.354			0	1.004	86.034	300		
S6	88.457		1	1.004	85.988	300		
E. 375401.420	2.169		0	1.005	85.988	300	1200	3 D400
N. 443152.627								
S7	87.964		1	1.005	85.848	300		
E. 375376.771	1.816		0	1.006	85.344	4000x1200	3000	4 D400
N. 443132.769								
S8	86.881		1	1.006	85.231	4000x1200		
E. 375335.068	-2.350		0	1.007	85.231	4000x1200	2400	2 D400
N. 443114.981								
S9	87.088		1	2.003	85.588	225		
E. 375300.914	1.511		2	1.007	85.127	4000x1200	3000	4 D400
N. 443091.293			0	1.008	85.127	450		
S10 FLOW CONTROL	86.548		1	1.008	85.078	450		
E. 375281.515	1.020		0	1.009	85.078	450	2100	4 D400
N. 443090.205								

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types	
			Code	Inverts	Dimensions (mm)		Manhole	Cover
S11 HEADWALL			1	1.009	85.063	450		
E. 375277.926							HEADWALL	
N. 443095.057								
S12	91.971							
E. 375364.912	2.071		0	2.000	89.750	150	1200	3 D400
N. 443055.473								
S13	91.334		1	2.000	89.059	150		
E. 375342.244	2.125		0	2.001	89.059	150	1200	3 D400
N. 443039.645								
S14	90.667		1	2.001	88.242	150		
E. 375327.929	2.275		0	2.002	88.167	225	1200	3 D400
N. 443047.514								
S15	88.242		1	2.002	86.568	225		
E. 375312.682	1.449		0	2.003	86.568	225	1200	4 D400
N. 443075.625								
S17	88.724							
E. 375446.069	-1.939		0	3.000	86.163	4500x1200	1500	4 D400
N. 443174.385								
S18	88.498		1	3.000	86.098	4500x1200		
E. 375422.760	2.100		0	3.001	86.098	300	2100	3 D400
N. 443162.442								

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types	
			Code	Inverts	Diams		Manhole	Cover
F1	88.783							
E. 375416.867	1.185		0	1.000	87.448	150	1200	3 D400
N. 443146.956								
F2	88.526		1	1.000	86.999	150		
E. 375403.045	1.377		0	1.001	86.999	150	1200	3 D400
N. 443150.890								
F3	88.144		1	1.001	86.605	150		
E. 375380.441	1.389		0	1.002	86.605	150	1200	3 D400
N. 443129.810								
F4	87.281		1	1.002	85.784	150		
E. 375346.950	1.347		0	1.003	85.784	150	1200	3 D400
N. 443116.069								
F5	87.373		1	1.003	85.300	150		
E. 375303.210	1.923		0	1.004	85.300	150	1200	3 D400
N. 443086.386								
F6	86.998		1	1.004	85.247	150		
E. 375296.003	1.601		0	1.005	85.247	150	1200	3 D400
N. 443089.710								
F7	86.615		1	1.005	85.164	150		
E. 375283.576	1.301		0	1.006	85.164	150	1200	2 D400
N. 443089.338								
F8 PUMP STATION	86.255		1	1.006	85.026	150		
E. 375268.713	1.079						1200	3 D400
N. 443074.922								

HIGH FRICTION SURFACE MANHOLE COVERS TO BE USED

ALL MANHOLE COVERS TO SATISFY REQUIREMENTS OF CD534

P02	08/07/2026	UPDATED S5-S11						RB	RG	MG
P01	22/04/2026	PRELIMINARY ISSUE						OF	RG	MG
REV	DATE	DESCRIPTION						BY	CHK	APP

DRAWING STATUS:

PRELIMINARY

CLIENT:

OAKMERE HOMES LTD

ARCHITECT:

-

PROJECT:

CHATBURN ROAD
PHASE 3

TITLE:

MANHOLE SCHEDULES

STATUS:	PROJECT No:	ORIGINATOR	PHASE	LEVEL	TYPE	ROLE	DRAWING No:	REV:
S2	26117 - GAD -	00	-	00	-	DR - C -	1010	P02

SCALE @ A1:	DESIGNED:	DRAWN:	CHECKED:	APPROVED:	DATE:
NTS	RG	OF	RG	MG	APRIL 26

GADSDEN CONSULTING

info@gadsdens.co.uk01229 813333www.gadsdens.co.uk