

**BAT SURVEY  
AT  
18 CHESTERBROOK  
RIBCHESTER  
PR3 3XT**

**DATE AND TIME OF VISIT**  
14th April 2026 9.30 am - 11.00am

**WEATHER CONDITIONS**  
Partly overcast, Light westerly breeze. 8 C

**REFERENCE NO 7425**



SURVEY CARRIED OUT BY: LYNNE RUSHWORTH  
SUNDERLAND PEACOCK & ASSOCIATES LTD  
HAZELMERE, PIMLICO ROAD, CLITHEROE  
LANCASHIRE, BB7 2AG  
T 01200 423178 F 01200 427328  
E [info@sunderlandpeacock.com](mailto:info@sunderlandpeacock.com)  
[www.sunderlandpeacock.com](http://www.sunderlandpeacock.com)

## UK BAT ECOLOGY

- It is thought that there are 18 native species of bats in the UK, most of which have seen declines in numbers over the last century.
- 11 Species have been recorded in Lancashire the most common being: -
  - **Common Pipistrelle** – Widely distributed across the UK. Known to roost in buildings and trees.
  - **Soprano Pipistrelle** – Widely distributed across the UK. Known to roost in buildings and trees
  - **Whiskered / Brandts** – Roost mainly in buildings or trees.
  - **Long eared Bat** - Roost in older buildings, Barns, Churches and trees.
  - **Daubentons** - Known to roost in trees, tunnels, bridges, caves, mines and cellars near to lakes, rivers or ponds.
  - **Natterers** – Known to roost in old stone buildings, large timbered barns, tree holes, caves or mines.
- As insect feeding species the preferred habitats include woodland, grassland, agricultural land, wetland and rivers which provide good foraging potential.
- Bats typically roost close to foraging sites and use linear features such as hedgerows, tree lines and rivers to navigate. It is important to maintain these features, as removal is thought to contribute to the decline in numbers.
- Bats will roost in a wide variety of sites and built structures, including underground structures (caves, bridges) and trees. Types of roost and times of year used.

Hibernacula - November to March

Temporary roosts - March to April and August to October

Maternity roosts – May to August

Summer roosts – Used by Males and immature females

Mating roosts – September and October

- Disturbance to a Hibernacula or Maternity roost is the most damaging for any local bat population. The same Maternity roosts are typically used year after year commencing between May to early June and are colonised with mature females and their young, any disturbance can lead to abandonment of the young and loss of the roost will have a significant impact on the bat population. Hibernacula roosts typically consist of underground sites caves, cellars etc or buildings which maintain cool and fairly constant temperatures. Bats hibernate (deep sleep, torpor) to survive the winter months when insects are in short supply, so they hibernate to conserve energy and survive on their fat stores. Any disturbance which wakes the bats can result in unnecessary use of the energy reserves and thus reduces the chance of survival over the winter months.

**THIS SURVEY HAS BEEN CARRIED OUT BY: LYNNE RUSHWORTH WHO HAS SEVENTEEN YEARS OF EXPERIENCE AND COMPLETED THE BAT CONSERVATION TRUST'S 'BATS AND BAT SURVEYS' FOUNDATION COURSE FOR CONSULTANTS, AND 'PLANNING AND PREPARATION OF BAT SURVEYS' COURSE EMERGENCE SURVEYS ARE CARRIED OUT WITH A SECOND SURVEYOR WITH SEVENTEEN YEARS EXPERIENCE OF ASSISTING ON EMERGENCE SURVEYS**

**THE BRIEF**

In conjunction with the submission of an application for planning approval, this survey was commissioned to identify if bats are currently present in the building, to assess if it has been used in the past or if there is any potential for future use of the building.

All British bats and their roosts are legally protected under the Wildlife and Countryside Act 1981 (as amended) and the Conservation of Habitats and Species Regulations 2010, the Countryside and Rights of Way Act 2000 and the Natural Environment and Rural Communities Act 2006

**BAT LEGISLATION - Summary of offences under the law:**

**Bats and the Law Wildlife and Countryside Act 1981.**

Principally those relating to powers and penalties, have been amended by the Countryside and Rights of Way Act 2000 (CRoW Act). The CRoW Act only applies to England and Wales.

Section 9(1) It is an offence for any person to intentionally kill, injure or take any wild bat.

Section 9(4)(a) It is an offence to intentionally or recklessly\* damage, destroy or obstruct access to any place that a wild bat uses for shelter or protection. (\*Added by the CRoW Act in England and Wales only) This is taken to mean all bat roosts whether bats are present or not.

Section 9(4)(b) It is an offence to intentionally or recklessly\* disturb any wild bat while it is occupying a structure or place that it uses for shelter or protection. (\*Added by the CRoW Act in England and Wales only)

**The Conservation (Natural Habitats, &c.) Regulations 1994**

Section 39(1)

It is an offence to

(a) Deliberately to capture or kill any bat

(b) Deliberately to disturb any bat

(c) Damage or destroy a breeding site or resting place of any bat. The difference between this legislation and the Wildlife and Countryside Act 1981 is the use of the word 'deliberately' rather than 'intentionally'. Also disturbance of bats can be anywhere, not just at a roost. Damage or destruction of a bat roost does not require the offence to be intentional or deliberate.

**Countryside and Rights of Way (CRoW) Act (2000) Part III Nature conservation and wildlife protection 74 Conservation of biological diversity**

(1) It is the duty of (a) any Minister of the Crown (within the meaning of the Ministers of the [1975 c. 26.] Crown Act 1975), (b) any Government department, and (c) the National Assembly for Wales, in carrying out his or its functions, to have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biological diversity in accordance with the Convention.

**The Natural Environment and Rural Communities Act (2006) PART 3. (40): Duty to conserve biodiversity**

(1) Every public authority must, in exercising its functions, have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biodiversity.

(2) Conserving biodiversity includes, in relation to a living organism or type of habitat, restoring or enhancing a population or habitat.

If it is discovered that development may impact upon bat roosts (thus leading to an offence being committed) a mitigation plan should be devised and a Bat Mitigation Licence applied for from the relevant government department (i.e. Natural England). Gaining a licence will depend on many variables, such as the bat species present, roost type, roost size and its local/regional/national importance

## **LIMITATIONS OF REPORT**

*NOTE: The absence of bats is near impossible to prove. The bats' high mobility means it is virtually impossible to rule out bats using any type of structure for roosting or habitat for foraging or on a flight path.*

- External walls and internal rooms inspected from ground level.
- Roof spaces, attics and lofts will only be inspected if safe access is possible.
- Winter surveys will provide limited results. However internal inspection should determine if bats have used the building in the previous year.
- Any building whose structure is considered dangerous can only be inspected from a safe distance. Crevice- roosting bats ie. Pipistrelles, some Myotis species and Brown long eared bats can remain unseen even after close inspection in small spaces ie. cavity walls, roof structures soffits or cladding.
- Bat roosting evidence ie. Droppings or insect remains can be removed by weather conditions or sweeping/ cleaning internally so this lack of evidence cannot always prove undoubtedly that bats are absent.

## **EQUIPMENT USED ON SURVEY**

- 'BATSCANNER' BAT DETECTOR
- BINOCULARS
- SHADOWHAWK 12000 lumen HIGH POWERED LED TORCH
- LADDERS FOR HIGH LEVEL INSPECTION
- CAMERA
- ENDOSCOPE

## **PROPOSED DEVELOPMENT**

Removal of existing single storey rear outshot prior to construction of a new single storey extension  
Impact of development in relation to potential bat habitat: -

The survey will determine if the demolition of the rear outshots has any potential to disturb, harm or remove any bats or high value roost potential.

## **TYPE OF BUILDING**

The property is a semi -detached house. Possibly dating from the 1950's. with a rear single storey extension.



Front Elevation

Rear Elevation

## **METHODOLOGY**

The survey methodology follows the guidelines published in the Bat Conservation Trusts (BCT- Bat surveys for professional Ecologists, good practice guidelines 4<sup>th</sup> Edition)

**Scoping survey:** (Non-invasive) carried out by one surveyor to assess if the site has any potential value for protected species and determine if bats are currently or have historically used the building.

**Emergence survey:** are conducted 20 minutes before sunset and up to two hours after. Emergence surveys are conducted between the months of April through to end of September (weather dependant).  
October to April (winter months) bats are inactive during the hibernation period.

All surveyors used have many years experience in conducting bat emergence surveys.

### **CONSTRAINTS**

A scoping survey was carried out towards the end of the hibernation period.  
All the structure was easily accessible and visible.

### **AIMS OF THE SURVEY**

To ensure the proposed development will not affect any protected species  
The survey will; Identify past, current or potential use of the site by protected species.  
Assess any impact of the proposed development on these species  
Outline a mitigation scheme for any species affected by the development (if required)

### **LOCATION SD 650358 38 m elevation**

The house is situated on the northern edge of a residential estate that forms a satellite area of Ribchester. The estate lies to the north of the main village settlement and is accessed directly from the western side of Stoneygate Lane. It comprises properties of a similar style and age, all of which benefit from both front and rear gardens.



### **FORAGING POTENTIAL IN THE LOCATION**

The location of the house can be classed as semi-rural as its rear garden is adjacent to pastureland, the entire estate is surrounded by large acreage pastureland mainly bound by fences with some marginal hedgerow in the greater locality. The location is considered to provide sub optimal forage potential.



**WALL CONSTRUCTION**

The walls are brick with a rough cast render finish painted white.



**BAT ACCESS POINTS IN WALLS**

The render is in reasonable condition. No access points, cracks or crevices are present in the walls.



**ROOF CONSTRUCTION**

The outshot has a mineral felt finish with small upstand flashing to the house wall, and drip formed to the perimeter with fascia and gutter.

Rear flat roofs: Porch and Main roof,



The porch roof is felt lapped over the timber fascias.

**BAT ACCESS POINTS IN ROOF**

The felt is in good condition on both roofs. All abutments are very tight with no gapping. The fascias are all in good condition with no rot, cracks or crevices. They are flush fitting to the walls. There are no possible access points into the roof structure.



**ROOF SPACE**

There is no roof void present in the flat roofs.

The main house has exposed roof joists as the plasterboard lining has been removed.



The porch roof is a single board over the rafters with felt over externally. No evidence of current or historic bat presence was found. The structures did not provide potential bat roost habitat.



		Yes	No
<b><u>BAT SIGNS, EXTERNAL</u></b>	SEEN		X
	DROPPINGS		X
	BATSCANNER BAT DETECTOR RESULT		N/A

The external walls and of the porch and outshot were the focus of this scoping survey. The walls are in perfect condition with no potential bat roost habitat. no dropping or staining evidence was found nor any potential access points.

**BAT SIGNS, INTERNAL**

	Yes	No
SIGHTED		X
DROPPINGS		X
DETECTOR RESULTS		X
STAINING/GREASE MARKS		X
SUSPECT SUMMER ROOST		X
SUSPECT WINTER HIBERNACULA		X
INSECT OR MOTH FEEDING EVIDENCE		X

The interior of the structures did not provide any bat roost potential.

**CONCLUSION**

The removal of the existing outshot and porch will not disturb any bats, nor will it remove any roost potential. The scale of the new extension will be similar to the existing structure and thus will not result in disruption to any existing local bat population commute routes.

It is not considered necessary to carry out an emergence survey nor is there a requirement for a mitigation scheme.

However, It is recommended that roost enhancement measures should be incorporated in the scheme. The basic requirement being that some **Sku Beaumaris (or similar)** bat boxes be fixed to the Southeast / southwest elevations, relatively sheltered from strong winds and ideally 3-4m above ground level., in accordance with manufacturer's instructions

See illustration over.



**All contractors should be made aware of their responsibilities to protected species and work should proceed with due diligence and in the unlikely event that any bats are discovered work must be stopped immediately and a licensed bat worker must be contacted for advice on how to proceed**

#### **RISK ASSESSMENT**

**(The level of probability that bats are using the property is calculated on the evidence found.)**

**LOW**

#### **NOTES:**

**The provisions below should be incorporated in the unlikely event that any bats are found to be present in the intervening time between surveys and work commencing on site.**

#### **When bats are found to be present in a building:**

- A NATURAL ENGLAND licence will be required before any building work is undertaken.
- Pointing work should not be undertaken during winter months as hibernating bats might be entombed.
- Work to roof structure should not be undertaken between late May, June, July and August.
- Small areas of wall could be left un-pointed to encourage potential roosting sites.
- Care must be taken when removing existing roof timbers, and any new timbers or treatment of existing timbers must be carried out using chemicals listed as safe for bat roosts.

- **NOTE:** The onus lies with the applicant to satisfy themselves that no offence will be committed if the development goes ahead.

If bats are ever found during building work, stop work immediately and contact the Bat Conservation Trust or Natural England.

The Bat Conservation Trust  
Quadrant House  
250 Kennington Lane

London SE11 5RD

0845 1300 228

Natural England  
Cheshire-Lancashire Team  
2nd Floor, Arndale House

Manchester M4 3AQ

0300 060 3900

### **LIVING WITH BATS**

The integration of bat roosting habitat will not cause disturbance to the inhabitants nor visually affect the property. It can be incorporated easily and comply with Planning and building regulation requirements.

Bats do not nibble or gnaw at wires, insulation or timbers. The droppings are dry and crumbly without a strong aroma and have no known health risks with them.

- **Bats are not rodents**, and will not nibble or gnaw at wood, wires or insulation.
- **Bats do not build nests** and therefore do not bring bedding material into the roost; neither do they bring their insect prey into the roost.
- **All bats in the UK eat insects**, so they are a great form of natural pest control!
- **Bat droppings** in the UK are dry and crumble away to dust. As a result, there are no known health risks associated with them.
- **Female bats usually have only one baby a year**, so properties do not become 'infested'.
- **Most bats are seasonal visitors** to buildings - they are unlikely to live in the same building all year round, although they are loyal to their roosts and so usually return to the same roosts year after year.
- **Bats are clean and sociable animals** and spend many hours grooming themselves.