Sharon Craig

From: Lead Local Flood Authority <llfaconsultations@lancashire.gov.uk>

Sent: 19 September 2024 16:42

To: Planning

Subject: RE: Re Consultation of Planning Application 3/2024/0723 at Corgill Lodge Holden

Lane Bolton by Bowland BB7 4LZ

Attachments: LLFA Standing Advice for Non Major and Minor Apps (July 2024) V1.2.pdf; When to

Consult the LLFA [July 2024] V7.pdf



External Email

This email originated from outside Ribble Valley Borough Council. Do **NOT** click links or open attachments unless you recognize the sender and are sure the content within this email is safe.

Good afternoon,

Thank you for consulting the Lead Local Flood Authority on planning application 3/2024/0723.

I confirm the Lead Local Flood Authority has no comment to make on the above application for the following reasons:

We understand this is a minor/non-major development with a site area less than 1ha in size. Therefore, the LLFA Flood Risk Standing Advice should have been applied	x
It is not listed in the 'When to Consult the LLFA' document or in the Development Management Procedure Order 2015	X

For further information please refer to the LLFA Standing Advice for Minor and Non-Major Planning Applications.

Many thanks,

Chris

Chris Dunderdale Senior Flood Risk Officer Highways and Transport Lancashire County Council

T: 01772 534593

W: www.lancashire.gov.uk

From: Joanne Steer < Joanne. Steer@ribblevalley.gov.uk>

Sent: 19 September 2024 13:38

To: Lead Local Flood Authority < Ilfaconsultations@lancashire.gov.uk >

Subject: FW: Re Consultation of Planning Application 3/2024/0723 at Corgill Lodge Holden Lane Bolton by Bowland

BB7 4LZ

Good Afternoon,

Please will you let Emily Pickup have your comments on the above planning application. Please respond to planning@ribblevalley.gov.uk for his/her attention.

The application is for Proposed independent sewage treatment plant to serve single dwelling.

Here is a link to view the submitted documents on our website

Planning Application -

https://webportal.ribblevalley.gov.uk/site/scripts/planx_details.php?appNumber=3%2F2024%2F0723Ribble Valley Borough Council

Regards

Ribble Valley Planning Team

01200 425 111

Disclaimer

Tops for resident satisfaction – 78% of residents are satisfied with Ribble Valley as a place to live (2023 Residents Survey - Life in Ribble Valley)

This transmission is intended for the named addressee(s) only and may contain sensitive, protectively marked, or restricted material, and should be handled accordingly. Unless you are the named addressee (or authorised to receive it for the addressee) you may not copy, use, or disclose it to anyone else. If you have received this transmission in error, notify the sender immediately. All GCSX traffic may be subject to recording and/or monitoring in accordance with relevant legislation. This e-mail is issued subject to Ribble Valley Borough Council's e-mail disclaimer which you are taken to have read and accepted.

Although the Council security checks incoming and outgoing emails (including file attachments) it cannot guarantee that the content of an email communication or any file attachment is virus free or has not been intercepted or amended as it passes over the internet. The onus is on the recipient to check the communication is virus-free. The Council accepts no responsibility for any damage caused by receiving emails from our email systems and/or hosted domains.

This e-mail contains information intended for the addressee only.

It may be confidential and may be the subject of legal and/or professional privilege.

If you are not the addressee you are not authorised to disseminate, distribute, copy or use this e-mail or any attachment to it.

The content may be personal or contain personal opinions and unless specifically stated or followed up in writing, the content cannot be taken to form a contract or to be an expression of the County Council's position.

Lancashire County Council reserves the right to monitor all incoming and outgoing email.

Lancashire County Council has taken reasonable steps to ensure that outgoing communications do not contain malicious software and it is your responsibility to carry out any checks on this email before accepting the email and opening attachments.