



NOTES

- DO NOT SCALE FROM THIS DRAWING.
- ALL DIMENSIONS IN MILLIMETERS UNLESS NOTED OTHERWISE.
- DRAWINGS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWINGS AND SPECIFICATIONS.
- GROUND BEARING PRESSURE UNDER FOUNDATION ASSUMED TO BE 100KN/M2 IN ACCORDANCE WITH THE SITE INVESTIGATION. ALLOW FOR TRENCH FILL IF SOFT CLAYS ARE ENCOUNTERED.

CDM

FLOODING - THE CONTRACTOR IS TO ENSURE THAT ANY DRAINAGE WORKS ON EXISTING DRAINAGE ARE CARRIED OUT IN SUCH A MANNER AS TO MAINTAIN EXISTING FLOWS. REFERENCE TO LOCAL WEATHER FORECASTS SHOULD BE ADOPTED.

PROXIMITY TO LOCAL WATER COURSE ALL SAFE GUARDS TO BE PUT IN PLACE TO PREVENT ANY CONTAMINATION DURING CONSTRUCTION.

DURING BRIDGE REINFORCEMENT WORKS NO CONSTRUCTION TRAFFIC TO BE ALLOWED AND WHEN REINSTATING BALLACED LOADING OF THE ARCH REQUIRED.

B	03.03.14	KI	Notes Added
A	26.02.14	KI	Issued for Planning
Revision	Date	By	Description

gravitate consulting
Civil and Structural Engineers

The Heath Business & Technical Park, Runcorn, Cheshire WA7 4QX
Tel 01928 563 847 Email eng@gravitateconsulting.com

Client	SCPI		
Site	CHIPPING		
Project	NEW HOTEL		
Drawing Title	CRICKET PITCH EXISTING ACCESS BRIDGE		
Status :	Planning	Date:	Feb 2014
Scale at A1:		Job Number:	12-155
Drawn By:	KI	Drawing Number:	B1
Checked By:	RS	Revision:	B

Existing bridge.dwg