INDICATIVE NEW 10m LENGTH DITCH & INDICATIVE NEW CULVERT LOCATION PLEASE SEE REFER TO DRAWING 4370-P-100

See TBA cycle path drawing 4271.01A +4271.02B

EQUIPMENT
A - Caterpillar Multi-play
B - 1.8m 2 Bay Swing, 2 Flat Seats, 2 Cradle rotating bearing assemblies
C - Tornado Dish Roundabout
D - 2 Seat Springer Seesaw
E - 5 no. Toadstool Seat
F - 3 no. Interactive Play Panel
G - 3 no. Recycled Bench
H - 2 no. Steel Litter Bin c/w liner

PERIMETER FENCING
A - 2 no. Prosafe hydraulic self closing gate
J - 1 no. Combined vehicular (lockable) Prosafe self closing gate
K - 1.2m Bowtop fencing (ROSPA approved playground spec)
(galvanised and powder coated
(Gates galvanised and powder coated in contrasting colours)

Path - Crushed stone

SAFETY SURFACING - GRASS MATS
1.5x1m where shown
A - 32 no.
B - 35 no.
C - 24 no.
D - 12 no.

EQUIPMENT
A - 2 No. Timber balance beams
B - Chain bridge with stepping stones
C - Log traverse with stepping stones
D - Clatter bridge with balance beam and stepping stones
E - Stilt weave and wobble log
All pieces of trim trail to have a bark surround with timber edge.
F - 2 no. 5 A Side Goalls
G - 6 no. Recycled Bench
H - 2 no. Stone Areas
I - 3 no. Steel Litter Bin c/w liner
J - 2 no. Raised Mounds

Path - Crushed stone

All play equipment to be supplied by Lucas Leisure Limited 01347 838481 or similar local authority approved.

CLOSE MOWN GRASS

CRUSHED GRAVEL FOOTPATH

NATIVE SHRUB MIX

NATIVE TREE MIX

WILDFLOWER MEADOW

Ponds

Ponds

Henthorn Farm Cottage

The Old Dairy

62.5m

TREES					
Abb	Botanical Name	Comm / X Translations	Girth (cm)	Min. Height (cm)	Root Condition / Pot Size
AC	Acer campestre	Heavy Standard 1x	12-14cm	600-625cm	B
AP	Acer pseudoplatanus	Heavy Standard 1x	12-14cm	600-625cm	B
BP	Betula pendula	Heavy Standard 1x	12-14cm	600-625cm	B
CBF	Carpinus betulus 'Fastigiata'	Heavy Standard 1x	12-14cm	600-625cm	B
CBS	Carpinus betulus 'Frans Fontaine'	Heavy Standard 1x	12-14cm	600-625cm	B
MGH	Malus 'Gibbs Golden Gem'	Heavy Standard 1x	12-14cm	600-625cm	B
MJD	Malus 'John Downie'	Heavy Standard 1x	12-14cm	600-625cm	B
PA	Prunus avium	Heavy Standard 1x	12-14cm	600-625cm	B
PP	Prunus padus	Heavy Standard 1x	12-14cm	600-625cm	B
PCC	Pyrus calleryana 'Chanticleer'	Heavy Standard 1x	12-14cm	600-625cm	B
SAR	Sorbus aria	Heavy Standard 1x	12-14cm	600-625cm	B
SAS	Sorbus aucuparia 'Sasbach'	Heavy Standard 1x	12-14cm	600-625cm	B
SJR	Sorbus aucuparia 'Sheerwater Seedling'	Heavy Standard 1x	12-14cm	600-625cm	B
TC	Tilia cordata	Heavy Standard 1x	12-14cm	600-625cm	B

NATIVE TREE MIX - Planted in species groups of no less than 5 no more than 20 at 1/m²					
Abb	Botanical Name	Form / X Translations	Girth (cm)	Min. Height (cm)	Root Condition / Pot Size
BETP	Betula pendula 40%	Transplant 1+2	-	60-80	B
QUER	Quercus robur 10%	Transplant 1+2	-	60-80	B
PRUP	Prunus padus 30%	Transplant 1+2	-	60-80	B
SORAU	Sorbus aucuparia 20%	Transplant 1+2	-	60-80	B

NATIVE SHRUB MIX - To be planted in species groups of no less than 5, no more than 20.					
Abb	Botanical Name	Form / X Translations	Min. Height (cm)	Root Condition / Pot Size	Density
CA	Corylus avellana 20%	Transplant 1+1	60-80cm	B	1/m²
CM	Crataegus monogyna 15%	Transplant 1+1	60-80cm	B	1/m²
ILEA	Ilex aquifolium 10%	-	60-80cm	B	1/m²
PS	Prunus spinosa 20%	Transplant 1+1	60-80cm	B	1/m²
RA	Rosa arvensis 10%	Transplant 1+1	60-80cm	B	1/m²
RC	Rosa canina 10%	Transplant 1+1	60-80cm	B	1/m²
VO	Viburnum opulus 15%	Transplant 1+1	60-80cm	B	1/m²

SHRUBS - to be planted in a double, staggered row A maximum in a height of BBS 0.15M - BBS & PL 0.30M					
Abb	Botanical Name	Form / X Translations	Girth (cm)	Min. Height (cm)	Root Condition / Pot Size
BSS	Buxus sempervirens 'Suffruticosa'	-	-	20-30cm	3L
LNJ	Lonicera nitida 'Baggesen's Gold'	-	-	30-40cm	3L
PLO	Prunus laurocerasus 'Otto Luyken'	-	-	30-40cm	3L

NATIVE HEDGE MIX - to be planted in a double, staggered row, randomly mixed A maximum in a height of 1.2M				
CM	Crataegus monogyna	Transplant 1+1	60-80cm	1/m
ILEA	Ilex aquifolium	-	60-80cm	1/m

ORNAMENTAL - Bedmark / Kerb Planting					
Abb	Botanical Name	Form / X Translations	Girth (cm)	Min. Height (cm)	Root Condition / Pot Size
ACV	Acanthus mollis 'Variegatus'			60-80cm	1ltr
BDH	Buddleia davidii 'Hever Red'			60-80cm	1ltr
BDW	Buddleia davidii 'White Profusion'			60-80cm	1ltr
CT	Choisya ternata			60-80cm	1ltr
CTS	Choisya ternata 'Sundance ®'			60-80cm	1ltr
CA	Clematis armandii			60-80cm	1ltr
CAL	Clematis alpina 'Lasurstern'			60-80cm	1ltr
CB	Cotoneaster dammeri			60-80cm	2L
CSC	Cotinus coggygria 'Grace Cream'			60-80cm	2L
CFL	Crocosmia x crocosmiiflora			60-80cm	2L
CFM	Crocosmia x crocosmiiflora 'Malvern Fire'			60-80cm	2L
DFR	Dryopteris filix-mas 'Cristata'			60-80cm	2L
EMG	Erica x darleyensis 'Silberschmelze'			60-80cm	2L
EMS	Erica x darleyensis 'Silberschmelze'			60-80cm	2L
EAC	Escallonia 'Apple Blossom'			60-80cm	2L
EIR	Escallonia 'Iveyi'			60-80cm	2L
EPC	Escallonia x rosebrookiana 'Pink Carpet'			60-80cm	2L
EAP	Euonymus japonicus 'Aureus'			60-80cm	2L
EJM	Euonymus japonicus 'Microphyllus Albovariegatus'			60-80cm	2L
EP	Euonymus japonicus 'Ovatus Aureus'			60-80cm	2L
EPA	Euonymus japonicus 'Ovatus Aureus'			60-80cm	2L
HAG	Hebe 'Autumn Glory'			60-80cm	2L
HBG	Hebe 'Green Globe'			60-80cm	2L
HHG	Hedera helix 'Glacier'			60-80cm	2L
HHM	Hedera helix 'Manda's Crested'			60-80cm	2L
HH	Hydrangea 'Hovaria'			60-80cm	2L
HPI	Hydrangea paniculata 'Limelight'			60-80cm	2L
LJP	Kerria japonica 'Pleniflora'			60-80cm	2L
LJV	Kerria japonica 'Pleniflora Variegata'			60-80cm	2L
LP	Lavandula x intermedia 'Dutch'			60-80cm	2L
LAM	Lavandula stoechas 'Pedunculata'			60-80cm	2L
PT	Pleioblastus tessellatus 'Tsuboi'			60-80cm	2L
PHS	Potentilla x fruticosa 'Abbotswood'			60-80cm	2L
PHP	Potentilla x fruticosa 'Princess'			60-80cm	2L
RP	Rosmarinus officinalis 'Prostratus'			60-80cm	2L
SJ	Santolina pinnata subsp. neapolitana 'Sulphurea'			60-80cm	2L
VTV	Viburnum tinus 'Eve Price'			60-80cm	2L

CLIMBERS - To be loosely tagged on trellis					
Abb	Botanical Name	Form / X Translations	Girth (cm)	Min. Height (cm)	Root Condition / Pot Size
HHC	Hedera helix 'Congloton'			150-175cm	10L
HHDH	Hedera helix			150-175cm	10L

WILDFLOWER MEADOW MIX A - To be sown at a rate of 4g/m²	Seed mixes available from Emorsgate Wild Seeds. Tel: 01553 829 028	All wildflower areas to have 1M wide dove brown grass edge adjacent roads and footpaths.
WILDFLOWER MEADOW MIX B - To be sown at a rate of 4g/m²		
AMA - Meadow Mixture for Wetlands		

KEY

- PROPOSED TREES
- NATIVE TREE MIX
- NATIVE SHRUB MIX
- PROPOSED NATIVE HEDGE MIX
- PROPOSED ORNAMENTAL HEDGE
- ORNAMENTAL SHRUB BED
- CLIMBERS
- WILDFLOWER MEADOW MIX A
- WILDFLOWER MEADOW MIX B
- CLOSE MOWN GRASS
- GRAVEL

Amends to Client comments	April 13	F
Amends to tender layout	Mar 13	E
Amends to footpaths	Dec 12	D
Amends to boundary	Dec 12	C
Amends to coordinated outfall notes	Dec 12	B
Amends to tender layout and client comments	Dec 12	A
All dimensions to be scaled from this drawing	Date	Rev

© Copyright reserved

tba
Landscape Architecture
Arboriculture
1st Floor, Building 2
Wharf Business Centre
Lower Wharf Street
Ashton-in-Makerfield
Lancs OL6 7PB
Tel: 0161-308 3765
E-mail: info@trevorbridge.co.uk

Project
HENTHORN ROAD, CLITHEROE

TAYLOR WIMPEY

Title
LANDSCAPE STRUCTURE PLAN
(1 of 3)

Date	Scale(s)	Dwg no	Rev
01.11.12	1:500 @ A0	4271.04	F

Drawn: NF/HS Chkd: JW

SPECIFICATION

GROUND PREPARATION - GENERAL

Protecting the ground
Soil handling shall be carried out in accordance with BS 4428:1989 section 4.
Soil shall only be handled when it is in a suitably dry and friable condition and it may be necessary to carry out dewatering operations to ensure this condition is met. Soil handling shall not be carried out when the ground is waterlogged, frozen or snow covered. Topsoil shall not be moved when it is wet enough to show pronounced smearing or when it is in a puddled condition.

Soil Handling
Subsoil shall not be placed when frozen or waterlogged and shall not be compacted by the use of excessive vehicle or plant weight or pressure. Topsoil shall be stripped only when it is in a dry and friable condition. Topsoil shall be stripped to the full depth of the topsoil and shall not be contaminated by subsoil. Topsoil shall be stored in windrows not exceeding 2m in height. Subsoil shall be stored in separate heaps not exceeding 3m in height. Topsoil and subsoil heaps shall be protected against contamination by other materials.

Subsoil Cultivation
Subsoil shall be cultivated to a depth of 450mm. Any compacted layers encountered during cultivation shall be shattered. Cultivations shall be carried out to ensure adequate loosening, aeration and drainage of the soil. Cultivations shall be carried out in dry conditions when the soil is friable. Cultivations shall not be carried out when the ground is waterlogged, frozen or snow covered. Cultivations shall not be carried out when soil moisture content is such that soil compaction is likely to occur. Cultivations shall not be carried out when soil moisture content is such that soil smearing is likely to occur. Cultivations shall not be carried out when the ground is waterlogged, frozen or snow covered. Cultivations shall not be carried out when soil moisture content is such that soil compaction is likely to occur. Cultivations shall not be carried out when soil moisture content is such that soil smearing is likely to occur.

Topsoil Spread
Topsoil is to be spread over the formation layer of subsoil to an even depth of 150mm. Any compacted layers encountered during topsoil spreading shall be shattered. Topsoil shall be spread in dry conditions when the ground is friable. Topsoil shall not be spread when the ground is waterlogged, frozen or snow covered. Topsoil shall not be spread when soil moisture content is such that soil compaction is likely to occur. Topsoil shall not be spread when soil moisture content is such that soil smearing is likely to occur. Topsoil shall not be spread when the ground is waterlogged, frozen or snow covered. Topsoil shall not be spread when soil moisture content is such that soil compaction is likely to occur. Topsoil shall not be spread when soil moisture content is such that soil smearing is likely to occur.

Subsoil Spread
Subsoil is to be spread over the formation layer of subsoil to an even depth of 300mm. Any compacted layers encountered during subsoil spreading shall be shattered. Subsoil shall be spread in dry conditions when the ground is friable. Subsoil shall not be spread when the ground is waterlogged, frozen or snow covered. Subsoil shall not be spread when soil moisture content is such that soil compaction is likely to occur. Subsoil shall not be spread when soil moisture content is such that soil smearing is likely to occur. Subsoil shall not be spread when the ground is waterlogged, frozen or snow covered. Subsoil shall not be spread when soil moisture content is such that soil compaction is likely to occur. Subsoil shall not be spread when soil moisture content is such that soil smearing is likely to occur.

Cultivation
Existing grass shall be removed to a depth of 225mm from all planting areas by machine or by hand to the satisfaction of the Contract Administrator. Any stones and roots with any dimension greater than 50mm in any direction shall be removed from the site. Any compacted areas shall be cultivated to a depth of 225mm. Cultivations shall be carried out in dry conditions when the soil is friable. Cultivations shall not be carried out when the ground is waterlogged, frozen or snow covered. Cultivations shall not be carried out when soil moisture content is such that soil compaction is likely to occur. Cultivations shall not be carried out when soil moisture content is such that soil smearing is likely to occur.

PLANTING

Cultivation
Planting areas shall be cultivated to a depth of 225mm from all boundaries, or where the ground is compacted, stones and rubbish.

Soil Improvers
Where directed by the Landscape Architect, fertiliser or other soil additives shall be incorporated into the soil.

Soil Improvers
Soil improvers shall comprise of either shall be spread to the specification and rates as recommended by the manufacturer, or by consulting this site for 100m².

Fertiliser shall be applied evenly at the rate of 70g per square metre. Fertiliser shall be forked or raked into the soil prior to planting.

Fertiliser planting
Where required and approved by the Landscape Architect, fertiliser tablets shall be placed in the bottom of planting pits at the rate of 3 tablets per tree.